

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

<p>(51) International Patent Classification ⁵ : C12N 9/24, 15/56, A01H 5/00, A23K 1/165</p>	<p>A1</p>	<p>(11) International Publication Number: WO 95/02042 (43) International Publication Date: 19 January 1995 (19.01.95)</p>
<p>(21) International Application Number: PCT/AU94/00377 (22) International Filing Date: 6 July 1994 (06.07.94) (30) Priority Data: PL 9821 7 July 1993 (07.07.93) AU (71) Applicants (for all designated States except US): BIOMOLECULAR RESEARCH INSTITUTE LTD [AU/AU]; 343 Royal Parade, Parkville, VIC 3052 (AU). LUMINIS PTY. LTD. [AU/AU]; 1st floor, 10 Pulteney Street, Adelaide, S.A. 5000 (AU). LA TROBE UNIVERSITY [AU/AU]; Plenty Road, Bundoora, VIC 3083 (AU). (72) Inventors; and (75) Inventors/Applicants (for US only): VARGHESE, Joseph, Noozhummury [AU/AU]; 179 Nicholson Street, Brunswick, VIC 3067 (AU). GARRETT, Thomas, Peter, John [AU/AU]; 2 Gray Street, Brunswick, VIC 3056 (AU). FINCHER, Geoffrey, Bruce [AU/AU]; 5 Rochester Street, Leabrook, S.A. 5068 (AU). HØJ, Peter, Bordier [DK/AU]; 1 Andrews Street, Heidelberg, VIC 3084 (AU). CHEN, Lin [CN/AU]; 8 Cash Street, Kingsbury, VIC 3083 (AU). (74) Agent: SANTER, Vivien; Griffith Hack & Co., 509 St. Kilda Road, Melbourne, VIC 3004 (AU).</p>		<p>(81) Designated States: AU, CA, CN, JP, KR, US, European patent (AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE). Published With international search report.</p>
<p>(54) Title: (1 → 3, 1 → 4)-β-GLUCANASE OF ENHANCED STABILITY (57) Abstract This invention relates to a (1 → 3, 1 → 4)-β-glucanase (glucanase III endohydrolase) enzyme, whose amino acid sequence has been modified in order to provide an enzyme whose three-dimensional structure confers improved thermostability and/or pH stability. Specific modifications are based upon a comparison between the three-dimensional structure of (1 → 3, 1 → 4)-β-glucanase and that of (1 → 3)-β-glucanase. The (1 → 3, 1 → 4)-β-glucanase gene has been modified by site-directed mutagenesis, and modified enzymes have been expressed in Escherichia coli. Modified sequences, DNA molecules encoding them, plasmids, expression vectors and transgenic plants are disclosed and claimed.</p>		

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	GB	United Kingdom	MR	Mauritania
AU	Australia	GE	Georgia	MW	Malawi
BB	Barbados	GN	Guinea	NE	Niger
BE	Belgium	GR	Greece	NL	Netherlands
BF	Burkina Faso	HU	Hungary	NO	Norway
BG	Bulgaria	IE	Ireland	NZ	New Zealand
BJ	Benin	IT	Italy	PL	Poland
BR	Brazil	JP	Japan	PT	Portugal
BY	Belarus	KE	Kenya	RO	Romania
CA	Canada	KG	Kyrgyzstan	RU	Russian Federation
CF	Central African Republic	KP	Democratic People's Republic of Korea	SD	Sudan
CG	Congo	KR	Republic of Korea	SE	Sweden
CH	Switzerland	KZ	Kazakhstan	SI	Slovenia
CI	Côte d'Ivoire	LI	Liechtenstein	SK	Slovakia
CM	Cameroon	LK	Sri Lanka	SN	Senegal
CN	China	LU	Luxembourg	TD	Chad
CS	Czechoslovakia	LV	Latvia	TG	Togo
CZ	Czech Republic	MC	Monaco	TJ	Tajikistan
DE	Germany	MD	Republic of Moldova	TT	Trinidad and Tobago
DK	Denmark	MG	Madagascar	UA	Ukraine
ES	Spain	ML	Mali	US	United States of America
FI	Finland	MN	Mongolia	UZ	Uzbekistan
FR	France			VN	Viet Nam
GA	Gabon				

- 1 -

(1 → 3, 1 → 4)-β-glucanase of enhanced stability

Background of the Invention

Barley quality encompasses a range of physical and chemical attributes, depending on whether the grain is to be used in the preparation of malt for brewing purposes, in the formulation of stockfeed, or as a component of human foods. Currently, specifications of barley quality are tailored primarily for the malting and brewing industries, in which germinated barley (malt) is the principal raw material. The quality specifications include such parameters as grain size, dormancy, malt extract, grain protein content, development of enzymes for starch degradation in malt and (1→3,1→4)-β-glucan content. Malt extract is a widely-used quality indicator. It is an estimate of the percentage of malted grain that can be extracted with hot water. Barley breeders and growers strive to produce grain with high malt extract values, because greater extract percentages provide higher levels of materials for subsequent fermentative growth by yeast during brewing. Malt extract values are influenced both by the composition of the ungerminated barley and by the speed and extent of endosperm modification during malting. Given the central role of cell walls as a potential barrier against the free diffusion of starch- and protein-degrading enzymes from the scutellum or from the aleurone to their substrates in cells of the starchy endosperm, it is not surprising that wall composition and the ability of the grain to rapidly produce enzymes that hydrolyse wall constituents are important determinants of malt extract values.

The major constituents of endosperm cell walls of barley are the (1→3,1→4)-β-glucans, which account for approximately 70% by weight of the walls (Fincher, 1975). In the germinating grain (1→3,1→4)-β-glucanases function

- 2 -

to depolymerise (1→3,1→4)-β-glucans of cell walls during endosperm mobilisation.

Total (1→3,1→4)-β-glucan in ungerminated barley grain is not highly correlated with malt extract (Henry 1986; Stuart et al, 1988). However, the residual (1→3,1→4)-β-glucan in malted barley is highly correlated, in a negative sense, with malt extract (Bourne et al, 1982; Henry 1986; Stuart et al, 1988), and this residual polysaccharide reflects a combination of the initial (1→3,1→4)-β-glucan levels in the barley and, more importantly, the capacity of the grain to rapidly produce high levels of (1→3,1→4)-β-glucanase during malting (Stuart et al, 1988). The (1→3,1→4)-β-glucanase potential of barley cultivars is also dependent on both genotype and environment, although environmental conditions during grain maturation appear to be particularly important in the development of the enzymes (Stuart et al, 1988). Monoclonal antibodies specific for barley (1→3,1→4)-β-glucanases have been used in enzyme-linked immunoadsorbent assays (ELISA) that may be useful for the quantitation of (1→3,1→4)-β-glucanase levels in large numbers of barley lines generated in breeding programs (Høj et al, 1990). Furthermore, mutant barleys with altered (1→3,1→4)-β-glucan content (Aastrup 1983; Molina-Cano et al, 1989) or (1→3,1→4)-β-glucanase potential will be useful in future studies on the effects of these components on malting quality and may be valuable in breeding programmes.

The ability of the (1→3,1→4)-β-glucanases [E.C. 3.2.1.73] to retain enzymic activity at elevated temperatures (thermostability) is of extreme importance during the utilization of barley in the malting and brewing industries. Malt quality, as measured by the 'malt extract' index, is highly dependent on the ability of the grain to rapidly synthesize high levels of the enzyme during germination (Stuart et al, 1988). High levels of

- 3 -

(1→3;1→4)-β-glucanases are also desirable in the brewing process, where residual (1→3;1→4)-β-glucans in malt extracts can adversely effect wort and beer filtration due to their propensity to form aqueous solutions of high viscosity. These residuals can also contribute to the formation of certain hazes or precipitates at elevated ethanol concentrations or low temperatures in the final beer (Woodward and Fincher, 1983). The elevated temperatures used during commercial malting and brewing lead to rapid and extensive inactivation of these enzymes. The high temperatures (up to 85°) of commercial kilning processes destroy greater than 60% of the enzyme activity and much of the remaining enzyme is inactivated by the hot water used for malt extraction (Brunswick et al, 1987), Loi et al, 1987). It is therefore highly desirable to develop commercial strains of barley that express a thermostable (1→3;1→4)-β-glucanase enzyme, or to produce the (1→3;1→4)-β-glucanase enzymes exogenously as an additive to be used in the brewing process.

Barley (1→3;1→4)-β-glucans also pose problems in the stockfeed industry. In poultry formulations prepared from cereal grains, (1→3;1→4)-β-glucans significantly raise the viscosity of the gut contents of chickens. This impairs digestion and slows growth rates, and results in sticky faecal droppings that make hygienic handling of eggs and carcasses difficult (Fincher and Stone, 1986). This application would require the enzyme to be stable at a range of pHs, particularly in the pH region of the foregut. It would also be an advantage for the enzyme to be sufficiently thermostable to withstand the steam pelleting processes widely used in stockfeed manufacture.

Thus it is envisaged that (1→3,1→4)-β-glucanase of amino acid sequence modified so as to provide enhanced thermostability and/or pH stability will have a variety of industrial uses, either by means of barley expressing the modified enzyme, or by addition of the modified enzyme to

- 4 -

barley being processed.

There has been considerable interest in inserting (1→3,1→4)-β-glucanase genes into brewing yeasts, in the expectation that low level, constitutive expression would lead to the secretion of active enzyme and the depolymerisation of residual (1→3,1→4)-β-glucan during fermentation (Hinchliffe, 1988). A barley (1→3,1→4)-β-glucanase cDNA (Fincher et al, 1986) fused with a mouse α-amylase signal peptide is expressed and secreted from yeast under the direction of the yeast alcohol dehydrogenase I gene promoter (Jackson et al, 1986). Although the gene for isoenzyme ~~SI~~^EII has not yet been isolated, the availability of almost full length cDNA for use as a probe means that such isolation can readily be carried out using conventional methods.

We have now determined the three dimensional structure of (1→3,1→4)-β-glucanase isoenzyme EII and (1→3)-β-glucanase isoenzyme GII (E.C.3.2.1.39), and have identified regions of the structures of these enzymes which are candidates for modification in order to provide enhanced thermal and pH stability, as well as suitable point mutations for achieving such stabilisation. We have found that the 3-dimensional structures of these two enzymes, which share only 50% sequence homology, are remarkably similar in their structural framework, and that their active sites are also surprisingly similar, despite the difference in substrate specificity.

Summary of the Invention

According to a first aspect, the invention provides a (1→3,1→4)-β-glucanase of enhanced thermostability and/or pH stability.

In a second aspect, the invention provides an isolated DNA sequence encoding a (1→3,1→4)-β-glucanase of enhanced thermostability and/or pH stability, and plasmids, expression vectors, and transgenic plants comprising said

- 5 -

sequence. Preferably the expression host is *E. coli* or *Saccharomyces cerevisiae*; preferably the transgenic plant is barley. It will be clearly understood that barley grain from plants encoding the improved enzyme is within the scope of this invention.

In a third aspect, the invention provides a method selected from the group consisting of malting, brewing and stockfeed processing, comprising the step of

- a) using barley expressing the (1→3,1→4)-β-glucanase of this invention as a starting material, or
- b) adding (1→3,1→4)-β-glucanase of this invention to a grain to be processed.

In a fourth aspect, the invention provides a composition for use in malting, brewing, or stockfeed processing, comprising the improved (1→3,1→4)-β-glucanase of the invention, together with carriers acceptable for use in processing of beverages or of stockfeeds.

Detailed Description of the Invention

The invention will now be described in detail by way of reference only to the following non-limiting examples, and to the figures, in which

Figure 1 shows a stereo view of the alpha carbon trace of the polypeptide backbone of the EII and GII glucanase enzymes. The heavy lines represent the EII enzyme and the lighter lines represent the GII enzymes. The active site groove runs north to south, and the C- and N-termini are indicated, as are the two putative active site residues glutamic acids at residues 232 and 288 (using EII sequence numbers).

Figure 2 shows the sequence comparison of the EII (lower line) and GII (upper line) glucanase enzymes based on the 3-dimensional structure, with the sequence given using the three letter code for amino acids. Residue numbers at the start of each line are the sequence numbers of the two enzymes. The secondary structure elements of both enzymes are given above the GII sequence and below the

- 6 -

EII sequence (see text for notation used in the description of the tertiary structure).

α represents alpha helices; β represents beta sheets; A and B represent additional alpha helices and beta sheets to those of a typical α/β barrel.

Figure 3 is a schematic drawing of the (1 \rightarrow 3,1 \rightarrow 4)- β -glucanase EII enzyme. The elements with arrow heads represent beta sheet structure and the elements with a curled tape coil represent alpha helices. Some of the smaller beta sheets are not drawn. Elsewhere the chain is represented as a rope. The black dots represent amino acid locations where thermostable mutants have been proposed (see text).

Figure 4 is a schematic drawing of the (1 \rightarrow 3)- β -glucanase GII enzyme. The elements with arrow head represent beta sheet structure and the elements with a curled tape coil represent alpha helices. Some of the smaller beta sheets are not drawn. Elsewhere the chain is represented as a rope. The black dots represent amino acids locations around the active site groove which confer the specific activity of the enzymes. It is proposed to modify these amino acids to change the specificity of the GII enzyme into that of the EII enzyme.

Figure 5 shows a comparison between stability of (1 \rightarrow 3,1 \rightarrow 4)- β -glucanase isoenzyme EII with that of (1 \rightarrow 3)- β -glucanase isoenzyme GII at pH 3.5.

Figure 6 compares the stabilities of (1 \rightarrow 3,1 \rightarrow 4)- β -glucanase isoenzymes EII with that of (1 \rightarrow 3)- β -glucanase isoenzyme GII at 50°.

Figure 7 compares the stabilities of (1 \rightarrow 3,1 \rightarrow 4)- β -glucanase isoenzyme EII with that of (1 \rightarrow 3)- β -glucanase isoenzyme GII at increasing temperatures.

The (1 \rightarrow 3;1 \rightarrow 4)- β -glucanases catalyse the hydrolysis of (1 \rightarrow 4)- β -glucosyl linkages in (1 \rightarrow 3;1 \rightarrow 4)- β -glucans, only where the glucosyl residue is substituted at

- 7 -

the C(O)3 position, as follows:

..... G 4 G 3 G 4 G 4 G 3 G 4 G 4 G 4 G 3 G 4 G ...red.

The glucosyl residues are represented by G,
 5 (1→3)- and (1→4)-β-linkages by 3 and 4, respectively, and
 the reducing terminus (red) of the polysaccharide chain is
 indicated. Thus the enzymes have an absolute requirement
 for adjacent (1→3)- and (1→4)-β-linked glucosyl residues
 in their substrates. The (1→3)-β-glucanases [EC 3.2.1.39]
 10 are unable to hydrolyse the single (1→3)-β-linkages found
 in (1→3;1→4)-β-glucans, but can catalyse the hydrolysis
 of (1→3)-β-glucosyl linkages in (1→3)-β-glucans, as
 follows:

15 G 3 G 3 G 3 G 3 G 3 G 3 G 3 G ...red.

Arrows indicate the hydrolysis of (1→3)-β-linkages between
 glucosyl residues (G).

Furthermore it is known that the (1→3)-β-
 glucanase isoenzyme GII is more thermostable, pH stable
 20 and protease resistant than the (1→3;1→4)-β-glucanase EII
 enzyme. Thus using the three dimensional structures of
 these enzymes, we can create more stable forms of the
 (1→3;1→4)-β-glucanase by the following methods:

(a) transferring the structural elements that
 25 generate the heat stability of the (1→3)-β-glucanase, on
 to the (1→3;1→4)-β-glucanase.

(b) modifying the (1→3;1→4)-β-glucanase using
 general principles of protein structure and stability
 (Matthews, 1987).

30 (c) engineering a thermostable or pH stable
 (1→3;1→4)-β-glucanase enzyme by transforming the (1→3)-β-

- 8 -

glucanase into the (1→3;1→4)-β-glucanase. This is done by transferring elements of the catalytic site of the (1→3;1→4)-β-glucanase enzyme on to the (1→3)-β-glucanase enzyme.

- 5 (d) engineering a thermostable (1→3,1→4)-β-glucanase and (1→3)-β-glucanase by creating cysteine pairs which can form disulphide bonds across the C and N terminals.

10 A combination of two or more of these methods may be used.

For each of these methods knowledge of the protein structures is an important prerequisite. This knowledge enables us to separate differences between the two enzymes which govern substrate specificity from those for thermal and pH stability. It also enables us to predict which kind of changes to the sequence which will enhance the stability of the secondary structure elements. Random mutagenesis of glucanase genes will invariably reduce the stability of the protein by disrupting its structure, or may cause inactivation of the enzyme. This is due to the inability of current methods to predict protein folding and catalytic activity from amino acid sequence information alone.

25 Example 1 Determination of the 3-Dimensional Structure of the Glucanase Enzymes.

We have determined the 3-dimensional structure of (1→3;1→4)-β-glucanase isoenzyme EII (hereafter called EII) and (1→3)-β-glucanase isoenzyme GII (hereafter called GII) to high resolution (2.2Å) by X-ray crystallographic techniques described by Blundell and Johnson (1979).

30 In Appendix 3 we have set out the 3-dimensional coordinates and mean thermal vibration parameters (isotropic B values) of the two enzymes, as determined from the crystallographic refinement of the X-ray diffraction data obtained from single crystals of each enzyme.

- 9 -

The EII and GII glucanase structures have essentially identical α/β barrel folds (Figure 1). Minor perturbations are found in the loops mainly at positions where there are sequence insertions and deletions. A sequence comparison is set out in Figure 2. The active site groove, which runs along the full length of the upper surface of the molecule perpendicular to the barrel axis, is almost identical in the central region of the groove, and different in detail towards the ends of the groove. The carboxylate groups of the two putative active site glutamates (Chen et al, 1993) are positioned in an identical way some 7 Å apart. Also around these residues are a ring of residues which are totally conserved in all plant (1→3)- β -glucanases known (Xu et al, 1992 and sequences from the Genbank database). Details of the structure, which is a novel type of α/β barrel are given below.

In Figure 2 elements of the secondary structure have been identified alongside the sequence alignment of the two enzymes. We shall refer to the beta barrel strands as β_i and the major (longest) helices connecting the beta strands as α_i , where i goes from 1 to 8. Minor β sheet and α helices are referred to as B_i and A_i , respectively if they appear after the strand β_i and before β_{i+1} , and a further subscript a or b, if more than one occur.

Looking at the glucanase tertiary structure from above, down the barrel axis (the long axis of the elliptical barrel running east west), the active site groove runs north to south on the upper face of the molecule, as shown in Figures 3 and 4.

The N-terminal starts under the molecule entering the east side of the barrel as β_1 and emerges on the upper surface and the heads back towards the bottom surface as α_1 (traversing the outside of the molecule) to meet β_2 , where this motif is repeated for strands β_2 to β_4 , building the

- 10 -

upper half of a conventional α/β barrel (note that for the third α/β loop there are two helices).

The lower half of the barrel has more elaborate secondary structural elements, not previously observed in other α/β barrel structures. There is what could be called a subdomain built around the helix α_6 . This helix runs perpendicular to the groove axis and at the southern end of the groove and is supported by three two stranded antiparallel β sheet 'fingers' (B_5 on the upper surface, B_7 on the underneath surface and B_6 at the southern end of the groove) and three small helices (A_5 at the western side and A_{6a} and A_{6a} at the eastern side of the groove). This subdomain, which forms a platform for the residues making up the lower half of the groove, is different in detail (possibly arising from the difference in specificity) between the EII and GII enzymes; for example the helix A_5 is missing in GII.

The C-terminal strand, consisting of some 30 residues, starts after the strand β_8 , and has an unusual turn which involves a cis peptide bond between residues Phe 275 and Ala 276 (a cis proline could not accommodate this type of turn). This turn allows the loop of residues from 276 to 286 to position the glutamate at 288, which is in a small helical turn α_9 , at the appropriate orientation to act as a catalytic acid group. The C-terminal strand then finds its way down to the underside of the molecule between the helices α_1 and α_7 to within 4.2Å from the N-terminus.

Example 2

Identification of Sites of Contact with Substrate

In order to observe which amino acids in the substrate-binding groove contacted the substrate, the structure of glucanase GII was determined after soaking crystals with 1->3 linked oligosaccharides. Three sites were found where glucose units of monomer or disaccharides bind to the protein. The coordinates of these sites are

- 11 -

listed in Appendix 2. This establishes the orientation of the substrate within the groove, and that some of the proposed changes to GII are important for substrate binding.

5 Example 3 Proposed Modification of the
 (1→3,1→4)-β-Glucanase of Barley to
 Increase the Thermostability of the
 Enzyme

10 The following amino acid changes are proposed for
enhancing the thermostability of (1→3,1→4)-β-glucanase
EII, based on the 3-dimensional structure of the EII and
GII enzymes. Some of the changes proposed involve
substituting the GII amino acids that could be responsible
15 for stabilising that protein. These substitutions are
based on the principle that the proposed changes will not
alter the specificity of the enzyme (leave the active site
groove unaltered), and where changes would not lead to
deleterious changes in the 3-dimensional structure of the
protein. Where possible glycines have been replaced by
20 prolines or alanines in helices (Matthews et al, 1987) in
order to stiffen the amino acid chain and reduce the
entropy of the unfolded protein. Negatively charged
residues have been attached to the N-termini of helices to
stabilise them (Nicholson et al, 1988, Eijsink et al,
25 1992). Ion pairs have been introduced to increase the
binding energy of the folded protein, and lysines changed
to arginines to prevent glycation and improve stability
(Mrabet et al, 1992) by increasing the hydrogen-bonding
with other parts of the protein. EI and EII refer to the
30 isozymes of (1→3,1→4)-β-glucanase and GI to GVI refer to
the isozymes of the (1→3)-β-glucanase (Xu et al, 1992).
The locations of these substitutions are shown on Figure 3.
The mutation is described using the following notation: eg.
the mutation Ala 14 Ser represents the mutation of the
35 Alanine residue to a Serine at position 14 in the amino

- 12 -

acid sequence (Figure 3). The conventional 3 letter code for amino acids is used.

	<u>Mutation</u>	<u>comments</u>
	Ala 14 Ser	as in GII, GV, GVI to stabilise helix α_1
5	Ala 15 Arg	as in GII, GIV, GV ion pair with Asp 36 at end of groove
	Thr 17 Asp	as in GII to form ion pair with Met 298 Lys in GII
10	Lys 23 Arg	as in GI to GIV, H-bond to O46
	Lys 28 Arg	
	Asn 36 Asp	as in GI, GII, GIV, GVI, EI, to stabilise helix α_2 , ibid
	Gly 44 Arg	as in GI, GII, GV, GVI
15	Gly 45 Asn	as in GII, solvent exposed
	Gly 53 Asp	as in GI, GII, GIII, GV, forms a stable ion pair with Arg 31
	Gly 53 Glu	
	Lys 74 Arg	as in GI, GV
20	Gln 78 Arg	as in GI, GII
	Ala 79 Pro	as in GI, GII, GVI, surface residue
	Lys 82 Arg	
	Ala 95 Asp	as in GIII, ion pair with Arg 128 at end of groove, Asn in GII
25	Gly 97 Pro	
	Phe 85 Tyr	OH of Tyr H-bonds to O 76
	Lys 107 Arg	as in GI, GII, GIII, GIV
	Gly 111 Ala	as in GII, helix residue
	Gly 119 Pro	
30	Lys 122 Arg	conserved in all except GVI, H-bond to O 161 and O 120
	Ser 128 Arg	as in GI to GV
	Gly 133 Ala	as in GII, on the lip of the groove, could have packing problems here with Thr 144
35	Gly 145 Asn	different conformation

- 13 -

		in GII
	Gly 152 Thr	as in GII, His 221 will clash with Thr so need to change His to Ala
	Pro 153 Asp	as in GII, see below for ion pair
5	Gln 156 Arg	as in GII, need Pro 153 Asp for ion pair
	Asn 162 Gly	
	Gly 185 Asn	as in GII, stabilised by Asp 183
	Ala 191 Pro	as in GII, buried (near surface)
10	Gly 193 Ala	wrong dihedrals for a Pro
	Gly 199 Pro	as in GI, GII has a different loop conformation solvated, so could be modified.
	Ala 200 Gly	
15	Gly 202 Thr	as in GII, H-bond to Thr 194 and Arg 197 space for Pro here.
	Gly 219 Glu	as in GI to GVI, ion pair with Arg 265 might need Glu 266 Lys
	Lys 220 Arg	as in GI H-bonds to O139
20	His 221 Ala	as in GII, ibid
	Gly 223 Ala	as in GII (buried)
	Ser 224 Pro	as in GI to GV
	Lys 227 Arg	as in GI, GIV, GV, ion pair with Glu 268
25	Gly 238 Ala	as in GI, GII, GIV, GV, could clash with Asn 290
	Gly 239 Gln	
	Ala 242 Gly	as in GIII wrong dihedrals form a Pro
	Gly 260 Glu	ion pair with Arg 261 or Pro
30	Pro 267 Arg	as in GII
	Gly 268 Glu	as in GII, could for ion pair with Arg 227 (peptide flipped wrt GII)
	Gly 286 Ala	as in GII
	or Asp	to stabilise helix $\alpha 7$
35	Gln 289 Arg	as in GII, GIV, GV
	Met 298 Lys	as in GI, GII, GIV, GV, ibid
	His 300 Pro	as in GI to GV

- 14 -

Of the above proposed modification the following ion pairs have to be substituted at the same time.

	Ala 15 Arg	and	Asn 36 Asp
	Thr 17 Asp	and	Met 298 Lys
5	Ala 95 Asp	and	Ser 128 Arg
	Pro 153 Asp	and	Gln 156 Arg
	Lys 227 Arg	and	Gly 268 Arg
	Gly 152 Thr	and	His 221 Ala

10 It will be clearly understood that, subject to this requirement for concurrent substitution of ion pairs, combinations of two or more of the proposed modifications may be used.

15 An additional class of mutations is proposed in which the main chain torsion angle about the N and C α atoms is greater than 0°. In this case a replacement by a Gly residue is energetically more favourable, particularly at the C terminal of an α -helix (Aurora et al., 1994). These mutations are:

20	Asn 162 Gly	as in GI, GII, GV, GVI, EI, terminus of helix α 5
	Ala 200 Gly	as in GIII, GIV, GV, GIV, main chain torsion angles
	Ala 242 Gly	Main chain torsion angles
	Met 298 Gly	Main chain torsion angles

25 Example 4 Proposed Modification of the (1 \rightarrow 3)- β -Glucanase of Barley to Alter its Catalytic Activity to that of (1 \rightarrow 3,1 \rightarrow 4)- β -Glucanase and Increase the Thermostability and pH Stability of the Enzyme.

30 As mentioned before the most noticeable feature of both the GII and EII enzymes is a deep groove across one face of the molecule. This appears to be the substrate binding site. Using structural information from both the

- 15 -

GII and EII enzymes it is possible to determine which amino acid residues are likely to control substrate specificity. Furthermore, as these two enzymes are very similar in structure it is possible to graft the loops from one enzyme on to the more heat and pH stable framework of the other to change the specificity.

We propose replacing the GII loops which form the sides and bottom of the cleft by the corresponding amino acids from the EII enzyme. These changes are as follows:

10 residue 8 Ile→Ser,
 residue 34 Phe→Ala,
 residue 208 Ala→Thr,
 residue 209 Met→Thr,
 residue 213 Val→Phe
 15 residue 128-137 Ile-Arg-Phe-Asp-Glu-Val-Ala-
 Asn-Ser-Phe → Val-Ser-Gln-Ala-Ile-Leu-Gly-Val-
 Phe-Ser (SEQ. ID NO: 1),
 residue 171-179 Phe-Ala-Tyr-Arg-Asp-Asn-Pro-
 Gly-Ser→Leu-Ala-Trp-Ala-Tyr-Asn-Pro-Ser-Ala
 20 (SEQ. ID NO: 2) and
 residue 283-291 Thr-Gly-Asp-Ala-Thr-Glu-Arg-
 Ser-Phe→Asp-Ser-Gly-Val-Glu-Gln-Asn-Trp (SEQ. ID
 NO: 3)

25 Some or all of these changes are necessary. The skilled person will readily be able to test the effectiveness of the substitutions.

Again combinations of two or more of these proposed modifications may be used.

30 Doan and Fincher (1992) showed that relative to the EI enzyme, EII is more thermostable because of the carbohydrate at residue 190. We propose to introduce a carbohydrate attachment site into the modified GII enzyme to enhance the thermostability. The mutations required are 189-191 Gln-Pro-Gly→Asn-Ala-Ser

35 Figure 4 is a schematic drawing of the GII enzyme structure showing locations of the proposed mutations.

- 16 -

Example 5 Construction of Mutant Glucanases

Construction of the proposed mutant glucanases may be effected using the polymerase chain reaction (PCR)-based megaprimer method (Sarkar & Sommers, 1990), and single site mutants of the isozymes EI and EII have already been produced in this way by one of us (Doan and Fincher, 1992). Briefly, for each site mutant or short series of adjacent mutations one oligonucleotide is synthesised which contains the complementary sequence required for the mutation(s) and sufficient flanking regions to anneal to the wild type cDNA. This oligonucleotide is extended against the cDNA template with a DNA polymerase. PCR is used to amplify the mutant section of cDNA, and then this is inserted back into the plasmid containing the original cDNA. For multiple mutations this process is repeated to produce the final construct.

We currently have the cDNAs for the EII and GII enzymes which form the starting points for the mutagenesis (Doan and Fincher, 1992; Høj et al, 1989). For the purposes of demonstrating improved stability or altered specificity of these enzymes and for production of the enzymes in quantity, the proteins can then be expressed in *E. coli* (Wynn et al, 1992) or in insect cells (e.g. Sf9 cells) using a Baculovirus system (Doan & Fincher, 1992). A person skilled in the art will be aware of a variety of other suitable expression systems. For example, yeast would be a suitable host, and such an engineered yeast could be used directly in the brewing process. The availability of the gene encoding (1→3,1→4)-β-glucanase isoenzyme EI and near full-length cDNAs for isoenzymes EI and EII (Slakeski et al, 1990) presents an opportunity to accelerate or enhance (1→3,1→4)-β-glucanase development in germinated grain through gene technology. Increased enzyme activity might be achieved by several means, for example, by splicing more efficient promoters onto the gene, by altering the existing promoter to enhance expression levels, by the use of translational enhancers,

- 17 -

or by increasing the copy number of the genes.

Two more steps are required for the mutant enzymes to be incorporated into barley and expressed in a spatially and temporally appropriate manner. These are
5 construction of a barley glucanase gene with the appropriate control of expression, and the insertion of the gene into a viable barley plant. The sequence of the EII gene, including the promoter regions and the coding region and the signal peptide has been determined (Wolf, 1991).
10 Thus for correct expression of the mutant glucanases we will replace a portion of this gene by the corresponding portion of a mutant cDNA using the above methods. It is expected that transformation of barley, that is to regenerate a fertile transgenic barley plant, will be
15 possible in the near future. Foreign or manipulated DNA can be integrated into the barley genome in a stable form (Lazzeri et al, 1991) and fertile plants can be regenerated from single protoplasts (Jahne et al, 1991a, b). Among the cereals related to barley, rice can now be routinely
20 transformed, and transformation of both wheat and maize has been reported. Methods for effecting transformation of monocotyledonous plants such as barley using biolistic techniques are widely used, and whole plants of transgenic barley have been grown.

25 Example 6

1) Stability of GII and EII at pH 3.5

(1→3)-β-glucanase isoenzyme GII (9.2 μg/ml) and
(1→3,1→4)-β-glucanase isoenzyme EII (.23 mg/ml) were
incubated in 100 mM sodium acetate buffer at pH 3.5 in the
30 presence of bovine serum albumin at 37°C (0.5 mg/ml). Residual enzyme activities (A_t) were determined and compared to the initial activity at $t=0$ (A_0). The results are illustrated in Figure 5. GII shows markedly greater
35 stability with time at pH 3.5 than does EII. (Note: at pH 4.3 the enzymes differ only slightly in their stability and exhibit only minimal loss of activity; data not shown).

- 18 -

ii) Stabilities of GII and EII at 50°C

(1→3)-β-glucanase isoenzyme GII (16 μg/ml) and (1→3;1→4)-β-glucanase isoenzyme EII (19 μg/ml) were incubated in 50 mM sodium acetate buffer at pH 5.0 in the presence of bovine serum albumin (1 mg/ml) at 50°C. Residual enzyme activities (A_t) were determined and compared to the initial activity at $t=0$ (A_0). The results are illustrated in Figure 6. GII is very much more stable at 50°C than is EII.

10 iii) Stabilities of GII and EII at Increasing Temperatures

(1→3)-β-glucanase isoenzyme GII (16 μg/ml) and (1→3;1→4)-β-glucanase isoenzyme EII (19 μg/ml) were incubated in 50 mM sodium acetate buffer at pH 5.0 at the indicated temperature for 15 min. Residual enzyme activities (A_t) were determined and compared to the initial activity at $t=0$ (A_0). The results are illustrated in Figure 7. EII is stable only up to 40°C, while GII is stable up to 50°C.

20 Example 7 Site-directed Mutagenesis

Of the possible mutations listed in Example 3, the following alterations were considered to be the most likely to improve stability. The alterations are based on:

- | | | |
|----|--|-------------------------|
| 25 | 1. creation of ion pairs: | Gly 53 Asp |
| | | Gly 53 Glu |
| | | Thr 17 Asp; Met 298 Lys |
| | | Ala 95 Asp; Ser 128 Arg |
| 30 | 2. removal of potential glycation sites: | Lys 122 Arg |
| | | Lys 23 Arg |
| | | Lys 74 Arg |
| | 3. reduction in entropy of unfolded state: | Gly 44 Arg |

- 19 -

Gly 223 Ala

Ala 79 Pro

4. hydrophobic effects: Phe 85 Tyr

Site-directed mutagenesis was carried out by the
5 unique restriction enzyme site elimination procedure using
a U.S.E. Mutagenesis Kit (Pharmacia) with double-stranded
plasmid DNA as a template. Appropriate mutagenic primers
were designed to generate the mutations and were
synthesized on a standard DNA synthesizer. All
10 oligonucleotide primers were phosphorylated at their 5'-end
before use, and the mutagenesis procedure was performed
essentially as prescribed by the manufacturer. Mutants
were confirmed by dideoxynucleotide sequencing using a
Sequenase version 2.0 sequencing Kit (U.S. Biochemical
15 Co.).

The following EII mutants were produced and
confirmed by sequence analysis:

Lys 74 Arg
Gly 44 Arg
20 Phe 85 Arg
Gly 53 Glu
Lys 122 Arg
Lys 23 Arg
Ala 79 Pro

25 In addition, we have also made the following
mutants:

Gly 223 Ala
Gly 53 Asp

Example 8 Expression of Mutant Enzymes in E. coli

30 The mutant cDNA inserts in the expression plasmid
pMAL-c2 were transformed in E. coli DH5⁺ cells, and grown
overnight at 37°C in LB containing 0.2% glucose and 100
µg/ml ampicillin. Aliquots of the cell suspension were

SUBSTITUTE SHEET (Rule 26)

- 20 -

sub-cultured into the same medium and grown at 37°C with vigorous shaking to an optical density at 600 nm of 0.5, \

induced for 3h with 1mM isophenyl- β -thiogalactoside and lysed with lysozyme treatment and freeze/thawing. After
5 removal of cell debris by centrifugation, enzyme activity was measured either in the unpurified extract or following purification.

The following EII mutants have been expressed in *E. coli* and the expressed proteins have been confirmed to
10 be of the correct size:

Lys 122 Arg

Phe 85 Tyr

Gly 44 Arg

Example 9 Purification of Recombinant Fusion Proteins

15 For the purification of the wild-type enzyme, crude extract from 1 litre culture was diluted 10-fold with 15mM Tris-HCl buffer, pH 8.0 and applied at a flow rate of 2.5 ml/min to a DEAE-Sepharose Fast Flow (Pharmacia) column (3 x 11.5 cm) equilibrated with 25mM Tris-HCl buffer, pH
20 8.0. After washing the column exhaustively, bound proteins were eluted with a linear 0-250 mM NaCl gradient in 1.2 litre equilibration buffer. Fractions containing significant enzyme activity were pooled, desalted and adjusted to 25 mM NaAc, pH 5.0. After exhaustive washing,
25 bound proteins were eluted with a linear 0-200 mM NaCl gradient in 1 litre equilibration buffer. The fractions containing pure protein were pooled to give 5.0 mg active fusion protein.

Mutant enzymes were all purified by a single ion-
30 exchange chromatography step employing a shallow salt gradient elution. The crude extract from 4 to 5 litre culture was diluted 10 fold with 15 mM Tris-HCl (pH 8.0) and applied at a flow rate of 2.5-3.0 ml/min to a DEAE-Sepharose column (5 x 21 cm) equilibrated with 12.5 mM
35 Tris-HCl (pH 8.5). After exhaustive washing, bound

SUBSTITUTE SHEET (Rule 26)

- 21 -

proteins were eluted with a 1.9 litre linear 0 - 80 mM NaCl gradient at a flow rate of 2.0 ml/min. Fractions containing pure fusion protein were located by SDS-PAGE, pooled, concentrated and adjusted to 2.5 mM sodium acetate (pH 5.0) by ultrafiltration before clarification by centrifugation.

Example 10 Activity of Expressed Enzymes

(1→3,1→4)-β-Glucanase activity was measured viscometrically at 40°C, using 5 mg/ml barley (1→3,1→4)-β-glucan in 50 mM sodium acetate pH 5.0 as substrate. A unit of activity is defined as the amount of enzyme causing an increase of 1.0 in the reciprocal specific viscosity ($\Delta 1/\eta_{sp}$) per minute. Specific activity is expressed as the activity per mg protein.

The activities of the following mutant enzymes have been measured and compared with the activity of the expressed wild type enzyme:

Lys 122 Arg	activity same as wild type
Phe 85 Tyr	activity approx. 70% of wild type
Gly 44 Arg	activity very low

Example 11 Thermostability Assays

Aliquots of wild type or mutant fusion proteins were diluted with 50 mM sodium acetate buffer, pH 5.5 and incubated at temperatures ranging from 40°C to 60°C for 15 min. Samples incubated at 0°C were used as controls. Residual enzyme activity was determined viscometrically with 550 μl (1→3,1→4)-β-glucan substrate, as described for Example 10.

References listed herein are identified on the following pages.

It will be apparent to the person skilled in the art that while the invention has been described in some

- 22 -

detail for the purposes of clarity and understanding,
various modifications and alterations to the embodiments
and methods described herein may be made without departing
from the scope of the inventive concept disclosed in this
5 specification.

- 23 -

References

- Aastrup S.
Carlsberg Res. Commun., 1983 48 307-316
- 5 Aurora, R., Srinivasan, R., and Rose, G.D. Science, 1994
264 1126-1130
- Bamforth, C.W.
Brewers Digest, 1983 57 22-27
- Blundell, T.L. and Johnson, L.N.
Protein Crystallography, 1976, Academic Press, London
- 10 Bourne, D.T., Powlessland, T. and Wheeler, R.E.
J. Inst. Brew., 1982 88 371-375
- Brunswick, P., Manners, D.J. and Stark, J.R.
J. Inst. Brew., 1987 93 181-186
- 15 Chen, L., Fincher, G.B. and Høj, P.B.
J. Biol. Chem., 1993 268, in press
- Doan, D.N.P. and Fincher, G.B.
FEBS Lett, 1992 309 265-271
- Eijsink, V.G.H, Vriend, G., van den Burg, B., van der Zee,
J.R. and Venema, G.
20 Prot. Eng., 1992 5 165-170
- Fincher, G.B.
J. Inst. Brewing, 1975 81 116-122
- Fincher, G.B., Lock, P.A., Morgan, M. M., Lingelbach, K.,
Wettenhall, R.E.H., Mercer, J.f.B., Brandt, A. and
25 Thomsen, K.K.
Proc. Natl. Acad. Sci. USA, 1986 83 2081-2085
- Fincher, G.B. and Stone, B.A.
Adv. Cer. Sc. Techn., 1986 8 207-295
- Henry, R.J.
30 J. Cereal Sci., 1986 4 269-277
- Høj, P.B., Hartman, D.J., Morrice, N.A., Doan, D.N.P. and
Fincher, G.B.
Plant Mol. Biol., 1989 13 31-42
- Høj, P.B., Hoogenraad, N.J., Hartman, D.J., Yannakena, H.
35 and Fincher, G.B.
J. Cereal Science, 1990 11 261-268
- Jahne, A., Lazzeri, P.A., Jager-Gussen, M. and Lorz, H.
Theor. Appl. Genet., 1991 82 74-80

- 24 -

- Lazzeri, P.A., Brettschneider, R., Luhrs, R., and Lorz, H.
Theor. Appl. Genet., 1991 81 437-444
- Loi, L., Barton, P.A. and Fincher, G.B.
J. Cer. Sci., 1987 5 45-50
- 5 Matthews, B.W.
Biochemistry, 1987 26 6885-6888
- Matthews, B.W., Nicholson, H., Bechtel, W.J.
Proc. Natl. Acad. Sci. U.S.A., 1987 84 6663-6667
- 10 Mrabet, N.T. et al
Biochem., 1992 31 2239-2253
- Nicholson, H., Bechtel, W.J., Matthews, B.W.
Nature (London), 1988 336 651-656
- Powell, W., Caligari, P.D.S., Swanston, J.S. and
Jinks, J.L.
15 Theoretical and Applied Genetics, 1989 71 461-466
- Sarkar, G and Sommers, S.S.
BioTechniques, 1990 4 404-407
- 20 Slakeski, N., Baulcombe, D.C., Devos, K.M. Ahluwalia, B.,
Doan, D.N.P. and Fincher G.B.
Mol. Gen. Genet., 1990 224 437-449
- Stuart, I.M., Loi, L. and Fincher, G.B.
J. Cer. Sci. 1988 7 61-71
- 25 Wolf, N.
Plant Physiol., 1991 96 1382-1384
- Woodward, J.R. and Fincher, G.B.
Brewers Digest, 1983 58 28-32
- Wynn, R.M, Davie, J.R., Cox, R.P. and Chuang, D.T.
J. Bio. Chem. 1992 267 12400-12403
- 30 Xu, P., Wang, J. and Fincher, G.B.
Gene (Amst.), 1992 120 157-165

- 25 -

SEQUENCE LISTING

(1) GENERAL INFORMATION:

- 5 (i) APPLICANT: BIOMOLECULAR RESEARCH INSTITUTE LTD
LUMINIS PTY LTD
LA TROBE UNIVERSITY
- (ii) TITLE OF INVENTION: ENZYME OF ENHANCED ACTIVITY
- (iii) NUMBER OF SEQUENCES: 4
- 10 (iv) CORRESPONDENCE ADDRESS:
(A) ADDRESSEE: GRIFFITH HACK & CO
(B) STREET: 509 ST KILDA ROAD
(C) CITY: MELBOURNE
(D) STATE: VICTORIA
(E) COUNTRY: AUSTRALIA
(F) ZIP: 3004
- 15 (v) COMPUTER READABLE FORM:
(A) MEDIUM TYPE: Floppy Disk
(B) COMPUTER: IBM PC compatible
(C) OPERATING SYSTEM: PC-DOS/MS-DOS
(D) SOFTWARE: Word Perfect Version 5.1
- 20 (vi) CURRENT APPLICATION DATA:
(A) APPLICATION NUMBER: PL9821
(B) FILING DATE: 7 July 1994
(C) CLASSIFICATION: Unknown
- 25 (viii) ATTORNEY/AGENT INFORMATION:
(A) NAME: Santer, Dr. Vivien
- (ix) TELECOMMUNICATION INFORMATION:
(A) TELEPHONE: +61-3-243-8300
(B) TELEFAX: +61-3-243-8333
(C) TELEX: AA30921
- 30 (2) INFORMATION FOR SEQ ID NO: 1
- (i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 10 amino acids
(B) TYPE: amino acid
(C) TOPOLOGY: linear
- 35 (ii) MOLECULE TYPE: protein

- 26 -

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 1

Ile Arg Phe Asp Glu Val Ala Asn Ser Phe →
 1 5 10

5 Val Ser Gln Ala Ile Leu Gly Val Phe Ser
 1 5 10

(3) INFORMATION FOR SEQ ID NO: 2

(i) SEQUENCE CHARACTERISTICS:

- 10 (A) LENGTH: 9 amino acids
 (B) TYPE: amino acid
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 2

Phe Ala Tyr Arg Asp Asn Pro Gly Ser →
 1 5

15 Leu Ala Trp Ala Tyr Asn Pro Ser Ala
 1 5

(4) INFORMATION FOR SEQ ID NO: 3

(i) SEQUENCE CHARACTERISTICS:

- 20 (A) LENGTH: 9 amino acids
 (B) TYPE: amino acid
 (C) TOPOLOGY: linear

(ii) MOLECULE TYPE: protein

(xi) SEQUENCE DESCRIPTION: SEQ ID NO: 3

25 Thr Gly Asp Ala Thr Glu Arg Ser Phe →
 1 5

Asp Ser Gly Val Glu Gln Asn Trp
 1 5

(5) INFORMATION FOR SEQ ID NO: 4

(i) SEQUENCE CHARACTERISTICS:

- 30 (A) LENGTH: 306 amino acids
 (B) TYPE: amino acid
 (C) TOPOLOGY: linear

- 27 -

(ii) MOLECULE TYPE: protein

(iii) HYPOTHETICAL: no

(ix) ORIGINAL SOURCE:

(A) barley

5

(ix) FEATURES:

(D) glucanase GII endohydrolase

(x) PUBLICATION INFORMATION:

10

Høj, P.B., Hartman, D.J., Morrice, N.A., Doan, D.N.P. and Fincher, G.B.: "Purification of (1,3)- β -glucan endohydrolase isoenzyme II from germinating barley and determination of its primary structure from a cDNA clone", Plant Mol. Biol. 13 (1989) 31-42.

(xi) SEQUENCE DESCRIPTION: SEQ. ID NO: 4

15	Ile	Gly	Val	Cys	Tyr	Gly	Val	Ile	Gly	Asn	Asn	Leu	Pro	Ser	Arg	Ser
	1				5					10					15	
	Asp	Val	Val	Gln	Leu	Tyr	Arg	Ser	Lys	Gly	Ile	Asn	Gly	Met	Arg	Ile
				20					25					30		
	Tyr	Phe	Ala	Asp	Gly	Gln	Ala	Leu	Ser	Ala	Leu	Arg	Asn	Ser	Gly	Ile
20			35					40					45			
	Gly	Leu	Ile	Leu	Asp	Ile	Gly	Asn	Asp	Gln	Leu	Ala	Asn	Ile	Ala	Ala
		50					55					60				
	Ser	Thr	Ser	Asn	Ala	Ala	Ser	Trp	Val	Gln	Asn	Asn	Val	Gln	Pro	Tyr
	65					70					75				80	
25	Tyr	Pro	Ala	Val	Asn	Ile	Lys	Tyr	Ile	Ala	Ala	Gly	Asn	Glu	Val	Gln
					85					90				95		
	Gly	Gly	Ala	Thr	Gln	Ser	Ile	Leu	Pro	Ala	Met	Arg	Asn	Leu	Asn	Ala
				100					105					110		
	Ala	Leu	Ser	Ala	Ala	Gly	Leu	Gly	Ala	Ile	Lys	Val	Ser	Thr	Ser	Ile
30			115					120					125			
	Arg	Phe	Asp	Glu	Val	Ala	Asn	Ser	Phe	Pro	Pro	Ser	Ala	Gly	Val	Phe
		130					135					140				
	Lys	Asn	Ala	Tyr	Met	Thr	Asp	Val	Ala	Arg	Leu	Leu	Ala	Ser	Thr	Gly
	145					150					155				160	
35	Ala	Pro	Leu	Leu	Ala	Asn	Val	Tyr	Pro	Tyr	Phe	Ala	Tyr	Arg	Asp	Asn
					165					170					175	
	Pro	Gly	Ser	Ile	Ser	Leu	Asn	Tyr	Ala	Thr	Phe	Gln	Pro	Gly	Thr	Thr
				180					185					190		
	Val	Arg	Asp	Gln	Asn	Asn	Gly	Leu	Thr	Tyr	Thr	Ser	Leu	Phe	Asp	Ala
40			195					200					205			
	Met	Val	Asp	Ala	Val	Tyr	Ala	Ala	Leu	Glu	Lys	Ala	Gly	Ala	Pro	Ala
		210					215					220				
	Val	Lys	Val	Val	Val	Ser	Glu	Ser	Gly	Trp	Pro	Ser	Ala	Gly	Gly	Phe
	225					230					235				240	
45	Ala	Ala	Ser	Ala	Gly	Asn	Ala	Arg	Thr	Tyr	Asn	Gln	Gly	Leu	Ile	Asn
					245					250					255	
	His	Val	Gly	Gly	Gly	Thr	Pro	Lys	Lys	Arg	Glu	Ala	Leu	Glu	Thr	Tyr
				260					265					270		
	Ile	Phe	Ala	Met	Phe	Asn	Glu	Asn	Gln	Lys	Thr	Gly	Asp	Ala	Thr	Glu
50			275					280					285			
	Arg	Ser	Phe	Gly	Leu	Phe	Asn	Pro	Asp	Lys	Ser	Pro	Ala	Tyr	Asn	Ile
		290					295					300				
	Gln	Phe														
	305															

- 28 -

(6) INFORMATION FOR SEQ ID NO: 5

- 5 (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 306 amino acids
 (B) TYPE: amino acid
 (C) TOPOLOGY: linear
(ii) MOLECULE TYPE: protein

 (iii) HYPOTHETICAL: no

 (ix) ORIGINAL SOURCE:
 (A) barley

10 (ix) FEATURES:
 (D) glucanase EII endohydrolase

15 (x) PUBLICATION INFORMATION:
 Fincher, G.B., Lock, P.A., Morgan, M.M.,
 Lingelback, K., Wettenhall, R.E.H., Mercer,
 J.F.B., Brandt, A. and Thomsen, K.K.: "Primary
 structure of the (1,3;1,4)- β -glucan
 glucanohydrolase from barley aleurone", Proc.
 Nat. Acad. Sci, USA 83 (1986) 2081-2085

- 29 -

(xi) SEQUENCE DESCRIPTION: SEQ. ID NO: 5

Ile	Gly	Val	Cys	Tyr	Gly	Met	Ser	Ala	Asn	Leu	Pro	Ala	Ala	Ser	Thr	Val	Val
1				5					10				15				
Ser	Met	Phe	Lys	Ser	Asn	Gly	Ile	Lys	Ser	Met	Arg	Leu	Tyr	Pro	Asn	Gln	Ala
20					25				30					35			
Ala	Leu	Gln	Ala	Val	Gly	Gly	Thr	Gly	Ile	Asn	Val	Val	Val	Ala	Pro	Asn	Asp
40					45					50					55		
Val	Leu	Ser	Asn	Leu	Ala	Ala	Ser	Pro	Ala	Ala	Ala	Ala	Ser	Trp	Lys	Ser	Asn
		60					65				70					75	
Ile	Gln	Ala	Tyr	Pro	Lys	Val	Ser	Phe	Arg	Tyr	Val	Cys	Val	Gly	Asn	Glu	Val
			80					85					90				95
Gly	Gly	Ala	Thr	Arg	Asn	Leu	Val	Pro	Ala	Met	Lys	Asn	Val	His	Gly	Ala	Leu
				100					105					110			Val
Ala	Ala	Gly	Leu	Gly	His	Ile	Lys	Val	Thr	Thr	Ser	Val	Ser	Gln	Ala	Ile	Leu
115					120					125					130		Gly
Val	Phe	Ser	Pro	Pro	Ser	Ala	Gly	Ser	Phe	Thr	Gly	Glu	Ala	Ala	Ala	Phe	Met
	135					140					145				150		Gly
Pro	Val	Val	Gln	Phe	Leu	Ala	Arg	Thr	Asn	Ala	Pro	Leu	Met	Ala	Asn	Ile	Tyr
		155					160					165				170	Pro
Tyr	Leu	Ala	Trp	Ala	Tyr	Asn	Pro	Ser	Ala	Met	Asp	Met	Gly	Tyr	Ala	Leu	Asn
			175					180					185				190
Ala	Ser	Gly	Thr	Val	Val	Arg	Asp	Gly	Ala	Tyr	Gly	Tyr	Gln	Asn	Leu	Phe	Thr
				195					200					205			
Thr	Val	Asp	Ala	Phe	Tyr	Thr	Ala	Met	Gly	Lys	His	Gly	Gly	Ser	Val	Lys	Leu
210					215					220							
Val	Val	Ser	Glu	Ser	Gly	Trp	Pro	Ser	Gly	Gly	Thr	Thr	Ala	Ala	Thr	Pro	Asn
	230					235					240				245		
Ala	Arg	Phe	Tyr	Asn	Gln	His	Leu	Ile	Asn	His	Val	Gly	Arg	Gly	Thr	Pro	His
		250					255					260				265	
Pro	Gly	Ala	Ile	Glu	Thr	Tyr	Ile	Phe	Ala	Met	Phe	Asn	Glu	Asn	Gln	Lys	Ser
			270					275					280				285
Gly	Val	Glu	Gln	Asn	Trp	Gly	Leu	Phe	Tyr	Pro	Asn	Met	Gln	His	Val	Tyr	Ile
				290					295					300			
Asn	Phe																
305																	

SUBSTITUTE SHEET (Rule 26)

Appendix 1**Table of the atomic coordinates of the EII and GII
glucanase enzymes from barley**

The atomic coordinates and isotropic temperature factors of the non-hydrogen atoms of the 306 amino acids in (1-3,1-4)- β -glucanase EII enzyme of barley are listed below. 2896 atomic coordinates are in the tables, including bound water molecules found in the crystal lattice. Following this are the atomic coordinates of the two independent (1-3)- β -glucanase GII enzyme molecules found in the crystal lattice. The first molecule residues are numbered 1 to 306 and the second one 401 to 606. 4564 atomic coordinates are in the tables. Included also are the bound water molecules found in the crystal lattice.

Atomic coordinates of E2 glucanase of barley obtained by X-ray diffraction									
ATOM									EII
1	CB	ILE	1	42.989	-30.807	19.518	1.00	19.74	EII
2	CG2	ILE	1	44.297	-31.091	18.767	1.00	23.91	EII
3	CG1	ILE	1	43.120	-29.604	20.452	1.00	20.86	EII
4	CD1	ILE	1	43.867	-29.879	21.718	1.00	20.90	EII
5	C	ILE	1	42.218	-29.739	17.268	1.00	24.60	EII
6	O	ILE	1	42.176	-30.269	16.142	1.00	17.61	EII
9	N	ILE	1	41.347	-31.875	17.973	1.00	24.03	EII
11	CA	ILE	1	41.820	-30.580	18.516	1.00	19.60	EII
12	N	GLY	2	42.568	-28.460	17.449	1.00	19.88	EII
14	CA	GLY	2	42.926	-27.644	16.308	1.00	16.84	EII
15	C	GLY	2	44.411	-27.395	16.335	1.00	18.98	EII
16	O	GLY	2	45.051	-27.662	17.350	1.00	22.22	EII
17	N	VAL	3	44.966	-26.899	15.233	1.00	16.28	EII
19	CA	VAL	3	46.385	-26.590	15.159	1.00	14.63	EII
20	CB	VAL	3	47.246	-27.766	14.503	1.00	15.84	EII
21	CG1	VAL	3	48.602	-27.262	14.098	1.00	13.49	EII
22	CG2	VAL	3	47.461	-28.938	15.492	1.00	9.39	EII
23	C	VAL	3	46.501	-25.310	14.335	1.00	16.58	EII
24	O	VAL	3	45.773	-25.124	13.340	1.00	16.41	EII
25	N	CYS	4	47.383	-24.409	14.776	1.00	17.47	EII
27	CA	CYS	4	47.611	-23.141	14.080	1.00	13.90	EII
28	CB	CYS	4	48.159	-22.114	15.026	1.00	12.20	EII
29	SG	CYS	4	47.009	-21.706	16.278	1.00	18.93	EII
30	C	CYS	4	48.583	-23.320	12.942	1.00	8.38	EII
31	O	CYS	4	49.700	-23.775	13.129	1.00	13.42	EII
32	N	THR	5	48.112	-23.034	11.750	1.00	11.04	EII
34	CA	TYR	5	48.915	-23.144	10.558	1.00	15.79	EII
35	CB	TYR	5	47.963	-23.512	9.428	1.00	17.92	EII
36	CG	TYR	5	48.571	-23.904	8.099	1.00	18.60	EII
37	CD1	TYR	5	47.741	-24.243	7.029	1.00	23.27	EII
38	CE1	TYR	5	48.248	-24.538	5.772	1.00	22.99	EII
39	CD2	TYR	5	49.938	-23.874	7.881	1.00	18.83	EII
40	CE2	TYR	5	50.468	-24.164	6.619	1.00	21.17	EII
41	CZ	TYR	5	49.600	-24.502	5.567	1.00	23.75	EII
42	OH	TYR	5	50.066	-24.850	4.320	1.00	23.36	EII
44	C	TYR	5	49.654	-21.805	10.298	1.00	15.48	EII
45	O	TYR	5	49.154	-20.933	9.594	1.00	13.42	EII
46	N	GLY	6	50.793	-21.617	10.965	1.00	15.88	EII
48	CA	GLY	6	51.588	-20.408	10.795	1.00	14.72	EII
49	C	GLY	6	52.478	-20.579	9.582	1.00	17.84	EII
50	O	GLY	6	53.053	-21.657	9.375	1.00	14.34	EII
51	N	MET	7	52.650	-19.519	8.800	1.00	14.84	EII
53	CA	MET	7	53.440	-19.628	7.588	1.00	18.75	EII
54	CB	MET	7	52.514	-19.505	6.361	1.00	20.22	EII
55	CG	MET	7	51.261	-20.402	6.409	1.00	26.53	EII
56	SD	MET	7	50.142	-20.341	4.918	1.00	33.90	EII
57	CE	MET	7	50.057	-18.550	4.721	1.00	27.93	EII
58	C	MET	7	54.580	-18.631	7.485	1.00	18.41	EII
59	O	MET	7	54.966	-18.258	6.383	1.00	21.22	EII
60	N	SER	8	55.193	-18.303	8.613	1.00	13.98	EII
62	CA	SER	8	56.284	-17.361	8.642	1.00	12.54	EII
63	CB	SER	8	56.233	-16.540	9.910	1.00	19.56	EII
64	OG	SER	8	54.876	-16.256	10.246	1.00	31.51	EII
66	C	SER	8	57.576	-18.129	8.523	1.00	14.89	EII
67	O	SER	8	58.415	-18.135	9.406	1.00	12.02	EII
68	N	ALA	9	57.726	-18.779	7.380	1.00	22.87	EII
70	CA	ALA	9	58.896	-19.585	7.083	1.00	22.53	EII
71	CB	ALA	9	58.691	-21.015	7.634	1.00	24.86	EII
72	C	ALA	9	59.062	-19.608	5.571	1.00	25.05	EII
73	O	ALA	9	58.105	-19.378	4.825	1.00	26.92	EII
74	N	ASN	10	60.284	-19.833	5.117	1.00	25.38	EII
76	CA	ASN	10	60.535	-19.894	3.680	1.00	26.52	EII
77	CB	ASN	10	61.801	-19.126	3.343	1.00	24.44	EII
78	CG	ASN	10	62.993	-19.640	4.094	1.00	27.74	EII
79	OD1	ASN	10	63.088	-20.823	4.443	1.00	30.55	EII
80	ND2	ASN	10	63.951	-18.765	4.302	1.00	31.81	EII
83	C	ASN	10	60.696	-21.315	3.142	1.00	27.72	EII
84	O	ASN	10	61.027	-21.474	1.964	1.00	26.42	EII
85	N	ASN	11	60.427	-22.337	3.959	1.00	29.17	EII
87	CA	ASN	11	60.636	-23.727	3.515	1.00	28.66	EII
88	CB	ASN	11	61.978	-24.197	4.051	1.00	28.18	EII
89	CG	ASN	11	61.986	-24.285	5.568	1.00	28.63	EII
90	OD1	ASN	11	61.172	-23.653	6.244	1.00	24.59	EII
91	ND2	ASN	11	62.890	-25.086	6.107	1.00	32.83	EII
94	C	ASN	11	59.583	-24.763	3.936	1.00	29.88	EII
95	O	ASN	11	59.917	-25.915	4.244	1.00	32.04	EII
96	N	LEU	12	58.315	-24.387	3.927	1.00	26.30	EII
98	CA	LEU	12	57.299	-25.334	4.330	1.00	20.11	EII

SUBSTITUTE SHEET (Rule 26)

ATOM	99	CB	LEU	12	56.125	-24.610	4.974	1.00	20.81	EII	ATOM	146	CG2	VAL	18	51.532	-27.855	4.838	1.00	20.65	EII
ATOM	100	CG	LEU	12	56.555	-23.733	6.158	1.00	20.59	EII	ATOM	147	C	VAL	18	48.600	-30.305	5.201	1.00	19.24	EII
ATOM	101	CD1	LEU	12	55.355	-23.025	6.727	1.00	15.45	EII	ATOM	148	O	VAL	18	48.393	-30.852	6.295	1.00	21.23	EII
ATOM	102	CD2	LEU	12	57.267	-24.566	7.238	1.00	14.37	EII	ATOM	149	N	VAL	19	47.666	-30.174	4.264	1.00	21.49	EII
ATOM	103	C	LEU	12	56.859	-26.108	3.110	1.00	20.79	EII	ATOM	151	CA	VAL	19	46.297	-30.625	4.453	1.00	19.43	EII
ATOM	104	O	LEU	12	57.125	-25.683	1.975	1.00	26.10	EII	ATOM	152	CB	VAL	19	45.377	-30.080	3.364	1.00	20.03	EII
ATOM	105	N	PRO	13	56.217	-27.271	3.324	1.00	16.58	EII	ATOM	153	CG1	VAL	19	44.023	-30.789	3.389	1.00	14.98	EII
ATOM	106	CD	PRO	13	56.067	-27.892	4.657	1.00	18.19	EII	ATOM	154	CG2	VAL	19	45.194	-28.592	3.599	1.00	21.75	EII
ATOM	107	CA	PRO	13	55.519	-28.056	2.314	1.00	15.01	EII	ATOM	155	C	VAL	19	46.197	-32.143	4.616	1.00	18.15	EII
ATOM	108	CB	PRO	13	54.850	-29.161	3.151	1.00	17.74	EII	ATOM	156	O	VAL	19	45.354	-32.650	5.344	1.00	18.99	EII
ATOM	109	CG	PRO	13	55.755	-29.311	4.311	1.00	18.48	EII	ATOM	157	N	SER	20	47.108	-32.864	3.995	1.00	23.52	EII
ATOM	110	C	PRO	13	54.446	-27.242	1.596	1.00	18.94	EII	ATOM	159	CA	SER	20	47.163	-34.309	4.148	1.00	23.47	EII
ATOM	111	O	PRO	13	54.060	-26.166	2.060	1.00	21.69	EII	ATOM	160	CB	SER	20	48.039	-34.917	3.072	1.00	27.97	EII
ATOM	112	N	ALA	14	53.946	-27.776	0.484	1.00	19.38	EII	ATOM	161	OG	SER	20	47.313	-34.872	1.851	1.00	37.39	EII
ATOM	114	CA	ALA	14	52.870	-27.132	-0.267	1.00	20.05	EII	ATOM	163	C	SER	20	47.703	-34.667	5.514	1.00	24.51	EII
ATOM	115	CB	ALA	14	52.651	-27.801	-1.631	1.00	11.54	EII	ATOM	164	O	SER	20	47.315	-35.684	6.094	1.00	26.54	EII
ATOM	116	C	ALA	14	51.615	-27.276	0.586	1.00	18.90	EII	ATOM	165	N	MET	21	48.633	-33.857	6.008	1.00	21.82	EII
ATOM	117	O	ALA	14	51.502	-28.214	1.376	1.00	20.65	EII	ATOM	167	CA	MET	21	49.182	-34.063	7.335	1.00	19.43	EII
ATOM	118	N	ALA	15	50.682	-26.347	0.413	1.00	20.86	EII	ATOM	168	CB	MET	21	50.337	-33.092	7.572	1.00	19.21	EII
ATOM	120	CA	ALA	15	49.445	-26.347	1.163	1.00	17.26	EII	ATOM	169	CG	MET	21	51.593	-33.474	8.832	1.00	20.85	EII
ATOM	121	CB	ALA	15	48.552	-25.247	0.658	1.00	19.54	EII	ATOM	170	SD	MET	21	52.950	-32.392	7.193	1.00	27.57	EII
ATOM	122	C	ALA	15	48.724	-27.694	1.136	1.00	21.65	EII	ATOM	171	CE	MET	21	53.366	-32.981	8.719	1.00	22.36	EII
ATOM	123	O	ALA	15	48.216	-28.182	2.158	1.00	22.25	EII	ATOM	172	C	MET	21	48.082	-33.910	8.403	1.00	18.87	EII
ATOM	124	N	SER	16	48.705	-28.307	-0.036	1.00	20.96	EII	ATOM	173	O	MET	21	48.045	-34.660	9.383	1.00	15.18	EII
ATOM	126	CA	SER	16	48.059	-29.592	-0.226	1.00	22.28	EII	ATOM	174	N	PHE	22	47.206	-32.927	8.216	1.00	17.80	EII
ATOM	127	CB	SER	16	48.140	-29.955	-1.698	1.00	25.54	EII	ATOM	176	CA	PHE	22	46.076	-32.712	9.124	1.00	17.43	EII
ATOM	128	OG	SER	16	49.402	-29.573	-2.217	1.00	30.21	EII	ATOM	177	CB	PHE	22	45.234	-31.506	8.680	1.00	11.43	EII
ATOM	130	C	SER	16	48.659	-30.702	0.635	1.00	22.42	EII	ATOM	178	CG	PHE	22	45.747	-30.201	9.195	1.00	15.62	EII
ATOM	131	O	SER	16	47.947	-31.564	1.156	1.00	22.15	EII	ATOM	179	CD1	PHE	22	46.960	-29.533	10.203	1.00	13.39	EII
ATOM	132	N	THR	17	49.978	-30.698	0.740	1.00	20.52	EII	ATOM	180	CD2	PHE	22	45.599	-28.377	10.750	1.00	17.40	EII
ATOM	134	CA	THR	17	50.691	-31.678	1.547	1.00	18.79	EII	ATOM	181	CE1	PHE	22	47.495	-28.512	9.291	1.00	13.35	EII
ATOM	135	CB	THR	17	52.206	-31.515	1.337	1.00	20.24	EII	ATOM	182	CE2	PHE	22	46.823	-27.865	10.291	1.00	14.12	EII
ATOM	136	OG1	THR	17	52.501	-31.693	-0.053	1.00	19.31	EII	ATOM	183	CZ	PHE	22	45.215	-33.958	9.102	1.00	21.39	EII
ATOM	138	CG2	THR	17	53.005	-32.507	2.205	1.00	15.26	EII	ATOM	184	C	PHE	22	44.945	-34.542	10.142	1.00	23.82	EII
ATOM	139	C	THR	17	50.353	-31.439	3.023	1.00	17.49	EII	ATOM	185	O	PHE	22	44.829	-34.384	7.899	1.00	25.04	EII
ATOM	140	O	THR	17	50.172	-32.391	3.778	1.00	11.86	EII	ATOM	186	N	LYS	23	43.995	-35.564	7.708	1.00	24.75	EII
ATOM	141	N	VAL	18	50.343	-30.165	3.440	1.00	17.74	EII	ATOM	188	CA	LYS	23	43.758	-35.821	6.226	1.00	24.71	EII
ATOM	143	CA	VAL	18	50.001	-29.804	4.826	1.00	19.05	EII	ATOM	189	CB	LYS	23	42.763	-34.900	5.576	1.00	24.89	EII
ATOM	144	CB	VAL	18	50.110	-28.301	5.084	1.00	13.56	EII	ATOM	190	CG	LYS	23	42.599	-35.285	4.128	1.00	30.03	EII
ATOM	145	CG1	VAL	18	49.750	-28.001	6.512	1.00	14.81	EII	ATOM	191	CD	LYS	23						

SUBSTITUTE SHEET (Rule 26)

- 33 -

ATOM	192	CE	LVS	23	43.911	-35.210	3.370	0.00	28.36	EII	ATOM	247	CA	SER	29	40.598	-27.966	12.832	1.00	20.76	EII
ATOM	193	NZ	LVS	23	43.731	-35.519	1.926	0.00	29.35	EII	ATOM	248	CB	SER	29	39.892	-27.205	13.938	1.00	22.38	EII
ATOM	197	C	LVS	23	44.537	-36.827	8.339	1.00	27.27	EII	ATOM	249	OG	SER	29	38.549	-27.605	14.036	1.00	29.51	EII
ATOM	198	O	LVS	23	43.826	-37.489	9.102	1.00	32.54	EII	ATOM	251	C	SER	29	41.909	-27.309	12.505	1.00	15.69	EII
ATOM	199	N	SER	24	45.796	-37.150	8.069	1.00	24.81	EII	ATOM	252	O	SER	29	42.959	-27.755	12.936	1.00	20.13	EII
ATOM	201	CA	SER	24	46.357	-38.382	8.592	1.00	27.81	EII	ATOM	253	N	MET	30	41.811	-26.203	11.774	1.00	21.28	EII
ATOM	202	CB	SER	24	47.609	-38.788	7.827	1.00	28.93	EII	ATOM	255	CA	MET	30	42.940	-25.423	11.279	1.00	16.44	EII
ATOM	203	OG	SER	24	48.664	-37.889	8.058	1.00	35.51	EII	ATOM	256	CB	MET	30	43.059	-25.681	9.770	1.00	18.86	EII
ATOM	205	C	SER	24	46.621	-38.352	10.071	1.00	31.26	EII	ATOM	257	CG	MET	30	44.118	-24.871	9.059	1.00	20.66	EII
ATOM	206	O	SER	24	46.571	-39.386	10.726	1.00	36.33	EII	ATOM	258	SD	MET	30	44.013	-25.077	7.271	1.00	23.20	EII
ATOM	207	N	ASN	25	46.928	-37.184	10.609	1.00	29.18	EII	ATOM	259	CE	MET	30	45.087	-26.516	7.153	1.00	18.03	EII
ATOM	209	CA	ASN	25	47.159	-37.116	12.040	1.00	25.08	EII	ATOM	260	C	MET	30	42.686	-23.946	11.462	1.00	18.19	EII
ATOM	210	CB	ASN	25	48.096	-35.975	12.361	1.00	27.24	EII	ATOM	261	O	MET	30	41.596	-23.461	11.116	1.00	13.95	EII
ATOM	211	CG	ASN	25	49.496	-36.258	11.932	1.00	27.18	EII	ATOM	262	N	ARG	31	43.729	-23.233	11.897	1.00	14.61	EII
ATOM	212	OD1	ASN	25	50.367	-36.526	12.755	1.00	32.74	EII	ATOM	264	CA	ARG	31	43.666	-21.797	12.082	1.00	12.55	EII
ATOM	213	ND2	ASN	25	49.735	-36.214	10.638	1.00	31.80	EII	ATOM	265	CB	ARG	31	43.935	-21.357	13.535	1.00	11.95	EII
ATOM	216	C	ASN	25	45.867	-36.961	12.826	1.00	21.59	EII	ATOM	266	CG	ARG	31	43.917	-19.827	13.657	1.00	7.13	EII
ATOM	217	O	ASN	25	45.875	-37.066	14.044	1.00	28.10	EII	ATOM	267	CD	ARG	31	43.949	-19.302	15.059	1.00	10.77	EII
ATOM	218	N	GLY	26	44.749	-36.770	12.137	1.00	19.37	EII	ATOM	268	NZ	ARG	31	43.911	-17.842	15.051	1.00	4.80	EII
ATOM	220	CA	GLY	26	43.486	-36.586	12.827	1.00	13.76	EII	ATOM	270	CE	ARG	31	44.467	-17.055	15.970	1.00	5.18	EII
ATOM	221	C	GLY	26	43.307	-35.198	13.433	1.00	22.44	EII	ATOM	271	NH1	ARG	31	45.106	-17.570	17.006	1.00	2.25	EII
ATOM	222	O	GLY	26	42.668	-35.031	14.487	1.00	22.71	EII	ATOM	274	NH2	ARG	31	44.464	-15.739	15.798	1.00	7.27	EII
ATOM	223	N	ILE	27	43.851	-34.179	12.768	1.00	22.48	EII	ATOM	277	C	ARG	31	44.675	-21.129	11.109	1.00	14.04	EII
ATOM	225	CA	ILE	27	43.711	-32.807	13.258	1.00	25.11	EII	ATOM	278	O	ARG	31	45.863	-21.451	11.089	1.00	14.31	EII
ATOM	226	CB	ILE	27	44.895	-31.926	12.907	1.00	22.96	EII	ATOM	279	N	LEU	32	44.177	-20.195	10.310	1.00	10.33	EII
ATOM	227	CG2	ILE	27	44.784	-30.620	13.692	1.00	23.98	EII	ATOM	281	CA	LEU	32	44.986	-19.495	9.372	1.00	12.95	EII
ATOM	228	CG1	ILE	27	46.192	-32.652	13.277	1.00	21.26	EII	ATOM	282	CB	LEU	32	44.321	-19.488	8.011	1.00	17.53	EII
ATOM	229	CD1	ILE	27	47.472	-31.940	12.876	1.00	17.90	EII	ATOM	283	CG	LEU	32	44.218	-20.840	7.315	1.00	14.26	EII
ATOM	230	C	ILE	27	42.462	-32.244	12.611	1.00	25.44	EII	ATOM	284	CD1	LEU	32	43.418	-20.644	6.018	1.00	17.93	EII
ATOM	231	O	ILE	27	42.426	-32.014	11.409	1.00	29.33	EII	ATOM	285	CD2	LEU	32	45.611	-21.376	7.029	1.00	9.45	EII
ATOM	232	N	LVS	28	41.404	-32.202	13.409	1.00	29.20	EII	ATOM	286	C	LEU	32	44.983	-18.075	9.885	1.00	11.95	EII
ATOM	234	CA	LVS	28	40.085	-31.733	13.002	1.00	28.24	EII	ATOM	287	O	LEU	32	43.999	-17.648	10.447	1.00	15.41	EII
ATOM	235	CB	LVS	28	39.065	-32.100	14.089	1.00	27.81	EII	ATOM	288	N	TYR	33	46.008	-17.299	9.595	1.00	11.93	EII
ATOM	236	CG	LVS	28	38.995	-33.588	14.409	1.00	22.07	EII	ATOM	290	CA	TYR	33	46.044	-15.961	10.120	1.00	11.20	EII
ATOM	237	CD	LVS	28	37.867	-33.920	15.383	0.00	24.17	EII	ATOM	291	CB	TYR	33	47.392	-15.702	10.755	1.00	13.18	EII
ATOM	238	CE	LVS	28	37.982	-35.361	15.854	0.00	23.54	EII	ATOM	292	CG	TYR	33	47.610	-16.481	12.039	1.00	17.07	EII
ATOM	239	N2	LVS	28	39.320	-35.582	16.453	0.00	23.98	EII	ATOM	293	CD1	TYR	33	47.464	-15.853	13.283	1.00	14.39	EII
ATOM	243	C	LVS	28	39.908	-30.260	12.624	1.00	27.25	EII	ATOM	294	CE1	TYR	33	47.624	-16.558	14.468	1.00	11.59	EII
ATOM	244	O	LVS	28	39.016	-29.928	11.828	1.00	28.38	EII	ATOM	295	CD2	TYR	33	47.937	-17.845	12.018	1.00	11.52	EII
ATOM	245	N	SER	29	40.724	-29.373	13.179	1.00	23.53	EII	ATOM	296	CE2	TYR	33	48.095	-18.542	13.193	1.00	13.17	EII

SUBSTITUTE SHEET (Rule 26)

ATOM	297	CZ	TTR	33	47.930	-17.890	14.422	1.00	9.74	EII	ATOM	347	CB	ALA	39	45.910	-22.691	3.149	1.00	16.10	EII
ATOM	298	OH	TTR	33	47.997	-18.587	15.594	1.00	15.65	EII	ATOM	348	C	ALA	39	44.011	-23.510	1.723	1.00	18.89	EII
ATOM	300	C	TTR	33	45.762	-14.947	9.043	1.00	15.31	EII	ATOM	349	O	ALA	39	43.492	-24.603	1.935	1.00	23.20	EII
ATOM	301	O	TTR	33	45.731	-13.742	9.298	1.00	18.87	EII	ATOM	350	N	LEU	40	43.315	-22.435	1.367	1.00	18.19	EII
ATOM	302	N	ALA	34	45.355	-15.441	7.895	1.00	12.05	EII	ATOM	352	CA	LEU	40	41.869	-22.435	1.259	1.00	20.00	EII
ATOM	304	CA	ALA	34	45.107	-14.572	6.761	1.00	12.61	EII	ATOM	353	CB	LEU	40	41.356	-20.996	1.110	1.00	17.04	EII
ATOM	305	CB	ALA	34	46.387	-13.941	6.283	1.00	10.34	EII	ATOM	354	CG	LEU	40	40.633	-20.357	2.309	1.00	18.44	EII
ATOM	306	C	ALA	34	44.546	-15.491	5.707	1.00	13.29	EII	ATOM	355	CD	LEU	40	40.831	-21.125	3.605	1.00	8.37	EII
ATOM	307	O	ALA	34	44.781	-16.702	5.743	1.00	15.30	EII	ATOM	356	CD2	LEU	40	41.094	-18.919	2.469	1.00	18.94	EII
ATOM	308	N	PRO	35	43.696	-14.959	4.818	1.00	15.76	EII	ATOM	357	C	LEU	40	41.418	-23.304	0.099	1.00	20.26	EII
ATOM	309	CD	PRO	35	43.343	-13.529	4.680	1.00	7.83	EII	ATOM	358	O	LEU	40	40.398	-23.980	0.189	1.00	23.72	EII
ATOM	310	CA	PRO	35	43.087	-15.770	3.753	1.00	16.30	EII	ATOM	359	N	GLN	41	42.196	-23.328	-0.977	1.00	24.70	EII
ATOM	311	CB	PRO	35	42.150	-14.784	3.057	1.00	17.33	EII	ATOM	361	CA	GLN	41	41.849	-24.155	-2.126	1.00	21.31	EII
ATOM	312	CG	PRO	35	42.077	-13.606	3.958	1.00	13.97	EII	ATOM	362	CB	GLN	41	42.656	-23.754	-3.354	1.00	25.06	EII
ATOM	313	C	PRO	35	44.147	-16.291	2.760	1.00	18.66	EII	ATOM	363	CG	GLN	41	42.054	-22.562	-4.098	1.00	34.10	EII
ATOM	314	O	PRO	35	44.405	-15.661	1.748	1.00	26.27	EII	ATOM	364	CD	GLN	41	42.973	-21.976	-5.191	1.00	42.22	EII
ATOM	315	N	ASN	36	44.799	-17.398	3.049	1.00	17.99	EII	ATOM	365	OE1	GLN	41	42.688	-20.900	-5.721	1.00	45.87	EII
ATOM	317	CA	ASN	36	45.794	-17.898	2.110	1.00	16.21	EII	ATOM	366	NE2	GLN	41	44.084	-22.657	-5.505	1.00	42.47	EII
ATOM	318	CB	ASN	36	46.759	-18.818	2.840	1.00	23.52	EII	ATOM	369	C	GLN	41	42.098	-25.611	-1.771	1.00	19.87	EII
ATOM	319	CG	ASN	36	47.855	-19.345	1.950	1.00	25.17	EII	ATOM	370	O	GLN	41	41.358	-26.492	-2.167	1.00	26.84	EII
ATOM	320	OD1	ASN	36	47.879	-20.529	1.600	1.00	25.07	EII	ATOM	371	N	ALA	42	43.103	-25.846	-0.946	1.00	20.98	EII
ATOM	321	ND2	ASN	36	48.769	-18.465	1.566	1.00	22.54	EII	ATOM	373	CA	ALA	42	43.449	-27.197	-0.564	1.00	18.67	EII
ATOM	324	C	ASN	36	45.093	-18.682	1.014	1.00	15.81	EII	ATOM	374	CB	ALA	42	44.882	-27.237	-0.064	1.00	10.01	EII
ATOM	325	O	ASN	36	44.510	-19.699	1.296	1.00	18.68	EII	ATOM	375	C	ALA	42	42.519	-27.836	0.444	1.00	16.44	EII
ATOM	326	N	GLN	37	45.137	-18.231	-0.233	1.00	17.15	EII	ATOM	376	O	ALA	42	42.048	-28.945	0.231	1.00	17.62	EII
ATOM	328	CA	GLN	37	44.461	-18.959	-1.314	1.00	17.78	EII	ATOM	377	N	VAL	43	42.158	-27.085	1.474	1.00	20.48	EII
ATOM	329	CB	GLN	37	44.579	-18.216	-2.624	1.00	25.49	EII	ATOM	379	CA	VAL	43	41.349	-27.600	2.573	1.00	20.70	EII
ATOM	330	CG	GLN	37	43.734	-18.842	-3.714	1.00	37.12	EII	ATOM	380	CB	VAL	43	41.556	-26.686	3.808	1.00	16.25	EII
ATOM	331	CD	GLN	37	43.815	-18.069	-4.991	1.00	44.75	EII	ATOM	381	CG1	VAL	43	40.728	-25.430	3.699	1.00	14.84	EII
ATOM	332	OE1	GLN	37	44.686	-17.209	-5.145	1.00	54.79	EII	ATOM	382	CG2	VAL	43	41.338	-27.453	5.099	1.00	20.24	EII
ATOM	333	NE2	GLN	37	42.907	-18.345	-5.913	0.00	45.53	EII	ATOM	383	C	VAL	43	39.860	-27.866	2.239	1.00	22.08	EII
ATOM	336	C	GLN	37	44.832	-20.417	-1.552	1.00	17.43	EII	ATOM	384	O	VAL	43	39.189	-28.660	2.907	1.00	20.13	EII
ATOM	337	O	GLN	37	43.961	-21.237	-1.865	1.00	19.76	EII	ATOM	385	N	GLY	44	39.388	-27.241	1.163	1.00	21.21	EII
ATOM	338	N	ALA	38	46.121	-20.722	-1.485	1.00	13.38	EII	ATOM	387	CA	GLY	44	38.020	-27.387	0.718	1.00	23.12	EII
ATOM	340	CA	ALA	38	46.615	-22.074	-1.642	1.00	12.89	EII	ATOM	388	C	GLY	44	37.627	-28.834	0.536	1.00	26.47	EII
ATOM	341	CB	ALA	38	48.118	-22.068	-1.590	1.00	14.28	EII	ATOM	389	O	GLY	44	38.446	-29.664	1.106	1.00	24.87	EII
ATOM	342	C	ALA	38	46.043	-23.003	-0.545	1.00	17.92	EII	ATOM	390	N	GLY	45	36.390	-29.136	0.932	1.00	25.72	EII
ATOM	343	O	ALA	38	45.565	-24.115	-0.840	1.00	20.66	EII	ATOM	392	CA	GLY	45	35.836	-30.482	0.831	1.00	25.85	EII
ATOM	344	N	ALA	39	46.048	-22.538	0.708	1.00	18.24	EII	ATOM	393	C	GLY	45	36.453	-31.563	1.716	1.00	24.73	EII
ATOM	346	CA	ALA	39	45.531	-23.327	1.819	1.00	17.99	EII	ATOM	394	O	GLY	45	36.110	-32.727	1.554	1.00	30.99	EII

SUBSTITUTE SHEET (Rule 26)

- 35 -

ATOM	395	N	THR	46	37.313	-31.208	2.671	1.00	24.48	EII	ATOM	444	O	VAL	51	41.182	-19.883	10.214	1.00	17.68	EII
ATOM	397	CA	THR	46	37.957	-32.212	3.524	1.00	19.60	EII	ATOM	445	N	VAL	52	39.466	-18.530	9.766	1.00	15.12	EII
ATOM	398	CB	THR	46	39.458	-31.875	3.747	1.00	17.13	EII	ATOM	447	CA	VAL	52	40.176	-17.686	8.826	1.00	11.40	EII
ATOM	399	CG1	THR	46	39.568	-30.707	4.582	1.00	18.62	EII	ATOM	448	CB	VAL	52	39.427	-17.600	7.479	1.00	18.87	EII
ATOM	401	CG2	THR	46	40.171	-31.636	2.425	1.00	8.48	EII	ATOM	449	CG1	VAL	52	37.969	-17.139	7.675	1.00	17.04	EII
ATOM	402	C	THR	46	37.320	-32.378	4.911	1.00	19.15	EII	ATOM	450	CG2	VAL	52	40.173	-16.681	6.507	1.00	14.79	EII
ATOM	403	O	THR	46	37.756	-33.210	5.699	1.00	18.19	EII	ATOM	451	C	VAL	52	40.259	-16.323	9.483	1.00	15.96	EII
ATOM	404	N	GLY	47	36.359	-31.531	5.246	1.00	24.21	EII	ATOM	452	O	VAL	52	39.275	-15.795	9.986	1.00	18.27	EII
ATOM	406	CA	GLY	47	35.735	-31.623	6.557	1.00	22.15	EII	ATOM	453	N	GLY	53	41.445	-15.757	9.501	1.00	13.37	EII
ATOM	407	C	GLY	47	36.566	-30.998	7.671	1.00	24.40	EII	ATOM	455	CA	GLY	53	41.599	-14.481	10.128	1.00	9.39	EII
ATOM	408	O	GLY	47	36.162	-31.008	8.818	1.00	31.33	EII	ATOM	456	C	GLY	53	41.804	-13.335	9.184	1.00	11.84	EII
ATOM	409	N	ILE	48	37.754	-30.503	7.364	1.00	23.13	EII	ATOM	457	O	GLY	53	42.148	-13.527	8.017	1.00	14.18	EII
ATOM	411	CA	ILE	48	38.562	-29.872	6.363	1.00	21.94	EII	ATOM	458	N	ALA	54	41.498	-12.142	9.681	1.00	10.21	EII
ATOM	412	CB	ILE	48	40.058	-29.721	7.942	1.00	17.90	EII	ATOM	460	CA	ALA	54	41.700	-10.939	8.928	1.00	9.20	EII
ATOM	413	CG2	ILE	48	40.825	-28.831	8.918	1.00	13.05	EII	ATOM	461	CB	ALA	54	40.490	-10.046	9.025	1.00	12.69	EII
ATOM	414	CG1	ILE	48	40.732	-31.090	7.852	1.00	19.32	EII	ATOM	462	C	ALA	54	42.928	-10.292	9.555	1.00	13.25	EII
ATOM	415	CD1	ILE	48	42.134	-31.106	7.161	1.00	20.87	EII	ATOM	463	O	ALA	54	42.965	-9.971	10.746	1.00	12.94	EII
ATOM	416	C	ILE	48	37.936	-28.496	8.594	1.00	26.18	EII	ATOM	464	N	PRO	55	43.987	-10.153	8.773	1.00	12.65	EII
ATOM	417	O	ILE	48	37.676	-27.760	7.630	1.00	31.51	EII	ATOM	465	CD	PRO	55	44.107	-10.503	7.346	1.00	9.03	EII
ATOM	418	N	ASN	49	37.685	-28.161	9.851	1.00	27.16	EII	ATOM	466	CA	PRO	55	45.176	-9.454	9.296	1.00	15.42	EII
ATOM	420	CA	ASN	49	37.108	-26.879	10.195	1.00	25.56	EII	ATOM	467	CB	PRO	55	46.059	-9.312	8.059	1.00	13.49	EII
ATOM	421	CB	ASN	49	36.534	-26.952	11.599	1.00	29.13	EII	ATOM	468	CG	PRO	55	45.578	-10.417	7.162	1.00	18.62	EII
ATOM	422	CG	ASN	49	35.353	-27.888	11.676	1.00	27.51	EII	ATOM	469	C	PRO	55	44.858	-8.075	9.947	1.00	17.72	EII
ATOM	423	OD1	ASN	49	34.345	-27.664	11.023	1.00	34.75	EII	ATOM	470	O	PRO	55	43.923	-7.394	9.538	1.00	12.72	EII
ATOM	424	ND2	ASN	49	35.493	-28.968	12.420	1.00	31.30	EII	ATOM	471	N	ASN	56	45.644	-7.700	10.957	1.00	16.67	EII
ATOM	427	C	ASN	49	38.182	-25.805	10.094	1.00	23.57	EII	ATOM	473	CA	ASN	56	45.481	-6.471	11.701	1.00	17.07	EII
ATOM	428	O	ASN	49	39.329	-26.023	10.481	1.00	22.77	EII	ATOM	474	CB	ASN	56	46.476	-6.415	12.864	1.00	18.02	EII
ATOM	429	N	VAL	50	37.782	-24.615	9.672	1.00	20.53	EII	ATOM	475	CG	ASN	56	46.098	-7.357	14.014	1.00	18.80	EII
ATOM	431	CA	VAL	50	38.726	-23.534	9.471	1.00	19.50	EII	ATOM	476	OD1	ASN	56	44.936	-7.697	14.208	1.00	25.14	EII
ATOM	432	CB	VAL	50	38.931	-23.262	7.938	1.00	16.95	EII	ATOM	477	ND2	ASN	56	47.085	-7.780	14.774	1.00	22.12	EII
ATOM	433	CG1	VAL	50	39.883	-22.074	7.709	1.00	11.24	EII	ATOM	480	C	ASN	56	45.630	-5.217	10.857	1.00	21.24	EII
ATOM	434	CG2	VAL	50	39.454	-24.535	7.244	1.00	13.56	EII	ATOM	481	O	ASN	56	45.012	-4.189	11.168	1.00	21.67	EII
ATOM	435	C	VAL	50	38.312	-22.221	10.121	1.00	19.97	EII	ATOM	482	N	ASP	57	46.413	-5.300	9.778	1.00	20.28	EII
ATOM	436	O	VAL	50	37.157	-21.833	10.072	1.00	13.47	EII	ATOM	484	CA	ASP	57	46.602	-4.123	8.939	1.00	19.57	EII
ATOM	437	N	VAL	51	39.290	-21.594	10.768	1.00	18.87	EII	ATOM	485	CB	ASP	57	47.992	-4.123	8.246	1.00	25.63	EII
ATOM	439	CA	VAL	51	39.172	-20.295	11.395	1.00	15.51	EII	ATOM	486	CG	ASP	57	48.209	-5.289	7.269	1.00	28.53	EII
ATOM	440	CB	VAL	51	39.806	-20.280	12.807	1.00	16.19	EII	ATOM	487	OD1	ASP	57	49.379	-5.531	6.908	1.00	28.46	EII
ATOM	441	CG1	VAL	51	39.679	-18.891	13.426	1.00	9.15	EII	ATOM	488	OD2	ASP	57	47.238	-5.931	6.829	1.00	32.32	EII
ATOM	442	CG2	VAL	51	39.119	-21.333	13.669	1.00	12.86	EII	ATOM	489	C	ASP	57	45.404	-3.759	7.997	1.00	19.68	EII
ATOM	443	C	VAL	51	40.044	-19.515	10.435	1.00	11.48	EII	ATOM	490	O	ASP	57	45.298	-2.636	7.492	1.00	20.16	EII

SUBSTITUTE SHEET (Rule 26)

ATOM	491 N	VAL	58	44.425	-4.654	7.895	1.00	20.84	EII	ATOM	540 C	ALA	63	35.297	0.375	9.187	1.00	25.60	EII
ATOM	493 CA	VAL	58	43.250	-4.401	7.060	1.00	21.83	EII	ATOM	541 O	ALA	63	34.124	0.636	9.357	1.00	36.57	EII
ATOM	494 CB	VAL	58	42.917	-5.658	6.179	1.00	25.12	EII	ATOM	542 N	ALA	64	36.066	1.037	8.341	1.00	29.42	EII
ATOM	495 CG1	VAL	58	42.275	-6.760	7.012	1.00	22.28	EII	ATOM	544 CA	ALA	64	35.571	2.180	7.599	1.00	32.88	EII
ATOM	496 CG2	VAL	58	42.038	-5.281	4.983	1.00	25.80	EII	ATOM	545 CB	ALA	64	36.695	2.797	6.809	1.00	36.85	EII
ATOM	497 C	VAL	58	42.029	-3.978	7.909	1.00	23.06	EII	ATOM	546 C	ALA	64	34.379	1.940	6.687	1.00	34.73	EII
ATOM	498 O	VAL	58	40.977	-3.585	7.371	1.00	22.70	EII	ATOM	547 O	ALA	64	33.428	2.709	6.701	1.00	38.86	EII
ATOM	499 N	LEU	59	42.186	-3.956	9.230	1.00	22.03	EII	ATOM	548 N	SER	65	34.432	0.911	5.854	1.00	38.92	EII
ATOM	501 CA	LEU	59	41.068	-3.588	10.101	1.00	22.81	EII	ATOM	550 CA	SER	65	33.327	0.674	4.954	1.00	37.44	EII
ATOM	502 CB	LEU	59	41.469	-3.647	11.570	1.00	26.84	EII	ATOM	551 CB	SER	65	33.774	0.938	3.514	1.00	38.32	EII
ATOM	503 CG	LEU	59	41.165	-4.931	12.326	1.00	29.75	EII	ATOM	552 OG	SER	65	32.666	0.637	2.669	1.00	42.58	EII
ATOM	504 CD1	LEU	59	41.676	-6.158	11.573	1.00	27.62	EII	ATOM	554 C	SER	65	32.693	-0.677	5.120	1.00	34.86	EII
ATOM	505 CD2	LEU	59	41.794	-4.817	13.688	1.00	27.41	EII	ATOM	555 O	SER	65	33.368	-1.697	5.070	1.00	42.13	EII
ATOM	506 C	LEU	59	40.484	-2.232	9.805	1.00	23.06	EII	ATOM	556 N	PRO	66	31.363	-0.705	5.206	1.00	31.74	EII
ATOM	507 O	LEU	59	39.274	-2.103	9.664	1.00	29.44	EII	ATOM	557 CD	PRO	66	30.522	0.466	5.478	1.00	28.81	EII
ATOM	508 N	SER	60	41.344	-1.228	9.692	1.00	20.75	EII	ATOM	558 CA	PRO	66	30.546	-1.918	5.089	1.00	29.22	EII
ATOM	510 CA	SER	60	40.930	0.146	9.419	1.00	22.49	EII	ATOM	559 CB	PRO	66	29.119	-1.377	5.179	1.00	27.25	EII
ATOM	511 CB	SER	60	42.178	1.002	9.194	1.00	25.08	EII	ATOM	560 CG	PRO	66	29.287	-0.189	6.046	1.00	30.41	EII
ATOM	512 OG	SER	60	43.160	0.295	8.424	1.00	31.22	EII	ATOM	561 C	PRO	66	30.776	-2.626	3.761	1.00	29.35	EII
ATOM	514 C	SER	60	40.053	0.180	8.183	1.00	23.29	EII	ATOM	562 O	PRO	66	30.893	-3.862	3.707	1.00	29.39	EII
ATOM	515 O	SER	60	39.080	0.929	8.121	1.00	29.14	EII	ATOM	563 N	ALA	67	30.897	-1.826	2.705	1.00	26.56	EII
ATOM	516 N	ASN	61	40.368	-0.710	7.245	1.00	27.05	EII	ATOM	565 CA	ALA	67	31.118	-2.333	1.365	1.00	26.11	EII
ATOM	518 CA	ASN	61	39.650	-0.848	5.983	1.00	26.53	EII	ATOM	566 CB	ALA	67	31.018	-1.204	0.357	1.00	30.63	EII
ATOM	519 CB	ASN	61	40.504	-1.665	5.029	1.00	28.68	EII	ATOM	567 C	ALA	67	32.486	-2.987	1.296	1.00	24.54	EII
ATOM	520 CG	ASN	61	39.837	-1.886	3.722	1.00	31.65	EII	ATOM	568 O	ALA	67	32.665	-3.942	0.549	1.00	24.81	EII
ATOM	521 OD1	ASN	61	39.478	-0.936	3.046	1.00	32.78	EII	ATOM	569 N	ALA	68	33.423	-2.474	2.103	1.00	26.24	EII
ATOM	522 ND2	ASN	61	39.624	-3.147	3.365	1.00	34.74	EII	ATOM	571 CA	ALA	68	34.795	-2.990	2.190	1.00	26.04	EII
ATOM	525 C	ASN	61	38.271	-1.507	6.192	1.00	24.84	EII	ATOM	572 CB	ALA	68	35.652	-2.095	3.078	1.00	25.11	EII
ATOM	526 O	ASN	61	37.253	-1.038	5.666	1.00	24.69	EII	ATOM	573 C	ALA	68	34.722	-4.374	2.802	1.00	28.80	EII
ATOM	527 N	LEU	62	38.246	-2.590	6.966	1.00	23.72	EII	ATOM	574 O	ALA	68	35.390	-5.324	2.356	1.00	32.16	EII
ATOM	529 CA	LEU	62	37.002	-3.291	7.272	1.00	23.73	EII	ATOM	575 N	ALA	69	33.948	-4.454	3.875	1.00	25.09	EII
ATOM	530 CB	LEU	62	37.281	-4.663	7.923	1.00	20.58	EII	ATOM	577 CA	ALA	69	33.728	-5.699	4.582	1.00	22.79	EII
ATOM	531 CG	LEU	62	38.076	-5.722	7.136	1.00	18.20	EII	ATOM	578 CB	ALA	69	32.768	-5.450	5.724	1.00	27.67	EII
ATOM	532 CD1	LEU	62	38.130	-7.057	7.867	1.00	13.38	EII	ATOM	579 C	ALA	69	33.115	-6.697	3.607	1.00	22.29	EII
ATOM	533 CD2	LEU	62	37.461	-5.911	5.769	1.00	15.94	EII	ATOM	580 O	ALA	69	33.490	-7.872	3.551	1.00	15.77	EII
ATOM	534 C	LEU	62	36.081	-2.444	8.173	1.00	21.53	EII	ATOM	581 N	ALA	70	32.156	-6.206	2.837	1.00	21.97	EII
ATOM	535 O	LEU	62	34.862	-2.521	8.070	1.00	17.63	EII	ATOM	583 CA	ALA	70	31.462	-7.029	1.871	1.00	22.17	EII
ATOM	536 N	ALA	63	36.677	-1.610	9.016	1.00	23.90	EII	ATOM	584 CB	ALA	70	30.380	-6.226	1.214	1.00	21.50	EII
ATOM	538 CA	ALA	63	35.936	-0.756	9.929	1.00	23.13	EII	ATOM	585 C	ALA	70	32.407	-7.611	0.831	1.00	19.66	EII
ATOM	539 CB	ALA	63	36.860	-0.185	10.952	1.00	18.39	EII	ATOM	586 O	ALA	70	32.368	-8.808	0.541	1.00	22.05	EII

SUBSTITUTE SHEET (Rule 26)

ATOM	587	N	SER	71	33.253	-6.772	0.268	1.00	17.69	EII	ATOM	638	C	SER	75	37.352	-13.829	-1.212	1.00	23.71	EII
ATOM	589	CA	SER	71	34.180	-7.253	-0.726	1.00	22.24	EII	ATOM	639	O	SER	75	37.927	-14.800	-1.695	1.00	29.02	EII
ATOM	590	CB	SER	71	35.015	-6.105	-1.270	1.00	23.32	EII	ATOM	640	N	ASN	76	37.207	-13.657	0.091	1.00	25.26	EII
ATOM	591	OG	SER	71	34.159	-5.156	-1.871	1.00	36.13	EII	ATOM	642	CA	ASN	76	37.827	-14.550	1.039	1.00	24.40	EII
ATOM	593	C	SER	71	35.091	-8.331	-0.177	1.00	24.69	EII	ATOM	643	CB	ASN	76	38.513	-13.706	2.090	1.00	19.18	EII
ATOM	594	O	SER	71	35.409	-9.299	-0.894	1.00	22.42	EII	ATOM	644	CB	ASN	76	39.541	-12.847	1.480	1.00	22.15	EII
ATOM	595	N	TRP	72	35.521	-8.138	1.077	1.00	24.62	EII	ATOM	645	OD1	ASN	76	40.502	-13.367	0.938	1.00	20.71	EII
ATOM	597	CA	TRP	72	36.424	-9.064	1.763	1.00	22.59	EII	ATOM	646	ND2	ASN	76	39.285	-11.544	1.398	1.00	20.77	EII
ATOM	598	CB	TRP	72	36.767	-8.542	3.159	1.00	17.21	EII	ATOM	649	C	ASN	76	37.001	-15.647	1.676	1.00	25.66	EII
ATOM	599	CG	TRP	72	37.881	-9.252	3.789	1.00	17.72	EII	ATOM	650	O	ASN	76	37.565	-16.633	2.159	1.00	27.12	EII
ATOM	600	CD2	TRP	72	37.804	-10.418	4.612	1.00	20.32	EII	ATOM	651	N	ILE	77	35.679	-15.504	1.655	1.00	23.34	EII
ATOM	601	CE2	TRP	72	39.120	-10.751	4.981	1.00	18.73	EII	ATOM	653	CA	ILE	77	34.818	-16.487	2.279	1.00	17.93	EII
ATOM	602	CE3	TRP	72	36.748	-11.221	5.054	1.00	19.43	EII	ATOM	654	CB	ILE	77	33.861	-15.864	3.379	1.00	17.11	EII
ATOM	603	CD1	TRP	72	39.191	-8.937	3.699	1.00	14.07	EII	ATOM	655	CG2	ILE	77	32.896	-16.893	3.912	1.00	17.69	EII
ATOM	604	NE1	TRP	72	39.944	-9.825	4.410	1.00	17.21	EII	ATOM	656	CG1	ILE	77	34.649	-15.353	4.599	1.00	13.97	EII
ATOM	606	CZ2	TRP	72	39.423	-11.857	5.772	1.00	19.08	EII	ATOM	657	CD1	ILE	77	35.741	-16.252	5.073	1.00	16.96	EII
ATOM	607	CZ3	TRP	72	37.048	-12.329	5.837	1.00	17.42	EII	ATOM	658	C	ILE	77	34.010	-17.116	1.171	1.00	17.85	EII
ATOM	608	CH2	TRP	72	38.379	-12.636	6.189	1.00	19.43	EII	ATOM	659	O	ILE	77	34.219	-18.298	0.863	1.00	15.45	EII
ATOM	609	C	TRP	72	35.767	-10.428	1.881	1.00	22.68	EII	ATOM	660	N	GLN	78	33.244	-16.283	0.458	1.00	17.08	EII
ATOM	610	O	TRP	72	36.430	-11.459	1.645	1.00	17.53	EII	ATOM	662	CA	GLN	78	32.351	-16.746	-0.621	1.00	15.15	EII
ATOM	611	N	VAL	73	34.542	-10.425	2.349	1.00	26.27	EII	ATOM	663	CB	GLN	78	31.462	-15.596	-1.114	1.00	11.72	EII
ATOM	613	CA	VAL	73	33.780	-11.661	2.500	1.00	24.21	EII	ATOM	664	CG	GLN	78	30.497	-15.075	-0.061	1.00	16.16	EII
ATOM	614	CB	VAL	73	32.474	-11.370	3.244	1.00	21.77	EII	ATOM	665	CD	GLN	78	29.642	-13.953	-0.567	1.00	20.21	EII
ATOM	615	CG1	VAL	73	31.540	-12.563	3.210	1.00	17.08	EII	ATOM	666	OE1	GLN	78	30.117	-12.853	-0.870	1.00	19.80	EII
ATOM	616	CG2	VAL	73	32.802	-10.998	4.686	1.00	19.49	EII	ATOM	667	NE2	GLN	78	28.357	-14.223	-0.687	1.00	25.36	EII
ATOM	617	C	VAL	73	33.538	-12.346	1.147	1.00	25.47	EII	ATOM	670	C	GLN	78	33.034	-17.421	-1.816	1.00	20.24	EII
ATOM	618	O	VAL	73	33.605	-13.575	1.043	1.00	28.46	EII	ATOM	671	O	GLN	78	32.443	-18.276	-2.497	1.00	21.44	EII
ATOM	619	N	LYS	74	33.306	-11.557	0.106	1.00	24.17	EII	ATOM	672	N	ALA	79	34.287	-17.045	-2.046	1.00	20.00	EII
ATOM	621	CA	LYS	74	33.067	-12.115	-1.211	1.00	21.55	EII	ATOM	674	CA	ALA	79	35.077	-17.570	-3.136	1.00	18.42	EII
ATOM	622	CB	LYS	74	32.642	-11.017	-2.172	1.00	20.51	EII	ATOM	675	CB	ALA	79	36.383	-16.790	-3.239	1.00	17.12	EII
ATOM	623	CG	LYS	74	32.352	-11.521	-3.575	1.00	26.05	EII	ATOM	676	C	ALA	79	35.359	-19.032	-2.894	1.00	21.14	EII
ATOM	624	CD	LYS	74	31.936	-10.392	-4.509	0.00	24.09	EII	ATOM	677	O	ALA	79	35.724	-19.759	-3.821	1.00	25.98	EII
ATOM	625	CE	LYS	74	33.110	-9.518	-4.940	0.00	24.77	EII	ATOM	678	N	TYR	80	35.158	-19.480	-1.662	1.00	23.91	EII
ATOM	626	NZ	LYS	74	33.693	-8.668	-3.861	0.00	24.37	EII	ATOM	680	CA	TYR	80	35.440	-20.866	-1.322	1.00	23.33	EII
ATOM	630	C	LYS	74	34.284	-12.843	-1.761	1.00	21.26	EII	ATOM	681	CB	TYR	80	36.588	-20.881	-0.344	1.00	21.40	EII
ATOM	631	O	LYS	74	34.180	-13.968	-2.276	1.00	25.56	EII	ATOM	682	CG	TYR	80	37.792	-20.181	-0.856	1.00	11.41	EII
ATOM	632	N	SER	75	35.448	-12.231	-1.588	1.00	22.43	EII	ATOM	683	CD1	TYR	80	38.119	-18.907	-0.419	1.00	12.32	EII
ATOM	634	CA	SER	75	36.695	-12.789	-2.097	1.00	21.41	EII	ATOM	684	CE1	TYR	80	39.232	-18.254	-0.919	1.00	17.37	EII
ATOM	635	CB	SER	75	37.671	-11.651	-2.375	1.00	19.06	EII	ATOM	685	CD2	TYR	80	38.588	-20.798	-1.797	1.00	8.89	EII
ATOM	636	OG	SER	75	37.469	-10.602	-1.461	1.00	25.30	EII	ATOM	686	CE2	TYR	80	39.681	-20.186	-2.312	1.00	13.11	EII

SUBSTITUTE SHEET (Rule 26)

- 38 -

ATOM	687	CZ	TYR	80	40.022	-18.907	-1.882	1.00	17.54	EII	ATOM	736	CE2	PHE	85	36.957	-19.669	5.006	1.00	24.28	EII
ATOM	688	OH	TYR	80	41.173	-18.341	-2.424	1.00	22.27	EII	ATOM	737	CZ	PHE	85	36.392	-19.896	3.748	1.00	25.28	EII
ATOM	690	C	TYR	80	34.271	-21.642	-0.720	1.00	25.30	EII	ATOM	738	C	PHE	85	33.721	-22.075	9.300	1.00	18.73	EII
ATOM	691	O	TYR	80	34.221	-21.850	0.492	1.00	28.16	EII	ATOM	739	O	PHE	85	32.511	-22.263	9.330	1.00	19.32	EII
ATOM	692	N	PRO	81	33.356	-22.139	-1.561	1.00	25.28	EII	ATOM	740	N	ARG	86	34.481	-21.927	10.377	1.00	20.93	EII
ATOM	693	CD	PRO	81	33.422	-22.129	-3.026	1.00	25.19	EII	ATOM	742	CA	ARG	86	33.989	-21.980	11.745	1.00	22.92	EII
ATOM	694	CA	PRO	81	32.066	-22.666	-1.111	1.00	25.19	EII	ATOM	743	CB	ARG	86	34.982	-22.699	12.671	1.00	29.45	EII
ATOM	695	CB	PRO	81	31.290	-22.804	-2.408	1.00	27.52	EII	ATOM	744	CG	ARG	86	34.469	-24.013	13.263	1.00	33.01	EII
ATOM	696	CG	PRO	81	32.003	-21.880	-3.356	1.00	27.81	EII	ATOM	745	CD	ARG	86	34.098	-23.946	14.744	1.00	31.02	EII
ATOM	697	C	PRO	81	32.209	-24.034	-0.455	1.00	27.22	EII	ATOM	746	NE	ARG	86	33.776	-25.286	15.212	1.00	38.52	EII
ATOM	698	O	PRO	81	31.297	-24.496	0.232	1.00	30.43	EII	ATOM	748	CZ	ARG	86	34.674	-26.270	15.363	1.00	46.41	EII
ATOM	699	N	LYS	82	33.318	-24.713	-0.727	1.00	26.41	EII	ATOM	749	NH1	ARG	86	35.968	-26.070	15.110	1.00	47.38	EII
ATOM	701	CA	LYS	82	33.532	-26.027	-0.151	1.00	23.98	EII	ATOM	752	NH2	ARG	86	34.286	-27.483	15.738	1.00	50.37	EII
ATOM	702	CB	LYS	82	34.060	-26.995	-1.197	1.00	32.16	EII	ATOM	755	C	ARG	86	33.824	-20.539	12.219	1.00	22.05	EII
ATOM	703	CG	LYS	82	33.144	-27.129	-2.391	1.00	39.38	EII	ATOM	756	O	ARG	86	32.736	-20.140	12.646	1.00	20.17	EII
ATOM	704	CD	LYS	82	33.404	-28.427	-3.126	1.00	50.19	EII	ATOM	757	N	TYR	87	34.926	-19.793	12.209	1.00	17.64	EII
ATOM	705	CE	LYS	82	34.865	-28.547	-3.529	1.00	55.41	EII	ATOM	759	CA	TYR	87	34.910	-18.396	12.607	1.00	20.00	EII
ATOM	706	NZ	LYS	82	35.169	-29.885	-4.135	1.00	61.54	EII	ATOM	760	CB	TYR	87	35.476	-18.175	14.018	1.00	19.18	EII
ATOM	710	C	LYS	82	34.369	-26.119	1.113	1.00	22.53	EII	ATOM	761	CG	TYR	87	35.050	-19.161	15.077	1.00	16.85	EII
ATOM	711	O	LYS	82	34.577	-27.219	1.608	1.00	20.64	EII	ATOM	762	CD1	TYR	87	35.941	-20.129	15.541	1.00	16.37	EII
ATOM	712	N	VAL	83	34.839	-24.983	1.641	1.00	23.09	EII	ATOM	763	CE1	TYR	87	35.580	-21.036	16.530	1.00	19.08	EII
ATOM	714	CA	VAL	83	35.622	-24.956	2.890	1.00	22.87	EII	ATOM	764	CD2	TYR	87	33.776	-19.116	15.624	1.00	18.07	EII
ATOM	715	CB	VAL	83	36.520	-23.692	2.999	1.00	24.29	EII	ATOM	765	CE2	TYR	87	33.387	-20.020	16.622	1.00	19.85	EII
ATOM	716	CG1	VAL	83	37.248	-23.671	4.345	1.00	21.90	EII	ATOM	766	CZ	TYR	87	34.297	-20.976	17.076	1.00	22.06	EII
ATOM	717	CG2	VAL	83	37.510	-23.630	1.859	1.00	19.37	EII	ATOM	767	OH	TYR	87	33.945	-21.843	18.089	1.00	14.80	EII
ATOM	718	C	VAL	83	34.659	-24.900	4.068	1.00	23.92	EII	ATOM	769	C	TYR	87	35.792	-17.588	11.690	1.00	19.71	EII
ATOM	719	O	VAL	83	33.613	-24.246	3.968	1.00	23.36	EII	ATOM	770	O	TYR	87	36.629	-18.127	10.982	1.00	16.27	EII
ATOM	720	N	SER	84	35.056	-25.470	5.211	1.00	21.97	EII	ATOM	771	N	VAL	88	35.543	-16.286	11.704	1.00	22.25	EII
ATOM	722	CA	SER	84	34.204	-25.450	6.403	1.00	17.86	EII	ATOM	773	CA	VAL	88	36.324	-15.277	10.999	1.00	21.13	EII
ATOM	723	CB	SER	84	34.205	-26.818	7.073	1.00	17.53	EII	ATOM	774	CB	VAL	88	35.447	-14.283	10.170	1.00	20.08	EII
ATOM	724	OG	SER	84	33.451	-27.719	6.293	1.00	23.80	EII	ATOM	775	CG1	VAL	88	36.321	-13.150	9.663	1.00	14.55	EII
ATOM	726	C	SER	84	34.582	-24.364	7.417	1.00	16.87	EII	ATOM	776	CG2	VAL	88	34.750	-14.991	9.033	1.00	19.84	EII
ATOM	727	O	SER	84	35.207	-24.648	8.446	1.00	17.54	EII	ATOM	777	C	VAL	88	36.891	-14.483	12.197	1.00	24.05	EII
ATOM	728	N	PHE	85	34.169	-23.132	7.123	1.00	19.48	EII	ATOM	778	O	VAL	88	36.116	-13.848	12.916	1.00	27.17	EII
ATOM	730	CA	PHE	85	34.457	-21.980	7.983	1.00	19.80	EII	ATOM	779	N	CYS	89	38.194	-14.620	12.461	1.00	23.27	EII
ATOM	731	CB	PHE	85	34.098	-20.669	7.295	1.00	19.01	EII	ATOM	781	CA	CYS	89	38.880	-13.941	13.546	1.00	18.87	EII
ATOM	732	CG	PHE	85	34.902	-20.393	6.059	1.00	21.80	EII	ATOM	782	CB	CYS	89	40.037	-14.809	14.015	1.00	19.45	EII
ATOM	733	CD1	PHE	85	34.365	-20.612	4.798	1.00	23.35	EII	ATOM	783	SG	CYS	89	40.718	-14.233	15.541	1.00	19.13	EII
ATOM	734	CD2	PHE	85	36.204	-19.921	6.153	1.00	24.88	EII	ATOM	784	C	CYS	89	39.412	-12.599	13.073	1.00	20.04	EII
ATOM	735	CE1	PHE	85	35.104	-20.366	3.647	1.00	20.54	EII	ATOM	785	O	CYS	89	40.479	-12.536	12.446	1.00	23.67	EII

SUBSTITUTE SHEET (Rule 26)

ATOM	786 N	VAL	90	38.684	-11.526	13.375	1.00	19.71	EII	ATOM	834 N	GLY	96	46.883	-1.095	21.309	1.00	33.58	EII
ATOM	788 CA	VAL	90	39.060	-10.175	12.939	1.00	18.94	EII	ATOM	836 CA	GLY	96	46.534	0.313	21.302	1.00	31.73	EII
ATOM	789 CB	VAL	90	37.780	-9.270	12.852	1.00	18.80	EII	ATOM	837 C	GLY	96	46.101	1.023	20.049	1.00	33.19	EII
ATOM	790 CG1	VAL	90	38.090	-7.857	12.353	1.00	9.54	EII	ATOM	838 O	GLY	96	46.553	0.686	18.969	1.00	42.91	EII
ATOM	791 CG2	VAL	90	36.750	-9.928	11.917	1.00	14.80	EII	ATOM	839 N	GLY	97	45.249	2.035	20.199	1.00	31.36	EII
ATOM	792 C	VAL	90	40.068	-9.633	13.938	1.00	21.76	EII	ATOM	841 CA	GLY	97	44.820	2.832	19.061	1.00	26.65	EII
ATOM	793 O	VAL	90	39.713	-9.255	15.051	1.00	26.22	EII	ATOM	842 C	GLY	97	44.058	2.097	17.992	1.00	29.45	EII
ATOM	794 N	GLY	91	41.332	-9.607	13.548	1.00	20.81	EII	ATOM	843 O	GLY	97	42.935	2.472	17.670	1.00	33.34	EII
ATOM	796 CA	GLY	91	42.365	-9.127	14.441	1.00	17.50	EII	ATOM	844 N	ALA	98	44.699	1.101	17.391	1.00	29.33	EII
ATOM	797 C	GLY	91	42.946	-10.227	15.316	1.00	21.60	EII	ATOM	846 CA	ALA	98	44.103	0.267	16.373	1.00	25.57	EII
ATOM	798 O	GLY	91	42.278	-11.206	15.644	1.00	19.80	EII	ATOM	847 CB	ALA	98	45.112	-0.732	15.872	1.00	29.17	EII
ATOM	799 N	ASN	92	44.251	-10.137	15.557	1.00	21.01	EII	ATOM	848 C	ALA	98	42.892	-0.442	16.943	1.00	25.33	EII
ATOM	801 CA	ASN	92	44.944	-11.066	16.437	1.00	19.52	EII	ATOM	849 O	ALA	98	41.981	-0.800	16.208	1.00	32.32	EII
ATOM	802 CB	ASN	92	45.831	-12.039	15.686	1.00	15.96	EII	ATOM	850 N	THR	99	42.857	-0.611	18.259	1.00	23.17	EII
ATOM	803 CG	ASN	92	46.607	-12.959	16.621	1.00	16.52	EII	ATOM	852 CA	THR	99	41.724	-1.256	18.918	1.00	22.94	EII
ATOM	804 OD1	ASN	92	47.829	-12.958	16.611	1.00	17.74	EII	ATOM	853 CB	THR	99	41.971	-1.400	20.419	1.00	21.96	EII
ATOM	805 ND2	ASN	92	45.908	-13.713	17.454	1.00	11.94	EII	ATOM	854 OG1	THR	99	42.281	-0.115	20.955	1.00	27.95	EII
ATOM	808 C	ASN	92	45.807	-10.229	17.350	1.00	19.99	EII	ATOM	856 CG2	THR	99	43.146	-2.335	20.685	1.00	19.71	EII
ATOM	809 O	ASN	92	46.820	-9.689	16.931	1.00	19.30	EII	ATOM	857 C	THR	99	40.424	-0.464	18.712	1.00	25.72	EII
ATOM	810 N	GLU	93	45.409	-10.147	18.609	1.00	19.66	EII	ATOM	858 O	THR	99	39.334	-0.962	19.001	1.00	26.30	EII
ATOM	812 CA	GLU	93	46.140	-9.361	19.593	1.00	19.36	EII	ATOM	859 N	ARG	100	40.549	0.772	18.227	1.00	27.60	EII
ATOM	813 CB	GLU	93	47.494	-10.012	19.892	1.00	21.17	EII	ATOM	861 CA	ARG	100	39.407	1.638	17.970	1.00	25.72	EII
ATOM	814 CG	GLU	93	47.362	-11.423	20.451	1.00	21.08	EII	ATOM	862 CB	ARG	100	39.894	3.036	17.587	1.00	29.73	EII
ATOM	815 CD	GLU	93	48.672	-12.011	20.901	1.00	24.02	EII	ATOM	863 CG	ARG	100	38.781	4.067	17.419	0.00	28.42	EII
ATOM	816 OE1	GLU	93	49.660	-11.250	21.025	1.00	28.58	EII	ATOM	864 CD	ARG	100	37.996	4.272	18.711	0.00	28.92	EII
ATOM	817 OE2	GLU	93	48.708	-13.237	21.168	1.00	28.58	EII	ATOM	865 NE	ARG	100	38.836	4.773	19.797	0.00	29.00	EII
ATOM	818 C	GLU	93	46.319	-7.890	19.198	1.00	20.01	EII	ATOM	867 C2	ARG	100	38.441	4.885	21.062	0.00	29.15	EII
ATOM	819 O	GLU	93	47.397	-7.323	19.358	1.00	18.58	EII	ATOM	868 NH1	ARG	100	37.212	4.530	21.417	0.00	29.18	EII
ATOM	820 N	VAL	94	45.240	-7.277	18.717	1.00	20.15	EII	ATOM	871 NH2	ARG	100	39.276	5.359	21.977	0.00	29.17	EII
ATOM	822 CA	VAL	94	45.267	-5.870	18.339	1.00	22.55	EII	ATOM	874 C	ARG	100	38.595	1.075	16.817	1.00	26.99	EII
ATOM	823 CB	VAL	94	43.904	-5.450	17.723	1.00	18.79	EII	ATOM	875 O	ARG	100	37.401	1.325	16.711	1.00	25.79	EII
ATOM	824 CG1	VAL	94	43.875	-3.985	17.426	1.00	14.04	EII	ATOM	876 N	ASN	101	39.260	0.322	15.947	1.00	23.98	EII
ATOM	825 CG2	VAL	94	43.653	-6.231	16.447	1.00	18.59	EII	ATOM	878 CA	ASN	101	38.615	-0.245	14.775	1.00	25.37	EII
ATOM	826 C	VAL	94	45.615	-5.005	19.569	1.00	26.22	EII	ATOM	879 CB	ASN	101	39.569	-0.196	13.578	1.00	23.53	EII
ATOM	827 O	VAL	94	44.926	-5.058	20.606	1.00	28.29	EII	ATOM	880 CG	ASN	101	39.901	1.224	13.163	1.00	24.69	EII
ATOM	828 N	ALA	95	46.706	-4.249	19.465	1.00	27.52	EII	ATOM	881 OD1	ASN	101	41.033	1.514	12.754	1.00	24.16	EII
ATOM	830 CA	ALA	95	47.153	-3.373	20.547	1.00	29.76	EII	ATOM	882 ND2	ASN	101	38.919	2.124	13.285	1.00	19.72	EII
ATOM	831 CB	ALA	95	48.643	-3.491	20.754	1.00	33.96	EII	ATOM	885 C	ASN	101	38.117	-1.652	14.968	1.00	23.11	EII
ATOM	832 C	ALA	95	46.772	-1.923	20.267	1.00	32.39	EII	ATOM	886 O	ASN	101	37.494	-2.221	14.084	1.00	22.33	EII
ATOM	833 O	ALA	95	46.428	-1.582	19.143	1.00	31.98	EII	ATOM	887 N	LEU	102	38.378	-2.204	16.141	1.00	25.04	EII

SUBSTITUTE SHEET (Rule 26)

- 40 -

ATOM	889	CA	LEU	102	37.967	-3.570	16.464	1.00	20.19	EII	ATOM	933	NZ	LYS	107	29.058	-2.995	17.632	0.00	35.98	EII
ATOM	890	CB	LEU	102	38.360	-3.899	17.898	1.00	18.00	EII	ATOM	937	C	LYS	107	30.022	-5.483	11.462	1.00	23.82	EII
ATOM	891	CG	LEU	102	38.770	-5.345	18.096	1.00	19.27	EII	ATOM	938	O	LYS	107	29.070	-6.125	10.975	1.00	26.60	EII
ATOM	892	CD1	LEU	102	39.656	-5.792	16.930	1.00	11.88	EII	ATOM	939	N	ASN	108	30.932	-4.879	10.715	1.00	20.53	EII
ATOM	893	CD2	LEU	102	39.500	-5.476	19.428	1.00	16.59	EII	ATOM	941	CA	ASN	108	30.848	-4.929	9.279	1.00	20.34	EII
ATOM	894	C	LEU	102	36.488	-3.868	16.232	1.00	18.66	EII	ATOM	942	CB	ASN	108	31.797	-3.906	8.656	1.00	22.18	EII
ATOM	895	O	LEU	102	36.134	-4.586	15.307	1.00	20.44	EII	ATOM	943	CG	ASN	108	31.387	-2.463	8.951	1.00	21.63	EII
ATOM	896	N	VAL	103	35.619	-3.310	17.066	1.00	21.11	EII	ATOM	944	OD1	ASN	108	30.250	-2.181	9.378	1.00	19.08	EII
ATOM	898	CA	VAL	103	34.170	-3.550	16.955	1.00	21.06	EII	ATOM	945	ND2	ASN	108	32.314	-1.545	8.732	1.00	17.80	EII
ATOM	899	CB	VAL	103	33.382	-2.897	18.120	1.00	16.38	EII	ATOM	948	C	ASN	108	31.032	-6.305	8.657	1.00	20.14	EII
ATOM	900	CG1	VAL	103	31.958	-3.406	18.098	1.00	9.59	EII	ATOM	949	O	ASN	108	30.308	-6.630	7.735	1.00	27.18	EII
ATOM	901	CG2	VAL	103	34.006	-3.259	19.410	1.00	15.15	EII	ATOM	950	N	VAL	109	31.941	-7.133	9.169	1.00	19.00	EII
ATOM	902	C	VAL	103	33.492	-3.201	15.614	1.00	17.66	EII	ATOM	952	CA	VAL	109	32.178	-8.462	8.602	1.00	14.59	EII
ATOM	903	O	VAL	103	32.684	-3.984	15.111	1.00	21.01	EII	ATOM	953	CB	VAL	109	33.462	-9.102	9.227	1.00	16.93	EII
ATOM	904	N	PRO	104	33.827	-2.042	15.015	1.00	18.81	EII	ATOM	954	CG1	VAL	109	33.544	-10.605	8.966	1.00	12.18	EII
ATOM	905	CD	PRO	104	34.703	-0.992	15.566	1.00	18.76	EII	ATOM	955	CG2	VAL	109	34.716	-8.408	8.657	1.00	19.89	EII
ATOM	906	CA	PRO	104	33.323	-1.624	13.697	1.00	17.71	EII	ATOM	956	C	VAL	109	30.925	-9.276	8.897	1.00	19.76	EII
ATOM	907	CB	PRO	104	34.019	-0.280	13.483	1.00	15.77	EII	ATOM	957	O	VAL	109	30.342	-9.923	8.008	1.00	18.45	EII
ATOM	908	CG	PRO	104	34.191	0.224	14.867	1.00	12.44	EII	ATOM	958	N	HIS	110	30.449	-9.129	10.131	1.00	19.40	EII
ATOM	909	C	PRO	104	33.700	-2.603	12.593	1.00	17.96	EII	ATOM	960	CA	HIS	110	29.261	-9.805	10.581	1.00	17.21	EII
ATOM	910	O	PRO	104	32.902	-2.857	11.688	1.00	21.40	EII	ATOM	961	CB	HIS	110	28.988	-9.457	12.040	1.00	17.25	EII
ATOM	911	N	ALA	105	34.940	-3.094	12.614	1.00	14.40	EII	ATOM	962	CG	HIS	110	27.724	-10.071	12.568	1.00	14.81	EII
ATOM	913	CA	ALA	105	35.347	-4.068	11.616	1.00	14.37	EII	ATOM	963	CD2	HIS	110	27.267	-11.341	12.533	1.00	13.50	EII
ATOM	914	CB	ALA	105	36.845	-4.386	11.725	1.00	13.55	EII	ATOM	964	ND1	HIS	110	26.701	-9.307	13.076	1.00	15.45	EII
ATOM	915	C	ALA	105	34.521	-5.327	11.886	1.00	17.26	EII	ATOM	966	CE1	HIS	110	25.656	-10.080	13.313	1.00	14.73	EII
ATOM	916	O	ALA	105	34.007	-5.940	10.945	1.00	19.91	EII	ATOM	967	NE2	HIS	110	25.974	-11.320	12.988	1.00	12.16	EII
ATOM	917	N	MET	106	34.429	-5.733	13.157	1.00	16.38	EII	ATOM	969	C	HIS	110	28.043	-9.515	9.693	1.00	19.56	EII
ATOM	919	CA	MET	106	33.663	-6.911	13.525	1.00	20.32	EII	ATOM	970	O	HIS	110	27.394	-10.459	9.201	1.00	18.91	EII
ATOM	920	CB	MET	106	33.795	-7.220	15.025	1.00	17.57	EII	ATOM	971	N	GLY	111	27.767	-8.232	9.448	1.00	16.88	EII
ATOM	921	CG	MET	106	35.163	-7.719	15.476	1.00	23.04	EII	ATOM	973	CA	GLY	111	26.636	-7.858	8.613	1.00	17.54	EII
ATOM	922	SD	MET	106	35.205	-8.444	17.191	1.00	23.36	EII	ATOM	974	C	GLY	111	26.754	-8.422	7.200	1.00	19.51	EII
ATOM	923	CE	MET	106	35.238	-6.985	18.221	1.00	21.92	EII	ATOM	975	O	GLY	111	25.771	-8.889	6.615	1.00	21.08	EII
ATOM	924	C	MET	106	32.186	-6.752	13.133	1.00	23.48	EII	ATOM	976	N	ALA	112	27.964	-8.355	6.648	1.00	19.68	EII
ATOM	925	O	MET	106	31.566	-7.694	12.637	1.00	28.00	EII	ATOM	978	CA	ALA	112	28.264	-8.890	5.325	1.00	19.14	EII
ATOM	926	N	LYS	107	31.623	-5.569	13.338	1.00	21.62	EII	ATOM	979	CB	ALA	112	28.724	-8.680	5.010	1.00	14.31	EII
ATOM	928	CA	LYS	107	30.225	-5.346	12.975	1.00	23.06	EII	ATOM	980	C	ALA	112	27.959	-10.379	5.257	1.00	19.95	EII
ATOM	929	CB	LYS	107	29.771	-3.964	13.423	1.00	23.25	EII	ATOM	981	O	ALA	112	27.394	-10.871	4.271	1.00	27.32	EII
ATOM	930	CG	LYS	107	29.476	-3.862	14.881	1.00	27.08	EII	ATOM	982	N	LEU	113	28.278	-11.085	6.334	1.00	21.29	EII
ATOM	931	CD	LYS	107	28.911	-2.503	15.191	1.00	33.96	EII	ATOM	984	CA	LEU	113	28.084	-12.531	6.415	1.00	20.25	EII
ATOM	932	CE	LYS	107	28.187	-2.498	16.538	1.00	37.38	EII	ATOM	985	CB	LEU	113	28.876	-13.152	7.587	1.00	18.63	EII

SUBSTITUTE SHEET (Rule 26)

ATOM	986	CG	LEU	113	30.411	-13.345	7.526	1.00	20.64	EII	ATOM	1033	CB	HIS	120	26.380	-21.013	10.123	1.00	22.51	EII
ATOM	987	CD1	LEU	113	30.902	-13.843	8.881	1.00	22.14	EII	ATOM	1034	CG	HIS	120	27.088	-21.126	8.807	1.00	26.06	EII
ATOM	988	CD2	LEU	113	30.817	-14.358	6.429	1.00	16.54	EII	ATOM	1035	CD2	HIS	120	26.800	-20.589	7.594	1.00	26.54	EII
ATOM	989	C	LEU	113	26.601	-12.850	6.539	1.00	21.54	EII	ATOM	1036	ND1	HIS	120	28.207	-21.909	8.625	1.00	23.50	EII
ATOM	990	O	LEU	113	26.109	-13.770	5.874	1.00	20.15	EII	ATOM	1038	CE1	HIS	120	28.579	-21.856	7.355	1.00	24.07	EII
ATOM	991	N	VAL	114	25.887	-12.082	7.364	1.00	17.61	EII	ATOM	1039	NE2	HIS	120	27.740	-21.060	6.711	1.00	23.79	EII
ATOM	993	CA	VAL	114	24.460	-12.280	7.547	1.00	13.34	EII	ATOM	1041	C	HIS	120	28.026	-19.525	11.145	1.00	20.88	EII
ATOM	994	CB	VAL	114	23.939	-11.403	8.704	1.00	11.74	EII	ATOM	1042	O	HIS	120	28.566	-20.304	11.913	1.00	28.45	EII
ATOM	995	CG1	VAL	114	22.450	-11.247	8.631	1.00	9.52	EII	ATOM	1043	N	ILE	121	28.687	-18.661	10.394	1.00	20.65	EII
ATOM	996	CG2	VAL	114	24.328	-12.016	10.007	1.00	7.08	EII	ATOM	1045	CA	ILE	121	30.102	-18.416	10.579	1.00	21.10	EII
ATOM	997	C	VAL	114	23.748	-11.961	6.220	1.00	16.80	EII	ATOM	1046	CB	ILE	121	30.780	-18.063	9.265	1.00	20.09	EII
ATOM	998	O	VAL	114	22.848	-12.674	5.810	1.00	21.94	EII	ATOM	1047	CG2	ILE	121	32.256	-17.800	9.504	1.00	18.09	EII
ATOM	999	N	ALA	115	24.212	-10.944	5.503	1.00	20.11	EII	ATOM	1048	CG1	ILE	121	30.528	-19.162	8.229	1.00	21.22	EII
ATOM	1001	CA	ALA	115	23.610	-10.589	4.222	1.00	18.66	EII	ATOM	1049	CD1	ILE	121	30.822	-18.733	6.795	1.00	17.07	EII
ATOM	1002	CB	ALA	115	24.243	-9.334	3.659	1.00	15.05	EII	ATOM	1050	C	ILE	121	30.268	-17.232	11.499	1.00	23.82	EII
ATOM	1003	C	ALA	115	23.764	-11.716	3.205	1.00	17.87	EII	ATOM	1051	O	ILE	121	30.037	-16.093	11.083	1.00	24.64	EII
ATOM	1004	O	ALA	115	22.858	-11.929	2.402	1.00	15.44	EII	ATOM	1052	N	LYS	122	30.675	-17.513	12.736	1.00	24.45	EII
ATOM	1005	N	ALA	116	24.875	-12.460	3.267	1.00	18.01	EII	ATOM	1054	CA	LYS	122	30.873	-16.501	13.762	1.00	20.95	EII
ATOM	1007	CA	ALA	116	25.152	-13.533	2.311	1.00	14.70	EII	ATOM	1055	CB	LYS	122	30.859	-17.142	15.149	1.00	24.44	EII
ATOM	1008	CB	ALA	116	26.668	-13.805	2.254	1.00	15.50	EII	ATOM	1056	CG	LYS	122	29.604	-17.955	15.435	1.00	25.87	EII
ATOM	1009	C	ALA	116	24.458	-14.790	2.713	1.00	14.17	EII	ATOM	1057	CD	LYS	122	28.367	-17.078	15.465	1.00	33.72	EII
ATOM	1010	O	ALA	116	24.486	-15.772	1.976	1.00	19.57	EII	ATOM	1058	CE	LYS	122	27.144	-17.838	15.981	1.00	37.35	EII
ATOM	1011	N	GLY	117	23.878	-14.779	3.902	1.00	14.63	EII	ATOM	1059	NZ	LYS	122	26.792	-19.036	15.161	0.00	35.72	EII
ATOM	1013	CA	GLY	117	23.228	-15.967	4.386	1.00	13.94	EII	ATOM	1063	C	LYS	122	32.121	-15.659	13.603	1.00	19.09	EII
ATOM	1014	C	GLY	117	24.268	-16.946	4.900	1.00	15.26	EII	ATOM	1064	O	LYS	122	33.192	-16.170	13.281	1.00	16.76	EII
ATOM	1015	O	GLY	117	24.083	-18.159	4.772	1.00	24.61	EII	ATOM	1065	N	VAL	123	31.953	-14.369	13.886	1.00	16.10	EII
ATOM	1016	N	LEU	118	25.379	-16.442	5.431	1.00	20.98	EII	ATOM	1067	CA	VAL	123	32.995	-13.363	13.810	1.00	15.39	EII
ATOM	1018	CA	LEU	118	26.423	-17.305	5.997	1.00	22.07	EII	ATOM	1068	CB	VAL	123	32.424	-12.055	13.239	1.00	11.67	EII
ATOM	1019	CB	LEU	118	27.743	-17.115	5.260	1.00	20.47	EII	ATOM	1069	CG1	VAL	123	33.423	-10.904	13.376	1.00	6.31	EII
ATOM	1020	CG	LEU	118	27.833	-17.450	3.766	1.00	20.26	EII	ATOM	1070	CG2	VAL	123	32.051	-12.274	11.813	1.00	9.19	EII
ATOM	1021	CD1	LEU	118	29.156	-16.883	3.230	1.00	17.96	EII	ATOM	1071	C	VAL	123	33.490	-13.113	15.231	1.00	19.43	EII
ATOM	1022	CD2	LEU	118	27.752	-18.937	3.505	1.00	13.96	EII	ATOM	1072	O	VAL	123	32.696	-12.914	16.156	1.00	22.00	EII
ATOM	1023	C	LEU	118	26.601	-16.969	7.485	1.00	21.10	EII	ATOM	1073	N	THR	124	34.790	-13.089	15.418	1.00	16.25	EII
ATOM	1024	O	LEU	118	27.680	-17.098	8.050	1.00	19.85	EII	ATOM	1075	CA	THR	124	35.281	-12.879	16.755	1.00	17.42	EII
ATOM	1025	N	GLY	119	25.503	-16.589	8.128	1.00	25.77	EII	ATOM	1076	CB	THR	124	35.345	-14.272	17.511	1.00	16.30	EII
ATOM	1027	CA	GLY	119	25.538	-16.239	9.537	1.00	23.41	EII	ATOM	1077	CG1	THR	124	35.800	-14.084	18.859	1.00	15.42	EII
ATOM	1028	C	GLY	119	25.937	-17.362	10.476	1.00	22.55	EII	ATOM	1079	CG2	THR	124	36.211	-15.317	16.751	1.00	8.83	EII
ATOM	1029	O	GLY	119	25.971	-17.159	11.687	1.00	24.22	EII	ATOM	1080	C	THR	124	36.631	-12.172	16.654	1.00	18.46	EII
ATOM	1030	N	HIS	120	26.150	-18.566	9.957	1.00	19.73	EII	ATOM	1081	O	THR	124	36.933	-11.572	15.619	1.00	16.30	EII
ATOM	1032	CA	HIS	120	26.568	-19.671	10.816	1.00	20.48	EII	ATOM	1082	N	THR	125	37.390	-12.154	17.742	1.00	20.41	EII

SUBSTITUTE SHEET (Rule 26)

ATOM	1084	CA	THR	125	38.721	-11.549	17.736	1.00	16.04	EII	ATOM	1135	CA	ILE	131	45.436	-8.398	28.780	1.00	13.27	EII
ATOM	1085	CB	THR	125	38.689	-10.051	18.117	1.00	19.18	EII	ATOM	1136	CB	ILE	131	44.256	-8.253	27.757	1.00	12.64	EII
ATOM	1086	CG1	THR	125	39.949	-9.441	17.778	1.00	21.22	EII	ATOM	1137	CG2	ILE	131	44.754	-7.835	26.417	1.00	12.50	EII
ATOM	1088	CG2	THR	125	38.377	-9.848	19.627	1.00	20.31	EII	ATOM	1138	CG1	ILE	131	43.407	-9.509	27.668	1.00	14.45	EII
ATOM	1089	C	THR	125	39.568	-12.414	18.674	1.00	13.58	EII	ATOM	1139	CD1	ILE	131	41.981	-9.166	27.284	1.00	14.53	EII
ATOM	1090	O	THR	125	39.016	-13.208	19.428	1.00	16.04	EII	ATOM	1140	C	ILE	131	44.907	-8.580	30.192	1.00	8.50	EII
ATOM	1091	N	SER	126	40.885	-12.284	18.647	1.00	14.03	EII	ATOM	1141	O	ILE	131	44.191	-7.741	30.694	1.00	12.91	EII
ATOM	1093	CA	SER	126	41.741	-13.129	19.464	1.00	9.15	EII	ATOM	1142	N	LEU	132	45.240	-9.696	30.822	1.00	14.32	EII
ATOM	1094	CB	SER	126	42.670	-13.895	18.562	1.00	7.45	EII	ATOM	1144	CA	LEU	132	44.822	-9.954	32.206	1.00	18.09	EII
ATOM	1095	OG	SER	126	43.668	-14.577	19.291	1.00	21.18	EII	ATOM	1145	CB	LEU	132	44.816	-11.462	32.532	1.00	10.55	EII
ATOM	1097	C	SER	126	42.534	-12.231	20.342	1.00	11.06	EII	ATOM	1146	CG	LEU	132	43.742	-12.368	31.910	1.00	16.79	EII
ATOM	1098	O	SER	126	43.198	-11.322	19.853	1.00	11.92	EII	ATOM	1147	CD1	LEU	132	43.983	-13.787	32.357	1.00	8.56	EII
ATOM	1099	N	VAL	127	42.519	-12.497	21.643	1.00	9.13	EII	ATOM	1148	CD2	LEU	132	42.334	-11.949	32.318	1.00	8.10	EII
ATOM	1101	CA	VAL	127	43.250	-11.627	22.552	1.00	8.28	EII	ATOM	1149	C	LEU	132	45.719	-9.232	33.219	1.00	17.12	EII
ATOM	1102	CB	VAL	127	42.328	-11.026	23.642	1.00	9.27	EII	ATOM	1150	O	LEU	132	46.913	-9.472	33.278	1.00	22.27	EII
ATOM	1103	CG1	VAL	127	41.272	-10.135	22.999	1.00	8.14	EII	ATOM	1151	N	GLY	133	45.165	-8.278	33.946	1.00	17.71	EII
ATOM	1104	CG2	VAL	127	41.665	-12.140	24.449	1.00	8.57	EII	ATOM	1153	CA	GLY	133	45.946	-7.606	34.954	1.00	21.46	EII
ATOM	1105	C	VAL	127	44.395	-12.377	23.200	1.00	12.85	EII	ATOM	1154	C	GLY	133	46.163	-8.581	36.108	1.00	22.05	EII
ATOM	1106	O	VAL	127	44.447	-13.606	23.209	1.00	17.82	EII	ATOM	1155	O	GLY	133	47.281	-8.733	36.614	1.00	22.29	EII
ATOM	1107	N	SER	128	45.288	-11.613	23.797	1.00	16.23	EII	ATOM	1156	N	VAL	134	45.102	-9.281	36.497	1.00	21.78	EII
ATOM	1109	CA	SER	128	46.459	-12.140	24.455	1.00	13.33	EII	ATOM	1158	CA	VAL	134	45.195	-10.254	37.584	1.00	20.18	EII
ATOM	1110	CB	SER	128	47.622	-11.216	24.172	1.00	17.17	EII	ATOM	1159	CB	VAL	134	44.363	-9.789	38.839	1.00	20.27	EII
ATOM	1111	OG	SER	128	48.641	-11.338	25.136	1.00	19.99	EII	ATOM	1160	CG1	VAL	134	44.645	-10.697	40.044	1.00	16.68	EII
ATOM	1113	C	SER	128	46.244	-12.197	25.957	1.00	15.99	EII	ATOM	1161	CG2	VAL	134	44.676	-8.339	39.182	1.00	16.37	EII
ATOM	1114	O	SER	128	45.683	-11.277	26.551	1.00	13.96	EII	ATOM	1162	C	VAL	134	44.618	-11.549	37.032	1.00	19.47	EII
ATOM	1115	N	GLN	129	46.714	-13.277	26.574	1.00	20.08	EII	ATOM	1163	O	VAL	134	43.555	-11.525	36.405	1.00	24.54	EII
ATOM	1117	CA	GLN	129	46.628	-13.439	28.016	1.00	16.21	EII	ATOM	1164	N	PHE	135	45.295	-12.672	37.251	1.00	21.45	EII
ATOM	1118	CB	GLN	129	47.298	-14.747	28.443	1.00	16.59	EII	ATOM	1166	CA	PHE	135	44.791	-13.946	36.724	1.00	27.04	EII
ATOM	1119	CG	GLN	129	48.796	-14.668	28.547	1.00	13.90	EII	ATOM	1167	CB	PHE	135	45.655	-14.438	35.556	1.00	28.22	EII
ATOM	1120	CD	GLN	129	49.471	-16.018	28.795	1.00	18.08	EII	ATOM	1168	CG	PHE	135	47.061	-14.818	35.945	1.00	32.70	EII
ATOM	1121	OE1	GLN	129	50.706	-16.094	28.918	1.00	19.61	EII	ATOM	1169	CD1	PHE	135	47.333	-16.068	36.523	1.00	35.80	EII
ATOM	1122	NE2	GLN	129	48.682	-17.084	28.839	1.00	9.26	EII	ATOM	1170	CD2	PHE	135	48.121	-13.948	35.706	1.00	33.97	EII
ATOM	1125	C	GLN	129	47.299	-12.257	28.715	1.00	17.05	EII	ATOM	1171	CE1	PHE	135	48.649	-16.453	36.860	1.00	37.66	EII
ATOM	1126	O	GLN	129	47.072	-12.006	29.894	1.00	20.96	EII	ATOM	1172	CE2	PHE	135	49.437	-14.316	36.034	1.00	33.85	EII
ATOM	1127	N	ALA	130	48.057	-11.467	27.965	1.00	14.25	EII	ATOM	1173	C2	PHE	135	49.705	-15.576	36.615	1.00	36.89	EII
ATOM	1129	CA	ALA	130	48.717	-10.319	28.546	1.00	17.29	EII	ATOM	1174	C	PHE	135	44.724	-15.020	37.790	1.00	28.22	EII
ATOM	1130	CB	ALA	130	49.742	-9.754	27.602	1.00	17.62	EII	ATOM	1175	O	PHE	135	44.369	-16.171	37.514	1.00	29.78	EII
ATOM	1131	C	ALA	130	47.686	-9.255	28.881	1.00	17.50	EII	ATOM	1176	N	SER	136	45.159	-14.660	38.990	1.00	29.67	EII
ATOM	1132	O	ALA	130	48.050	-8.257	29.490	1.00	20.49	EII	ATOM	1178	CA	SER	136	45.139	-15.577	40.106	1.00	29.62	EII
ATOM	1133	N	ILE	131	46.435	-9.409	28.430	1.00	15.13	EII	ATOM	1179	CB	SER	136	46.465	-16.316	40.259	1.00	31.49	EII

SUBSTITUTE SHEET (Rule 26)

- 43 -

ATOM	1180	OG	SER	136	46.395	-17.239	41.337	1.00	30.26	EII	ATOM	1228	CB	PHE	143	41.017	-6.353	31.506	1.00	9.66	EII
ATOM	1182	C	SER	136	44.835	-14.757	41.340	1.00	29.17	EII	ATOM	1229	CG	PHE	143	40.097	-7.347	30.814	1.00	15.11	EII
ATOM	1183	O	SER	136	45.382	-13.664	41.514	1.00	32.51	EII	ATOM	1230	CD	PHE	143	38.752	-7.032	30.597	1.00	17.84	EII
ATOM	1184	N	PRO	137	43.902	-15.245	42.176	1.00	24.82	EII	ATOM	1231	CD	PHE	143	40.571	-8.579	30.343	1.00	18.29	EII
ATOM	1185	CD	PRO	137	43.442	-14.637	43.434	1.00	21.92	EII	ATOM	1232	CE	PHE	143	37.890	-7.924	29.913	1.00	18.60	EII
ATOM	1186	CA	PRO	137	43.144	-16.463	41.895	1.00	21.08	EII	ATOM	1233	CE	PHE	143	39.722	-9.473	29.665	1.00	18.95	EII
ATOM	1187	CB	PRO	137	42.569	-16.818	43.254	1.00	24.77	EII	ATOM	1234	CZ	PHE	143	38.371	-9.143	29.448	1.00	10.32	EII
ATOM	1188	CG	PRO	137	42.224	-15.480	43.793	1.00	23.68	EII	ATOM	1235	C	PHE	143	42.770	-5.821	33.131	1.00	15.65	EII
ATOM	1189	C	PRO	137	42.037	-16.135	40.879	1.00	18.17	EII	ATOM	1236	O	PHE	143	42.538	-5.285	34.203	1.00	21.02	EII
ATOM	1190	O	PRO	137	41.611	-14.987	40.769	1.00	16.79	EII	ATOM	1237	N	THR	144	43.738	-5.424	32.341	1.00	17.78	EII
ATOM	1191	N	PRO	138	41.542	-17.152	40.160	1.00	18.08	EII	ATOM	1239	CA	THR	144	44.538	-4.287	32.701	1.00	14.92	EII
ATOM	1192	CD	PRO	138	41.920	-18.572	40.327	1.00	19.32	EII	ATOM	1240	CB	THR	144	45.743	-4.175	31.753	1.00	12.89	EII
ATOM	1193	CA	PRO	138	40.516	-17.011	39.118	1.00	18.81	EII	ATOM	1241	OG	THR	144	45.251	-4.029	30.425	1.00	18.01	EII
ATOM	1194	CB	PRO	138	40.033	-18.453	38.933	1.00	17.59	EII	ATOM	1243	CG	THR	144	46.613	-5.431	31.780	1.00	12.19	EII
ATOM	1195	CG	PRO	138	41.278	-19.215	39.120	1.00	10.24	EII	ATOM	1244	C	THR	144	43.557	-3.093	32.473	1.00	16.29	EII
ATOM	1196	C	PRO	138	39.357	-16.050	39.460	1.00	22.18	EII	ATOM	1245	O	THR	144	42.455	-3.271	31.964	1.00	17.25	EII
ATOM	1197	O	PRO	138	38.905	-15.287	38.606	1.00	20.31	EII	ATOM	1246	N	GLY	145	43.975	-1.881	32.809	1.00	19.98	EII
ATOM	1198	N	SER	139	38.918	-16.053	40.717	1.00	23.40	EII	ATOM	1248	CA	GLY	145	43.123	-0.717	32.623	1.00	23.74	EII
ATOM	1200	CA	SER	139	37.825	-15.196	41.149	1.00	25.51	EII	ATOM	1249	C	GLY	145	43.090	-0.281	31.168	1.00	25.56	EII
ATOM	1201	CB	SER	139	37.306	-15.623	42.522	1.00	28.22	EII	ATOM	1250	O	GLY	145	42.120	0.328	30.696	1.00	26.45	EII
ATOM	1202	OG	SER	139	38.351	-15.708	43.482	1.00	26.99	EII	ATOM	1251	N	GLU	146	44.184	-0.571	30.471	1.00	28.46	EII
ATOM	1204	C	SER	139	38.225	-13.734	41.171	1.00	26.36	EII	ATOM	1253	CA	GLU	146	44.335	-0.254	29.058	1.00	29.55	EII
ATOM	1205	O	SER	139	37.367	-12.852	41.219	1.00	30.98	EII	ATOM	1254	CB	GLU	146	45.770	-0.534	28.641	1.00	35.72	EII
ATOM	1206	N	ALA	140	39.527	-13.483	41.169	1.00	24.45	EII	ATOM	1255	CG	GLU	146	46.136	-0.024	27.251	1.00	48.28	EII
ATOM	1208	CA	ALA	140	40.060	-12.125	41.162	1.00	26.86	EII	ATOM	1256	CD	GLU	146	47.608	-0.256	26.896	1.00	52.95	EII
ATOM	1209	CB	ALA	140	41.216	-12.016	42.144	1.00	25.41	EII	ATOM	1257	OE	GLU	146	48.325	-0.945	27.669	1.00	57.40	EII
ATOM	1210	C	ALA	140	40.547	-11.752	39.745	1.00	27.95	EII	ATOM	1258	OE	GLU	146	48.040	0.245	25.829	1.00	56.88	EII
ATOM	1211	O	ALA	140	41.391	-10.871	39.597	1.00	29.14	EII	ATOM	1259	C	GLU	146	43.402	-1.149	28.264	1.00	27.83	EII
ATOM	1212	N	GLY	141	39.992	-12.402	38.722	1.00	21.64	EII	ATOM	1260	O	GLU	146	42.676	-0.694	27.373	1.00	27.74	EII
ATOM	1214	CA	GLY	141	40.408	-12.154	37.360	1.00	19.01	EII	ATOM	1261	N	ALA	147	43.411	-2.429	28.623	1.00	25.33	EII
ATOM	1215	C	GLY	141	40.027	-10.776	36.906	1.00	22.49	EII	ATOM	1263	CA	ALA	147	42.577	-3.420	27.974	1.00	23.99	EII
ATOM	1216	O	GLY	141	38.912	-10.310	37.202	1.00	22.85	EII	ATOM	1264	CB	ALA	147	43.039	-4.817	28.351	1.00	25.45	EII
ATOM	1217	N	SER	142	40.943	-10.111	36.203	1.00	18.60	EII	ATOM	1265	C	ALA	147	41.135	-3.217	28.398	1.00	25.33	EII
ATOM	1219	CA	SER	142	40.666	-8.774	35.703	1.00	22.53	EII	ATOM	1266	O	ALA	147	40.217	-3.379	27.591	1.00	29.48	EII
ATOM	1220	CB	SER	142	40.559	-7.774	36.859	1.00	18.70	EII	ATOM	1267	N	ALA	148	40.940	-2.876	29.671	1.00	21.39	EII
ATOM	1221	OG	SER	142	41.768	-7.694	37.568	1.00	29.13	EII	ATOM	1269	CA	ALA	148	39.610	-2.664	30.221	1.00	20.14	EII
ATOM	1223	C	SER	142	41.670	-8.292	34.653	1.00	19.11	EII	ATOM	1270	CB	ALA	148	39.694	-2.252	31.677	1.00	22.28	EII
ATOM	1224	O	SER	142	42.841	-8.645	34.708	1.00	20.60	EII	ATOM	1271	C	ALA	148	38.852	-1.624	29.427	1.00	21.80	EII
ATOM	1225	N	PHE	143	41.163	-7.524	33.691	1.00	16.68	EII	ATOM	1272	O	ALA	148	37.633	-1.748	29.242	1.00	25.99	EII
ATOM	1227	CA	PHE	143	41.934	-6.961	32.599	1.00	17.02	EII	ATOM	1273	N	ALA	149	39.585	-0.610	28.965	1.00	20.83	EII

SUBSTITUTE SHEET (Rule 26)

ATOM	1275	CA	ALA	149	39.056	0.496	28.171	1.00	22.56	EII	ATOM	1319	O	VAL	154	32.490	-7.880	22.319	1.00	21.85	EII
ATOM	1276	CB	ALA	149	40.156	1.553	27.931	1.00	20.10	EII	ATOM	1320	N	VAL	155	33.326	-7.328	24.319	1.00	21.59	EII
ATOM	1277	C	ALA	149	38.438	0.063	26.826	1.00	23.78	EII	ATOM	1322	CA	VAL	155	32.634	-8.406	25.036	1.00	21.07	EII
ATOM	1278	O	ALA	149	37.479	0.671	26.987	1.00	22.84	EII	ATOM	1323	CB	VAL	155	33.014	-8.400	26.531	1.00	19.33	EII
ATOM	1279	N	PHE	150	39.006	-0.933	26.141	1.00	25.83	EII	ATOM	1324	CG1	VAL	155	31.924	-8.946	27.354	1.00	21.54	EII
ATOM	1281	CA	PHE	150	38.417	-1.372	24.871	1.00	26.63	EII	ATOM	1325	CG2	VAL	155	34.232	-9.243	26.746	1.00	22.38	EII
ATOM	1282	CB	PHE	150	39.456	-1.431	23.743	1.00	22.07	EII	ATOM	1326	C	VAL	155	31.116	-8.390	24.834	1.00	24.83	EII
ATOM	1283	CG	PHE	150	40.469	-2.539	23.896	1.00	26.47	EII	ATOM	1327	O	VAL	155	30.487	-9.421	24.521	1.00	24.56	EII
ATOM	1284	CD1	PHE	150	40.186	-3.820	23.443	1.00	23.68	EII	ATOM	1328	N	GLN	156	30.543	-7.198	24.952	1.00	25.40	EII
ATOM	1285	CD2	PHE	150	41.708	-2.302	24.487	1.00	22.55	EII	ATOM	1330	CA	GLN	156	29.119	-7.015	24.781	1.00	23.68	EII
ATOM	1286	CE1	PHE	150	41.115	-4.853	23.578	1.00	23.20	EII	ATOM	1331	CB	GLN	156	28.734	-5.577	25.138	1.00	20.95	EII
ATOM	1287	CE2	PHE	150	42.637	-3.328	24.620	1.00	22.09	EII	ATOM	1332	CG	GLN	156	29.134	-5.174	26.578	1.00	23.89	EII
ATOM	1288	CZ	PHE	150	42.335	-4.608	24.165	1.00	16.63	EII	ATOM	1333	CD	GLN	156	28.605	-3.798	26.990	1.00	24.62	EII
ATOM	1289	C	PHE	150	37.664	-2.699	24.961	1.00	24.39	EII	ATOM	1334	OE1	GLN	156	27.519	-3.400	26.576	1.00	27.99	EII
ATOM	1290	O	PHE	150	36.758	-2.944	24.177	1.00	30.55	EII	ATOM	1335	NE2	GLN	156	29.362	-3.078	27.822	1.00	23.16	EII
ATOM	1291	N	MET	151	37.982	-3.518	25.953	1.00	21.82	EII	ATOM	1338	C	GLN	156	28.696	-7.391	23.367	1.00	22.90	EII
ATOM	1293	CA	MET	151	37.330	-4.819	26.090	1.00	21.52	EII	ATOM	1339	O	GLN	156	27.692	-8.068	23.197	1.00	30.63	EII
ATOM	1294	CB	MET	151	38.068	-5.704	27.085	1.00	20.06	EII	ATOM	1340	N	PHE	157	29.487	-7.016	22.365	1.00	21.81	EII
ATOM	1295	CG	MET	151	39.333	-6.300	26.463	1.00	13.78	EII	ATOM	1342	CA	PHE	157	29.185	-7.330	20.961	1.00	17.32	EII
ATOM	1296	SD	MET	151	39.048	-7.292	24.914	1.00	22.04	EII	ATOM	1343	CB	PHE	157	30.319	-6.851	20.045	1.00	21.95	EII
ATOM	1297	CE	MET	151	38.328	-8.725	25.667	1.00	11.52	EII	ATOM	1344	CG	PHE	157	30.155	-7.253	18.595	1.00	22.85	EII
ATOM	1298	C	MET	151	35.846	-4.818	26.383	1.00	19.93	EII	ATOM	1345	CD1	PHE	157	29.255	-6.582	17.757	1.00	22.64	EII
ATOM	1299	O	MET	151	35.132	-5.759	26.014	1.00	20.57	EII	ATOM	1346	CD2	PHE	157	30.866	-8.328	18.080	1.00	19.94	EII
ATOM	1300	N	GLY	152	35.362	-3.739	26.982	1.00	23.29	EII	ATOM	1347	CE1	PHE	157	29.084	-6.966	16.449	1.00	20.42	EII
ATOM	1302	CA	GLY	152	33.942	-3.657	27.293	1.00	19.16	EII	ATOM	1348	CE2	PHE	157	30.686	-8.729	16.755	1.00	23.80	EII
ATOM	1303	C	GLY	152	33.026	-3.842	26.097	1.00	16.01	EII	ATOM	1349	CZ	PHE	157	29.791	-8.044	15.940	1.00	25.63	EII
ATOM	1304	O	GLY	152	32.267	-4.805	26.044	1.00	16.88	EII	ATOM	1350	C	PHE	157	29.051	-8.821	20.789	1.00	17.08	EII
ATOM	1305	N	PRO	153	33.076	-2.938	25.108	1.00	18.74	EII	ATOM	1351	O	PHE	157	28.076	-9.320	20.210	1.00	14.45	EII
ATOM	1306	CD	PRO	153	33.952	-1.757	25.116	1.00	18.28	EII	ATOM	1352	N	LEU	158	30.049	-9.516	21.322	1.00	16.50	EII
ATOM	1307	CA	PRO	153	32.278	-2.978	23.876	1.00	19.77	EII	ATOM	1354	CA	LEU	158	30.115	-10.971	21.251	1.00	18.52	EII
ATOM	1308	CB	PRO	153	32.778	-1.761	23.113	1.00	19.96	EII	ATOM	1355	CB	LEU	158	31.374	-11.472	21.943	1.00	14.63	EII
ATOM	1309	CG	PRO	153	33.239	-0.848	24.209	1.00	19.98	EII	ATOM	1356	CG	LEU	158	32.711	-11.770	21.225	1.00	13.22	EII
ATOM	1310	C	PRO	153	32.481	-4.265	23.066	1.00	21.42	EII	ATOM	1357	CD1	LEU	158	32.704	-11.411	19.775	1.00	7.52	EII
ATOM	1311	O	PRO	153	31.534	-4.729	22.410	1.00	18.40	EII	ATOM	1358	CD2	LEU	158	33.861	-11.099	21.987	1.00	11.20	EII
ATOM	1312	N	VAL	154	33.718	-4.784	23.051	1.00	18.19	EII	ATOM	1359	C	LEU	158	28.863	-11.561	21.903	1.00	20.14	EII
ATOM	1314	CA	VAL	154	34.018	-6.033	22.356	1.00	17.58	EII	ATOM	1360	O	LEU	158	28.173	-12.405	21.326	1.00	17.52	EII
ATOM	1315	CB	VAL	154	35.515	-6.363	22.432	1.00	13.15	EII	ATOM	1361	N	ALA	159	28.520	-11.044	23.075	1.00	21.40	EII
ATOM	1316	CG1	VAL	154	35.787	-7.736	21.931	1.00	14.81	EII	ATOM	1363	CA	ALA	159	27.331	-11.478	23.766	1.00	18.39	EII
ATOM	1317	CG2	VAL	154	36.307	-5.391	21.610	1.00	17.13	EII	ATOM	1364	CB	ALA	159	27.184	-10.709	25.052	1.00	16.14	EII
ATOM	1318	C	VAL	154	33.224	-7.179	22.998	1.00	19.09	EII	ATOM	1365	C	ALA	159	26.112	-11.262	22.879	1.00	22.51	EII

SUBSTITUTE SHEET (Rule 26)

ATOM 1366	O	ALA	159	25.262	-12.137	22.749	1.00	27.16	EII	ATOM 1419	CA	LEU	165	36.094	-14.871	22.566	1.00	14.18	EII
ATOM 1367	N	ARG	160	26.020	-10.110	22.236	1.00	24.18	EII	ATOM 1420	CB	LEU	165	36.252	-14.192	23.926	1.00	12.98	EII
ATOM 1369	CA	ARG	160	24.862	-9.834	21.400	1.00	27.01	EII	ATOM 1421	CG	LEU	165	37.556	-13.378	24.107	1.00	12.73	EII
ATOM 1370	CB	ARG	160	24.849	-8.359	21.038	1.00	31.21	EII	ATOM 1422	CD1	LEU	165	37.687	-12.239	23.083	1.00	7.60	EII
ATOM 1371	CG	ARG	160	24.874	-7.437	22.293	1.00	36.86	EII	ATOM 1423	CD2	LEU	165	37.659	-12.827	25.503	1.00	15.41	EII
ATOM 1372	CD	ARG	160	24.831	-5.949	21.927	0.00	34.47	EII	ATOM 1424	C	LEU	165	37.229	-15.877	22.382	1.00	17.35	EII
ATOM 1373	HE	ARG	160	23.585	-5.555	21.272	0.00	34.88	EII	ATOM 1425	O	LEU	165	37.135	-17.012	22.851	1.00	17.24	EII
ATOM 1375	CZ	ARG	160	23.050	-4.338	21.336	0.00	34.58	EII	ATOM 1426	N	MET	166	38.327	-15.455	21.769	1.00	18.39	EII
ATOM 1376	NH1	ARG	160	23.643	-3.373	22.029	0.00	34.67	EII	ATOM 1428	CA	MET	166	39.420	-16.384	21.525	1.00	15.20	EII
ATOM 1379	NH2	ARG	160	21.914	-4.084	20.702	0.00	34.67	EII	ATOM 1429	CB	MET	166	39.778	-16.422	20.053	1.00	12.45	EII
ATOM 1382	C	ARG	160	24.768	-10.693	20.150	1.00	29.59	EII	ATOM 1430	CG	MET	166	38.842	-17.251	19.224	1.00	14.21	EII
ATOM 1383	O	ARG	160	23.675	-10.931	19.633	1.00	31.49	EII	ATOM 1431	SD	MET	166	39.443	-17.354	17.543	1.00	17.89	EII
ATOM 1384	N	THR	161	25.897	-11.170	19.657	1.00	29.30	EII	ATOM 1432	CE	MET	166	38.508	-18.684	17.086	1.00	19.34	EII
ATOM 1386	CA	THR	161	25.892	-11.961	18.448	1.00	23.87	EII	ATOM 1433	C	MET	166	40.569	-15.836	22.309	1.00	9.37	EII
ATOM 1387	CB	THR	161	26.964	-11.442	17.519	1.00	25.64	EII	ATOM 1434	O	MET	166	40.742	-14.623	22.348	1.00	8.75	EII
ATOM 1388	OG1	THR	161	28.202	-11.417	18.237	1.00	35.45	EII	ATOM 1435	N	ALA	167	41.246	-16.689	23.061	1.00	10.41	EII
ATOM 1390	CG2	THR	161	26.650	-10.019	17.099	1.00	25.20	EII	ATOM 1437	CA	ALA	167	42.356	-16.228	23.883	1.00	8.72	EII
ATOM 1391	C	THR	161	26.117	-13.436	18.700	1.00	20.87	EII	ATOM 1438	CB	ALA	167	42.024	-16.359	25.364	1.00	10.72	EII
ATOM 1392	O	THR	161	26.268	-14.212	17.765	1.00	28.69	EII	ATOM 1439	C	ALA	167	43.560	-17.082	23.562	1.00	9.26	EII
ATOM 1393	N	ASN	162	26.144	-13.838	19.955	1.00	20.69	EII	ATOM 1440	O	ALA	167	43.405	-18.282	23.301	1.00	7.80	EII
ATOM 1395	CA	ASN	162	26.335	-15.252	20.297	1.00	21.37	EII	ATOM 1441	N	ASN	168	44.706	-16.418	23.417	1.00	10.70	EII
ATOM 1396	CB	ASN	162	25.101	-16.065	19.850	1.00	21.45	EII	ATOM 1443	CA	ASN	168	45.969	-17.080	23.139	1.00	12.50	EII
ATOM 1397	CG	ASN	162	24.896	-17.322	20.667	1.00	24.95	EII	ATOM 1444	CB	ASN	168	46.873	-16.188	22.253	1.00	11.37	EII
ATOM 1398	OD1	ASN	162	24.061	-17.350	21.569	0.00	23.59	EII	ATOM 1445	CG	ASN	168	46.232	-15.836	20.887	1.00	15.39	EII
ATOM 1402	C	ASN	162	25.658	-18.369	20.365	0.00	23.59	EII	ATOM 1446	OD1	ASN	168	45.580	-16.657	20.286	1.00	11.28	EII
ATOM 1403	O	ASN	162	27.692	-16.947	19.198	1.00	21.27	EII	ATOM 1447	ND2	ASN	168	46.373	-14.585	20.446	1.00	16.69	EII
ATOM 1404	N	ALA	163	28.731	-15.071	19.832	1.00	21.25	EII	ATOM 1450	C	ASN	168	46.552	-17.285	24.554	1.00	11.56	EII
ATOM 1406	CA	ALA	163	30.042	-15.474	19.338	1.00	15.07	EII	ATOM 1451	O	ASN	168	46.955	-16.335	25.210	1.00	12.66	EII
ATOM 1407	CB	ALA	163	30.581	-14.406	18.428	1.00	14.66	EII	ATOM 1452	N	ILE	169	46.527	-18.534	25.015	1.00	12.33	EII
ATOM 1408	C	ALA	163	30.950	-15.644	20.537	1.00	18.39	EII	ATOM 1454	CA	ILE	169	46.955	-18.916	26.359	1.00	12.64	EII
ATOM 1409	O	ALA	163	30.711	-15.027	21.576	1.00	19.02	EII	ATOM 1455	CB	ILE	169	45.754	-19.572	27.121	1.00	10.51	EII
ATOM 1410	N	PRO	164	31.994	-16.501	20.441	1.00	18.89	EII	ATOM 1456	CG2	ILE	169	46.194	-20.132	28.457	1.00	14.10	EII
ATOM 1411	CD	PRO	164	32.430	-17.356	19.320	1.00	18.20	EII	ATOM 1457	CG1	ILE	169	44.649	-18.511	27.341	1.00	8.64	EII
ATOM 1412	CA	PRO	164	32.902	-16.680	21.568	1.00	15.20	EII	ATOM 1458	CD1	ILE	169	43.285	-19.047	27.696	1.00	8.65	EII
ATOM 1413	CB	PRO	164	33.476	-18.049	21.288	1.00	12.76	EII	ATOM 1459	C	ILE	169	48.229	-19.737	26.464	1.00	12.08	EII
ATOM 1414	CG	PRO	164	33.733	-17.953	19.832	1.00	15.39	EII	ATOM 1460	O	ILE	169	48.307	-20.862	25.946	1.00	15.16	EII
ATOM 1415	C	PRO	164	34.008	-15.652	21.503	1.00	15.48	EII	ATOM 1461	N	TYR	170	49.253	-19.142	27.077	1.00	11.67	EII
ATOM 1416	O	PRO	164	34.060	-14.853	20.575	1.00	16.54	EII	ATOM 1463	CA	TYR	170	50.536	-19.806	27.233	1.00	14.66	EII
ATOM 1417	N	LEU	165	34.909	-15.724	22.479	1.00	16.07	EII	ATOM 1464	CB	TYR	170	51.578	-19.112	26.388	1.00	10.69	EII
										ATOM 1465	CG	TYR	170	51.337	-19.165	24.882	1.00	12.85	EII

SUBSTITUTE SHEET (Rule 26)

ATOM	1466	CD1 TYR	170	50.608	-18.169	24.240	1.00	10.45	EII	ATOM	1511	N TRP	175	54.985	-18.521	33.210	1.00	24.72	EII
ATOM	1467	CE1 TYR	170	50.397	-18.191	22.901	1.00	7.11	EII	ATOM	1513	CA TRP	175	56.036	-19.077	34.042	1.00	26.41	EII
ATOM	1468	CD2 TYR	170	51.871	-20.214	24.098	1.00	13.16	EII	ATOM	1514	CB TRP	175	56.043	-20.600	33.943	1.00	29.50	EII
ATOM	1469	CE2 TYR	170	51.671	-20.245	22.732	1.00	5.20	EII	ATOM	1515	CG TRP	175	57.304	-21.241	34.496	1.00	36.22	EII
ATOM	1470	C2 TYR	170	50.933	-19.218	22.143	1.00	8.47	EII	ATOM	1516	CD2 TRP	175	58.476	-21.603	33.753	1.00	37.66	EII
ATOM	1471	OH TYR	170	50.769	-19.205	20.780	1.00	9.17	EII	ATOM	1517	CE2 TRP	175	59.420	-22.100	34.680	1.00	38.30	EII
ATOM	1473	C TYR	170	50.995	-19.773	28.686	1.00	13.03	EII	ATOM	1518	CE3 TRP	175	58.827	-21.549	32.397	1.00	36.59	EII
ATOM	1474	O TYR	170	51.663	-18.829	29.073	1.00	17.64	EII	ATOM	1519	CD1 TRP	175	57.576	-21.535	35.806	1.00	38.11	EII
ATOM	1475	N PRO	171	50.731	-20.831	29.472	1.00	19.44	EII	ATOM	1520	NE1 TRP	175	58.844	-22.047	35.922	1.00	40.07	EII
ATOM	1476	CD PRO	171	49.702	-21.865	29.235	1.00	21.27	EII	ATOM	1522	CE2 TRP	175	60.693	-22.528	34.294	1.00	39.77	EII
ATOM	1477	CA PRO	171	51.390	-21.034	30.772	1.00	20.72	EII	ATOM	1523	CE3 TRP	175	60.090	-21.970	32.017	1.00	35.49	EII
ATOM	1478	CB PRO	171	50.962	-22.452	31.141	1.00	18.31	EII	ATOM	1524	CH2 TRP	175	61.008	-22.459	32.963	1.00	37.93	EII
ATOM	1479	CG PRO	171	49.577	-22.496	30.604	1.00	18.71	EII	ATOM	1525	C TRP	175	57.427	-18.554	33.754	1.00	27.83	EII
ATOM	1480	C PRO	171	52.916	-20.898	30.709	1.00	21.14	EII	ATOM	1526	O TRP	175	58.178	-18.252	34.667	1.00	27.51	EII
ATOM	1481	O PRO	171	53.536	-20.305	31.592	1.00	18.28	EII	ATOM	1527	N ALA	176	57.773	-18.467	32.480	1.00	33.89	EII
ATOM	1482	N TYR	172	53.522	-21.465	29.672	1.00	21.66	EII	ATOM	1529	CA ALA	176	59.096	-18.040	32.073	1.00	33.49	EII
ATOM	1484	CA TYR	172	54.976	-21.384	29.540	1.00	22.68	EII	ATOM	1530	CB ALA	176	59.243	-18.202	30.598	1.00	31.75	EII
ATOM	1485	CB TYR	172	55.482	-22.004	28.217	1.00	22.35	EII	ATOM	1531	C ALA	176	59.412	-16.627	32.501	1.00	37.53	EII
ATOM	1486	CG TYR	172	56.967	-21.769	27.986	1.00	20.99	EII	ATOM	1533	O ALA	176	60.573	-16.302	32.766	1.00	40.41	EII
ATOM	1487	CD1 TYR	172	57.421	-20.592	27.380	1.00	22.29	EII	ATOM	1532	N TYR	177	58.376	-15.790	32.553	1.00	42.63	EII
ATOM	1488	CE1 TYR	172	58.776	-20.327	27.234	1.00	23.09	EII	ATOM	1535	CA TYR	177	58.498	-14.387	32.958	1.00	44.57	EII
ATOM	1489	CD2 TYR	172	57.917	-22.678	28.430	1.00	18.32	EII	ATOM	1536	CB TYR	177	57.102	-13.774	33.093	1.00	45.07	EII
ATOM	1490	CE2 TYR	172	59.289	-22.423	28.288	1.00	19.78	EII	ATOM	1537	CG TYR	177	57.105	-12.321	33.521	1.00	47.58	EII
ATOM	1491	C2 TYR	172	59.711	-21.244	27.693	1.00	21.61	EII	ATOM	1538	CD1 TYR	177	57.472	-11.311	32.623	1.00	46.01	EII
ATOM	1492	OH TYR	172	61.050	-20.927	27.568	1.00	26.44	EII	ATOM	1539	CE1 TYR	177	57.494	-9.971	33.012	1.00	47.65	EII
ATOM	1494	C TYR	172	55.437	-19.943	29.647	1.00	19.27	EII	ATOM	1540	CD2 TYR	177	56.756	-11.954	34.829	1.00	47.08	EII
ATOM	1495	O TYR	172	56.352	-19.630	30.384	1.00	24.02	EII	ATOM	1541	CE2 TYR	177	56.776	-10.614	35.234	1.00	47.96	EII
ATOM	1496	N LEU	173	54.730	-19.060	28.975	1.00	20.92	EII	ATOM	1542	C2 TYR	177	57.145	-9.628	34.320	0.00	47.31	EII
ATOM	1498	CA LEU	173	55.088	-17.666	28.996	1.00	21.14	EII	ATOM	1543	OH TYR	177	57.165	-8.304	34.708	0.00	47.44	EII
ATOM	1499	CB LEU	173	54.356	-16.916	27.900	1.00	18.72	EII	ATOM	1545	C TYR	177	59.258	-14.244	34.284	1.00	46.70	EII
ATOM	1500	CG LEU	173	55.038	-16.902	26.527	1.00	17.85	EII	ATOM	1546	O TYR	177	60.054	-13.317	34.465	1.00	43.45	EII
ATOM	1501	CD1 LEU	173	55.646	-18.222	26.158	1.00	24.14	EII	ATOM	1547	N ASN	178	58.956	-15.138	35.222	1.00	50.18	EII
ATOM	1502	CD2 LEU	173	54.012	-16.508	25.494	1.00	13.38	EII	ATOM	1549	CA ASN	178	59.603	-15.159	36.530	1.00	50.99	EII
ATOM	1503	C LEU	173	54.832	-17.037	30.360	1.00	22.76	EII	ATOM	1550	CB ASN	178	58.922	-14.166	37.481	1.00	56.87	EII
ATOM	1504	O LEU	173	55.656	-16.268	30.827	1.00	21.69	EII	ATOM	1551	CG ASN	178	59.538	-14.164	38.874	1.00	60.68	EII
ATOM	1505	N ALA	174	53.750	-17.422	31.041	1.00	24.39	EII	ATOM	1552	OD1 ASN	178	60.639	-14.689	39.097	1.00	60.91	EII
ATOM	1507	CA ALA	174	53.460	-16.857	32.362	1.00	20.26	EII	ATOM	1553	ND2 ASN	178	58.817	-13.578	39.827	1.00	64.33	EII
ATOM	1508	CB ALA	174	52.132	-17.379	32.887	1.00	16.06	EII	ATOM	1556	C ASN	178	59.545	-16.575	37.101	1.00	47.19	EII
ATOM	1509	C ALA	174	54.581	-17.256	33.308	1.00	23.24	EII	ATOM	1557	O ASN	178	58.657	-16.900	37.895	1.00	47.07	EII
ATOM	1510	O ALA	174	55.042	-16.450	34.127	1.00	22.69	EII	ATOM	1558	N PRO	179	60.480	-17.447	36.680	1.00	45.82	EII

SUBSTITUTE SHEET (Rule 26)

ATOM	1559	CD	PRO	179	61.580	-17.148	35.747	1.00	45.15	EII	ATOM	1605	O	MET	184	55.503	-26.452	35.183	1.00	34.11	EII
ATOM	1560	CA	PRO	179	60.470	-18.874	37.018	1.00	46.49	EII	ATOM	1606	N	GLY	185	56.011	-27.188	37.242	1.00	30.10	EII
ATOM	1561	CB	PRO	179	61.733	-19.350	36.330	1.00	45.39	EII	ATOM	1608	CA	GLY	185	55.078	-28.298	37.134	1.00	25.01	EII
ATOM	1562	CG	PRO	179	61.859	-18.493	35.146	1.00	42.49	EII	ATOM	1609	C	GLY	185	53.656	-27.778	37.023	1.00	21.60	EII
ATOM	1563	C	PRO	179	60.540	-19.088	38.526	1.00	49.98	EII	ATOM	1610	O	GLY	185	52.824	-28.355	36.347	1.00	23.07	EII
ATOM	1564	O	PRO	179	60.309	-20.193	39.026	1.00	51.01	EII	ATOM	1611	N	TYR	186	53.378	-26.709	37.759	1.00	20.69	EII
ATOM	1565	N	SER	180	60.894	-18.021	39.234	1.00	52.56	EII	ATOM	1613	CA	TYR	186	52.082	-26.041	37.779	1.00	21.71	EII
ATOM	1567	CA	SER	180	61.024	-18.032	40.683	1.00	53.52	EII	ATOM	1614	CB	TYR	186	52.158	-24.841	38.730	1.00	19.59	EII
ATOM	1568	CB	SER	180	61.993	-16.927	41.093	1.00	53.47	EII	ATOM	1615	CG	TYR	186	50.928	-23.966	38.803	1.00	18.00	EII
ATOM	1569	CG	SER	180	62.865	-16.609	40.012	1.00	58.82	EII	ATOM	1616	CD1	TYR	186	51.040	-22.579	38.751	1.00	14.43	EII
ATOM	1571	C	SER	180	59.681	-17.810	41.371	1.00	54.30	EII	ATOM	1617	CE1	TYR	186	49.917	-21.770	38.839	1.00	15.55	EII
ATOM	1572	O	SER	180	59.542	-18.091	42.555	1.00	57.62	EII	ATOM	1618	CD2	TYR	186	49.660	-24.518	38.945	1.00	19.09	EII
ATOM	1573	N	ALA	181	58.705	-17.276	40.643	1.00	53.10	EII	ATOM	1619	CS2	TYR	186	48.530	-23.712	39.038	1.00	15.79	EII
ATOM	1575	CA	ALA	181	57.390	-17.021	41.220	1.00	52.66	EII	ATOM	1620	C2	TYR	186	48.671	-22.349	38.988	1.00	14.05	EII
ATOM	1576	CB	ALA	181	56.693	-15.914	40.459	1.00	53.48	EII	ATOM	1621	OH	TYR	186	47.537	-21.586	39.106	1.00	15.85	EII
ATOM	1577	C	ALA	181	56.484	-18.255	41.317	1.00	51.01	EII	ATOM	1623	C	TYR	186	51.690	-25.621	36.350	1.00	22.71	EII
ATOM	1578	O	ALA	181	55.662	-18.345	42.232	1.00	51.93	EII	ATOM	1624	O	TYR	186	50.546	-25.813	35.937	1.00	24.33	EII
ATOM	1579	N	MET	182	56.571	-19.163	40.347	1.00	46.22	EII	ATOM	1625	N	ALA	187	52.667	-25.151	35.577	1.00	23.47	EII
ATOM	1581	CA	MET	182	55.749	-20.371	40.383	1.00	41.48	EII	ATOM	1627	CA	ALA	187	52.474	-24.735	34.194	1.00	22.91	EII
ATOM	1582	CB	MET	182	54.495	-20.249	39.506	1.00	41.86	EII	ATOM	1628	CB	ALA	187	53.528	-23.721	33.796	1.00	22.64	EII
ATOM	1583	CG	MET	182	54.704	-19.742	38.087	1.00	40.55	EII	ATOM	1629	C	ALA	187	52.506	-25.908	33.233	1.00	21.79	EII
ATOM	1584	SD	MET	182	53.094	-19.474	37.289	1.00	40.40	EII	ATOM	1630	O	ALA	187	51.788	-25.899	32.231	1.00	24.18	EII
ATOM	1585	CE	MET	182	52.746	-17.747	37.517	1.00	35.40	EII	ATOM	1631	N	LEU	188	53.284	-26.938	33.560	1.00	22.06	EII
ATOM	1586	C	MET	182	56.547	-21.569	39.974	1.00	39.20	EII	ATOM	1633	CA	LEU	188	53.418	-28.114	32.685	1.00	22.78	EII
ATOM	1587	O	MET	182	57.589	-21.428	39.350	1.00	43.48	EII	ATOM	1634	CB	LEU	188	54.791	-28.775	32.872	1.00	20.53	EII
ATOM	1588	N	ASP	183	56.072	-22.751	40.337	1.00	37.62	EII	ATOM	1635	CG	LEU	188	55.907	-28.651	31.831	1.00	24.20	EII
ATOM	1590	CA	ASP	183	56.787	-23.952	39.978	1.00	38.76	EII	ATOM	1636	CD1	LEU	188	57.138	-29.366	32.316	1.00	19.98	EII
ATOM	1591	CB	ASP	183	56.758	-25.004	41.119	1.00	45.11	EII	ATOM	1637	CD2	LEU	188	55.488	-29.244	30.503	1.00	24.31	EII
ATOM	1592	CG	ASP	183	55.661	-26.055	40.969	1.00	50.97	EII	ATOM	1638	C	LEU	188	52.369	-29.218	32.821	1.00	24.59	EII
ATOM	1593	OD1	ASP	183	55.959	-27.126	40.386	1.00	49.44	EII	ATOM	1639	O	LEU	188	52.538	-30.259	32.223	1.00	23.78	EII
ATOM	1594	OD2	ASP	183	54.532	-25.837	41.488	1.00	52.87	EII	ATOM	1640	N	PHE	189	51.279	-28.999	33.548	1.00	21.82	EII
ATOM	1595	C	ASP	183	56.348	-24.473	38.607	1.00	37.60	EII	ATOM	1642	CA	PHE	189	50.299	-30.060	33.746	1.00	26.37	EII
ATOM	1596	O	ASP	183	55.160	-24.575	38.302	1.00	33.52	EII	ATOM	1643	CB	PHE	189	49.767	-30.592	32.403	1.00	21.98	EII
ATOM	1597	N	MET	184	57.343	-24.716	37.763	1.00	35.05	EII	ATOM	1644	CG	PHE	189	48.757	-29.709	31.759	1.00	13.03	EII
ATOM	1599	CA	MET	184	57.142	-25.192	36.411	1.00	33.93	EII	ATOM	1645	CD1	PHE	189	49.018	-29.113	30.542	1.00	14.20	EII
ATOM	1600	CB	MET	184	58.483	-25.573	35.803	1.00	35.68	EII	ATOM	1646	CD2	PHE	189	47.519	-29.508	32.353	1.00	15.29	EII
ATOM	1601	CG	MET	184	58.483	-25.555	34.287	1.00	37.55	EII	ATOM	1647	CE1	PHE	189	48.048	-28.312	29.903	1.00	15.30	EII
ATOM	1602	SD	MET	184	59.998	-26.286	33.702	1.00	36.92	EII	ATOM	1648	CE2	PHE	189	46.552	-28.723	31.738	1.00	16.23	EII
ATOM	1603	CE	MET	184	59.601	-27.971	33.745	1.00	33.09	EII	ATOM	1649	CZ	PHE	189	46.807	-28.126	30.520	1.00	17.34	EII
ATOM	1604	C	MET	184	56.145	-26.339	36.232	1.00	32.23	EII	ATOM	1650	C	PHE	189	50.971	-31.202	34.541	1.00	26.60	EII

SUBSTITUTE SHEET (Rule 26)

ATOM	1651	O	PHE	189	50.629	-32.387	34.398	1.00	30.56	EII	ATOM	1702	CB	VAL	196	45.387	-21.799	42.986	1.00	27.85	EII
ATOM	1652	N	ASN	190	51.863	-30.836	35.447	1.00	29.60	EII	ATOM	1703	CG1	VAL	196	44.313	-20.755	43.208	1.00	24.00	EII
ATOM	1654	CA	ASN	190	52.572	-31.828	36.224	1.00	33.18	EII	ATOM	1704	CG2	VAL	196	46.741	-21.146	42.686	1.00	24.97	EII
ATOM	1655	CB	ASN	190	53.940	-32.086	35.614	1.00	34.41	EII	ATOM	1705	C	VAL	196	44.099	-23.163	44.666	1.00	28.69	EII
ATOM	1656	CG	ASN	190	54.516	-33.386	36.060	1.00	36.83	EII	ATOM	1706	O	VAL	196	43.430	-23.929	43.985	1.00	28.07	EII
ATOM	1657	OD1	ASN	190	55.721	-33.505	36.261	1.00	44.49	EII	ATOM	1707	N	ARG	197	43.703	-22.764	45.862	1.00	28.14	EII
ATOM	1658	ND2	ASN	190	53.658	-34.384	36.235	1.00	41.34	EII	ATOM	1709	CA	ARG	197	42.374	-23.083	46.337	1.00	26.43	EII
ATOM	1661	C	ASN	190	52.722	-31.474	37.697	1.00	36.39	EII	ATOM	1710	CB	ARG	197	42.447	-23.638	47.758	1.00	24.57	EII
ATOM	1662	O	ASN	190	53.816	-31.597	38.267	1.00	36.86	EII	ATOM	1711	CG	ARG	197	41.094	-23.972	48.371	0.00	26.51	EII
ATOM	1663	N	ALA	191	51.632	-31.002	38.301	1.00	35.68	EII	ATOM	1712	CD	ARG	197	40.353	-25.029	47.562	0.00	27.03	EII
ATOM	1665	CA	ALA	191	51.624	-30.664	39.720	1.00	34.99	EII	ATOM	1713	NE	ARG	197	41.072	-26.302	47.508	0.00	27.90	EII
ATOM	1666	CB	ALA	191	50.826	-29.380	39.987	1.00	33.74	EII	ATOM	1715	CZ	ARG	197	40.600	-27.404	46.931	0.00	28.17	EII
ATOM	1667	C	ALA	191	50.977	-31.867	40.400	1.00	36.67	EII	ATOM	1716	NH1	ARG	197	39.405	-27.394	46.355	0.00	28.57	EII
ATOM	1668	O	ALA	191	50.214	-32.622	39.779	1.00	33.44	EII	ATOM	1719	NH2	ARG	197	41.320	-28.517	46.932	0.00	28.58	EII
ATOM	1669	N	SER	192	51.354	-32.102	41.647	1.00	41.61	EII	ATOM	1722	C	ARG	197	41.604	-27.759	46.277	1.00	30.55	EII
ATOM	1671	CA	SER	192	50.834	-33.248	42.385	1.00	48.37	EII	ATOM	1723	O	ARG	197	41.964	-20.779	46.944	1.00	29.05	EII
ATOM	1672	CB	SER	192	51.684	-33.501	43.622	1.00	49.68	EII	ATOM	1724	N	ASP	198	40.685	-21.670	45.327	1.00	30.67	EII
ATOM	1673	OG	SER	192	53.056	-33.569	43.249	1.00	57.40	EII	ATOM	1726	CA	ASP	198	39.880	-20.472	45.175	1.00	34.34	EII
ATOM	1675	C	SER	192	49.389	-33.034	42.762	1.00	49.46	EII	ATOM	1727	CB	ASP	198	39.893	-19.982	43.736	1.00	36.17	EII
ATOM	1676	O	SER	192	48.547	-33.914	42.565	1.00	52.46	EII	ATOM	1728	CG	ASP	198	39.235	-18.630	43.579	1.00	37.77	EII
ATOM	1677	N	GLY	193	49.086	-31.834	43.240	1.00	49.30	EII	ATOM	1729	OD1	ASP	198	38.958	-18.234	42.429	1.00	36.00	EII
ATOM	1679	CA	GLY	193	47.718	-31.551	43.615	1.00	46.14	EII	ATOM	1730	OD2	ASP	198	38.995	-17.956	44.600	1.00	38.48	EII
ATOM	1680	C	GLY	193	47.444	-30.075	43.606	1.00	44.65	EII	ATOM	1731	C	ASP	198	38.455	-20.742	45.600	1.00	36.23	EII
ATOM	1681	O	GLY	193	48.303	-29.287	43.210	1.00	46.96	EII	ATOM	1732	O	ASP	198	37.654	-21.268	44.825	1.00	38.68	EII
ATOM	1682	N	THR	194	46.255	-29.710	44.071	1.00	41.44	EII	ATOM	1733	N	GLY	199	38.126	-20.330	46.819	1.00	37.32	EII
ATOM	1684	CA	THR	194	45.829	-28.325	44.125	1.00	38.33	EII	ATOM	1735	CA	GLY	199	36.793	-20.543	47.332	1.00	33.27	EII
ATOM	1685	CB	THR	194	44.702	-28.150	45.123	1.00	38.10	EII	ATOM	1736	C	GLY	199	36.611	-22.029	47.486	1.00	30.86	EII
ATOM	1686	OG1	THR	194	43.654	-29.056	44.770	1.00	41.63	EII	ATOM	1737	O	GLY	199	37.357	-22.662	48.227	1.00	31.43	EII
ATOM	1688	CG2	THR	194	44.157	-26.713	45.094	1.00	37.66	EII	ATOM	1738	N	ALA	200	35.679	-22.592	46.727	1.00	27.98	EII
ATOM	1689	C	THR	194	46.963	-27.403	44.474	1.00	36.48	EII	ATOM	1740	CA	ALA	200	35.420	-24.014	46.797	1.00	28.24	EII
ATOM	1690	O	THR	194	47.725	-27.663	45.400	1.00	38.14	EII	ATOM	1741	CB	ALA	200	33.943	-24.272	46.879	1.00	26.43	EII
ATOM	1691	N	VAL	195	47.112	-26.365	43.666	1.00	35.24	EII	ATOM	1742	C	ALA	200	35.992	-24.706	45.582	1.00	30.53	EII
ATOM	1693	CA	VAL	195	48.159	-25.382	43.856	1.00	32.99	EII	ATOM	1743	O	ALA	200	35.584	-25.827	45.268	1.00	35.34	EII
ATOM	1694	CB	VAL	195	48.892	-25.142	42.543	1.00	30.84	EII	ATOM	1744	N	TYR	201	36.878	-24.020	44.854	1.00	30.27	EII
ATOM	1695	CG1	VAL	195	49.871	-23.983	42.659	1.00	31.85	EII	ATOM	1746	CA	TYR	201	37.490	-24.598	43.656	1.00	25.69	EII
ATOM	1696	CG2	VAL	195	49.620	-26.401	42.153	1.00	30.91	EII	ATOM	1747	CB	TYR	201	37.121	-23.788	42.417	1.00	24.19	EII
ATOM	1697	C	VAL	195	47.531	-24.094	44.321	1.00	32.03	EII	ATOM	1748	CG	TYR	201	35.624	-23.552	42.285	1.00	22.80	EII
ATOM	1698	O	VAL	195	48.144	-23.311	45.041	1.00	33.10	EII	ATOM	1749	CD1	TYR	201	35.010	-22.489	42.949	1.00	26.28	EII
ATOM	1699	N	VAL	196	46.289	-23.897	43.897	1.00	31.68	EII	ATOM	1750	CE1	TYR	201	33.658	-22.285	42.865	1.00	24.57	EII
ATOM	1701	CA	VAL	196	45.503	-22.726	44.222	1.00	28.08	EII	ATOM	1751	CD2	TYR	201	34.825	-24.405	41.528	1.00	20.01	EII

SUBSTITUTE SHEET (Rule 26)

ATOM	1752	CE2 TYR	201	33.469	-24.208	41.431	1.00	18.44	EII	ATOM	1803	CB LEU	206	49.407	-22.288	34.786	1.00	16.15	EII
ATOM	1753	CZ TYR	201	32.889	-23.141	42.101	1.00	25.01	EII	ATOM	1804	CG LEU	206	49.804	-20.898	35.286	1.00	13.64	EII
ATOM	1754	OH TYR	201	31.531	-22.884	41.992	1.00	33.80	EII	ATOM	1805	CD1 LEU	206	51.072	-20.530	34.528	1.00	13.13	EII
ATOM	1756	C TYR	201	38.988	-24.656	43.835	1.00	24.09	EII	ATOM	1806	CD2 LEU	206	48.707	-19.827	35.139	1.00	6.22	EII
ATOM	1757	O TYR	201	39.581	-23.744	44.394	1.00	26.74	EII	ATOM	1807	C LEU	206	47.083	-22.548	33.975	1.00	20.68	EII
ATOM	1758	N GLY	202	39.589	-25.767	43.430	1.00	21.98	EII	ATOM	1808	O LEU	206	46.702	-21.394	33.732	1.00	24.00	EII
ATOM	1760	CA GLY	202	41.021	-25.906	43.564	1.00	24.68	EII	ATOM	1809	N PHE	207	46.777	-23.582	33.191	1.00	18.36	EII
ATOM	1761	C GLY	202	41.615	-26.156	42.198	1.00	25.92	EII	ATOM	1811	CA PHE	207	45.887	-23.410	32.045	1.00	18.46	EII
ATOM	1762	O GLY	202	41.120	-27.008	41.451	1.00	29.56	EII	ATOM	1812	CB PHE	207	45.869	-24.699	31.200	1.00	20.87	EII
ATOM	1763	N TYR	203	42.619	-25.354	41.858	1.00	22.41	EII	ATOM	1813	CG PHE	207	44.979	-24.637	29.970	1.00	20.92	EII
ATOM	1765	CA TYR	203	43.324	-25.433	40.597	1.00	23.29	EII	ATOM	1814	CD1 PHE	207	45.482	-24.166	28.757	1.00	22.23	EII
ATOM	1766	CB TYR	203	43.545	-24.008	40.068	1.00	21.60	EII	ATOM	1815	CD2 PHE	207	43.650	-25.068	30.020	1.00	21.54	EII
ATOM	1767	CG TYR	203	42.230	-23.352	39.690	1.00	18.34	EII	ATOM	1816	CE1 PHE	207	44.676	-24.126	27.605	1.00	23.97	EII
ATOM	1768	CD1 TYR	203	41.380	-22.839	40.671	1.00	22.19	EII	ATOM	1817	CE2 PHE	207	42.835	-25.028	28.874	1.00	21.55	EII
ATOM	1769	CE1 TYR	203	40.101	-22.341	40.356	1.00	19.27	EII	ATOM	1818	CZ PHE	207	43.352	-24.557	27.667	1.00	20.48	EII
ATOM	1770	CD2 TYR	203	41.776	-23.341	38.357	1.00	22.67	EII	ATOM	1819	C PHE	207	44.497	-23.100	32.590	1.00	18.20	EII
ATOM	1771	CE2 TYR	203	40.499	-22.838	38.026	1.00	19.55	EII	ATOM	1820	O PHE	207	43.914	-22.066	32.249	1.00	17.26	EII
ATOM	1772	CZ TYR	203	39.680	-22.346	39.052	1.00	20.95	EII	ATOM	1821	N ASP	208	44.001	-23.950	33.496	1.00	21.21	EII
ATOM	1773	OH TYR	203	38.440	-21.849	38.807	1.00	24.04	EII	ATOM	1823	CA ASP	208	42.676	-23.736	34.075	1.00	20.36	EII
ATOM	1775	C TYR	203	44.633	-26.217	40.719	1.00	25.87	EII	ATOM	1824	CB ASP	208	42.336	-24.834	35.069	1.00	24.96	EII
ATOM	1776	O TYR	203	45.421	-25.992	41.635	1.00	20.80	EII	ATOM	1825	CG ASP	208	42.295	-26.205	34.434	1.00	25.19	EII
ATOM	1777	N GLN	204	44.856	-27.114	39.759	1.00	28.26	EII	ATOM	1826	OD1 ASP	208	42.140	-26.292	33.195	1.00	24.40	EII
ATOM	1779	CA GLN	204	46.029	-27.980	39.727	1.00	28.93	EII	ATOM	1827	OD2 ASP	208	42.399	-27.195	35.187	1.00	27.93	EII
ATOM	1780	CB GLN	204	45.569	-29.455	39.734	1.00	27.24	EII	ATOM	1828	C ASP	208	42.578	-22.393	34.773	1.00	21.27	EII
ATOM	1781	CG GLN	204	46.698	-30.495	39.794	0.00	26.58	EII	ATOM	1829	O ASP	208	41.621	-21.641	34.589	1.00	24.24	EII
ATOM	1782	CD GLN	204	46.357	-31.786	39.061	0.00	25.94	EII	ATOM	1830	N THR	209	43.536	-22.122	35.644	1.00	22.22	EII
ATOM	1783	OE1 GLN	204	45.495	-31.805	38.184	0.00	25.70	EII	ATOM	1832	CA THR	209	43.560	-20.855	36.356	1.00	20.23	EII
ATOM	1784	NE2 GLN	204	47.038	-32.868	39.410	0.00	25.69	EII	ATOM	1833	CB THR	209	44.904	-20.649	37.049	1.00	20.01	EII
ATOM	1787	C GLN	204	46.935	-27.697	38.508	1.00	31.33	EII	ATOM	1834	OG1 THR	209	45.181	-21.758	37.904	1.00	22.17	EII
ATOM	1788	O GLN	204	47.890	-28.451	38.248	1.00	36.03	EII	ATOM	1836	CG2 THR	209	44.886	-19.397	37.861	1.00	25.31	EII
ATOM	1789	N ASN	205	46.598	-26.663	37.725	1.00	30.66	EII	ATOM	1837	C THR	209	43.310	-19.663	35.427	1.00	20.23	EII
ATOM	1791	CA ASN	205	47.387	-26.266	36.553	1.00	24.28	EII	ATOM	1838	O THR	209	42.500	-18.794	35.765	1.00	22.28	EII
ATOM	1792	CB ASN	205	47.227	-27.240	35.378	1.00	19.69	EII	ATOM	1839	N THR	210	44.033	-19.622	34.294	1.00	18.63	EII
ATOM	1793	CG ASN	205	45.803	-27.330	34.869	1.00	16.35	EII	ATOM	1841	CA THR	210	43.933	-18.549	33.297	1.00	18.41	EII
ATOM	1794	OD1 ASN	205	45.326	-26.469	34.117	1.00	18.65	EII	ATOM	1842	CB THR	210	45.027	-18.680	32.194	1.00	19.61	EII
ATOM	1795	ND2 ASN	205	45.122	-28.394	35.252	1.00	16.73	EII	ATOM	1843	OG1 THR	210	46.285	-18.925	32.822	1.00	12.93	EII
ATOM	1798	C ASN	205	47.055	-24.862	36.098	1.00	25.35	EII	ATOM	1845	CG2 THR	210	45.121	-17.380	31.303	1.00	16.19	EII
ATOM	1799	O ASN	205	45.901	-24.426	36.180	1.00	30.34	EII	ATOM	1846	C THR	210	42.573	-18.483	32.619	1.00	16.29	EII
ATOM	1800	N LEU	206	48.096	-24.160	35.649	1.00	24.16	EII	ATOM	1847	O THR	210	42.007	-17.407	32.489	1.00	20.38	EII
ATOM	1802	CA LEU	206	48.020	-22.785	35.167	1.00	19.10	EII	ATOM	1848	N VAL	211	42.123	-19.615	32.094	1.00	12.67	EII

SUBSTITUTE SHEET (Rule 26)

ATOM	1850	CA	VAL	211	40.831	-19.723	31.437	1.00	14.30	EII	ATOM	1895	C	TYR	215	35.219	-14.820	33.380	1.00	16.61	EII
ATOM	1851	CB	VAL	211	40.538	-21.216	31.080	1.00	12.30	EII	ATOM	1896	O	TYR	215	34.205	-14.147	33.160	1.00	22.54	EII
ATOM	1852	CG1	VAL	211	39.125	-21.396	30.612	1.00	15.63	EII	ATOM	1897	N	THR	216	35.974	-14.673	34.460	1.00	18.02	EII
ATOM	1853	CG2	VAL	211	41.490	-21.729	30.010	1.00	14.81	EII	ATOM	1899	CA	THR	216	35.673	-13.737	35.529	1.00	15.58	EII
ATOM	1854	C	VAL	211	39.719	-19.186	32.375	1.00	20.59	EII	ATOM	1900	CB	THR	216	36.661	-13.902	36.684	1.00	14.28	EII
ATOM	1855	O	VAL	211	38.876	-18.348	31.981	1.00	22.49	EII	ATOM	1901	OG1	THR	216	36.558	-15.219	37.226	1.00	13.22	EII
ATOM	1856	N	ASP	212	39.734	-19.634	33.630	1.00	20.71	EII	ATOM	1903	CG2	THR	216	36.385	-12.897	37.736	1.00	10.50	EII
ATOM	1858	CA	ASP	212	38.718	-19.212	34.577	1.00	16.15	EII	ATOM	1904	C	THR	216	35.806	-12.294	35.059	1.00	19.62	EII
ATOM	1859	CB	ASP	212	38.703	-20.119	35.792	1.00	17.31	EII	ATOM	1905	O	THR	216	35.000	-11.438	35.445	1.00	21.98	EII
ATOM	1860	CG	ASP	212	37.934	-21.412	35.526	1.00	15.32	EII	ATOM	1906	N	ALA	217	36.855	-12.033	34.269	1.00	19.65	EII
ATOM	1861	OD1	ASP	212	37.334	-21.524	34.444	1.00	17.29	EII	ATOM	1908	CA	ALA	217	37.130	-10.699	33.764	1.00	18.27	EII
ATOM	1862	OD2	ASP	212	37.890	-22.299	36.396	1.00	14.65	EII	ATOM	1909	CB	ALA	217	38.531	-10.623	33.158	1.00	18.47	EII
ATOM	1863	C	ASP	212	38.838	-17.756	34.940	1.00	18.30	EII	ATOM	1910	C	ALA	217	36.073	-10.375	32.728	1.00	19.12	EII
ATOM	1864	O	ASP	212	37.821	-17.073	35.122	1.00	21.15	EII	ATOM	1911	O	ALA	217	35.517	-9.288	32.715	1.00	25.70	EII
ATOM	1865	N	ALA	213	40.080	-17.269	34.968	1.00	17.51	EII	ATOM	1912	N	MET	218	35.745	-11.353	31.903	1.00	18.77	EII
ATOM	1867	CA	ALA	213	40.356	-15.866	35.236	1.00	13.54	EII	ATOM	1914	CA	MET	218	34.740	-11.160	30.883	1.00	19.39	EII
ATOM	1868	CB	ALA	213	41.841	-15.627	35.327	1.00	11.55	EII	ATOM	1915	CB	MET	218	34.606	-12.429	30.058	1.00	18.56	EII
ATOM	1869	C	ALA	213	39.767	-15.058	34.083	1.00	16.31	EII	ATOM	1916	CG	MET	218	35.600	-12.603	28.963	1.00	23.88	EII
ATOM	1870	O	ALA	213	39.218	-13.976	34.309	1.00	20.34	EII	ATOM	1917	SD	MET	218	35.312	-14.215	28.271	1.00	34.15	EII
ATOM	1871	N	PHE	214	39.848	-15.594	32.859	1.00	16.60	EII	ATOM	1918	CE	MET	218	33.975	-13.874	27.373	1.00	29.64	EII
ATOM	1873	CA	PHE	214	39.309	-14.908	31.686	1.00	15.32	EII	ATOM	1919	C	MET	218	33.386	-10.833	31.515	1.00	21.83	EII
ATOM	1874	CB	PHE	214	39.652	-15.654	30.399	1.00	16.10	EII	ATOM	1920	O	MET	218	32.615	-10.011	30.998	1.00	19.19	EII
ATOM	1875	CG	PHE	214	40.750	-15.005	29.586	1.00	12.37	EII	ATOM	1921	N	GLY	219	33.119	-11.461	32.655	1.00	22.10	EII
ATOM	1876	CD1	PHE	214	41.996	-15.606	29.450	1.00	8.31	EII	ATOM	1923	CA	GLY	219	31.862	-11.265	33.342	1.00	24.57	EII
ATOM	1877	CD2	PHE	214	40.547	-13.776	28.999	1.00	10.51	EII	ATOM	1924	C	GLY	219	31.637	-9.848	33.809	1.00	31.58	EII
ATOM	1878	CE1	PHE	214	43.041	-14.969	28.729	1.00	14.21	EII	ATOM	1925	O	GLY	219	30.516	-9.337	33.725	1.00	24.18	EII
ATOM	1879	CE2	PHE	214	41.592	-13.128	28.274	1.00	17.26	EII	ATOM	1926	N	LYS	220	32.718	-9.193	34.221	1.00	24.93	EII
ATOM	1880	CZ	PHE	214	42.843	-13.737	28.147	1.00	10.20	EII	ATOM	1928	CA	LYS	220	32.683	-7.822	34.730	1.00	22.70	EII
ATOM	1881	C	PHE	214	37.814	-14.776	31.811	1.00	15.91	EII	ATOM	1929	CB	LYS	220	34.033	-7.466	35.358	1.00	26.94	EII
ATOM	1882	O	PHE	214	37.273	-13.691	31.608	1.00	21.35	EII	ATOM	1930	CG	LYS	220	34.372	-8.324	36.588	1.00	30.80	EII
ATOM	1883	N	TYR	215	37.159	-15.857	32.220	1.00	18.15	EII	ATOM	1931	CD	LYS	220	35.831	-8.118	37.055	1.00	39.08	EII
ATOM	1885	CA	TYR	215	35.709	-15.856	32.373	1.00	14.70	EII	ATOM	1932	CE	LYS	220	36.166	-6.619	37.140	1.00	44.47	EII
ATOM	1886	CB	TYR	215	35.254	-17.244	32.767	1.00	13.16	EII	ATOM	1933	NZ	LYS	220	37.448	-6.314	37.829	1.00	45.90	EII
ATOM	1887	CG	TYR	215	34.976	-18.130	31.572	1.00	11.48	EII	ATOM	1937	C	LYS	220	32.313	-6.791	33.676	1.00	23.34	EII
ATOM	1888	CD1	TYR	215	35.728	-19.283	31.323	1.00	14.38	EII	ATOM	1938	O	LYS	220	32.220	-5.597	33.965	1.00	24.76	EII
ATOM	1889	CE1	TYR	215	35.424	-20.102	30.238	1.00	14.22	EII	ATOM	1939	N	HIS	221	32.161	-7.230	32.434	1.00	20.47	EII
ATOM	1890	CD2	TYR	215	33.930	-17.828	30.710	1.00	11.85	EII	ATOM	1941	CA	HIS	221	31.801	-6.300	31.386	1.00	15.79	EII
ATOM	1891	CE2	TYR	215	33.623	-18.653	29.631	1.00	16.58	EII	ATOM	1942	CB	HIS	221	33.013	-6.018	30.534	1.00	17.34	EII
ATOM	1892	CZ	TYR	215	34.360	-19.776	29.404	1.00	10.52	EII	ATOM	1943	CG	HIS	221	34.135	-5.390	31.290	1.00	16.38	EII
ATOM	1893	OH	TYR	215	33.961	-20.589	28.376	1.00	19.94	EII	ATOM	1944	CD2	HIS	221	35.049	-5.923	32.129	1.00	17.64	EII

SUBSTITUTE SHEET (Rule 26)

ATOM	1945	ND1 HIS	221	34.453	-4.054	31.169	1.00	15.90	EII	ATOM	1998	O	LVS	227	33.931	-17.404	24.539	1.00	17.29	EII
ATOM	1947	CE1 HIS	221	35.525	-3.795	31.898	1.00	17.36	EII	ATOM	1999	N	LEU	228	34.706	-18.945	25.899	1.00	11.45	EII
ATOM	1948	NE2 HIS	221	35.907	-4.915	32.484	1.00	18.50	EII	ATOM	2001	CA	LEU	228	36.082	-18.699	25.542	1.00	10.84	EII
ATOM	1950	C HIS	221	30.633	-6.764	30.551	1.00	18.15	EII	ATOM	2002	CB	LEU	228	36.916	-18.600	26.802	1.00	11.08	EII
ATOM	1951	O HIS	221	30.445	-6.347	29.392	1.00	18.29	EII	ATOM	2003	CG	LEU	228	38.310	-18.025	26.611	1.00	14.54	EII
ATOM	1952	N GLY	222	29.847	-7.639	31.159	1.00	22.17	EII	ATOM	2004	CD1	LEU	228	38.214	-16.525	26.567	1.00	4.74	EII
ATOM	1954	CA GLY	222	28.662	-8.163	30.517	1.00	27.66	EII	ATOM	2005	CD2	LEU	228	39.222	-18.477	27.732	1.00	11.45	EII
ATOM	1955	C GLY	222	28.942	-9.280	29.537	1.00	26.64	EII	ATOM	2006	C	LEU	228	36.609	-19.848	24.665	1.00	14.59	EII
ATOM	1956	O GLY	222	28.315	-9.336	28.475	1.00	32.44	EII	ATOM	2007	O	LEU	228	36.284	-21.010	24.877	1.00	13.19	EII
ATOM	1957	N GLY	223	29.919	-10.126	29.869	1.00	28.08	EII	ATOM	2008	N	VAL	229	37.339	-19.516	23.612	1.00	16.22	EII
ATOM	1959	CA GLY	223	30.266	-11.251	29.020	1.00	23.54	EII	ATOM	2010	CA	VAL	229	37.958	-20.523	22.735	1.00	16.08	EII
ATOM	1960	C GLY	223	29.969	-12.600	29.665	1.00	27.82	EII	ATOM	2011	CB	VAL	229	37.530	-20.328	21.220	1.00	17.31	EII
ATOM	1961	O GLY	223	30.454	-13.619	29.168	1.00	30.96	EII	ATOM	2012	CG1	VAL	229	38.450	-21.103	20.278	1.00	16.81	EII
ATOM	1962	N SER	224	29.191	-12.626	30.755	1.00	26.04	EII	ATOM	2013	CG2	VAL	229	36.100	-20.805	21.016	1.00	17.76	EII
ATOM	1964	CA SER	224	28.850	-13.874	31.452	1.00	25.88	EII	ATOM	2014	C	VAL	229	39.445	-20.254	22.908	1.00	13.02	EII
ATOM	1965	CB SER	224	27.957	-13.624	32.675	1.00	24.31	EII	ATOM	2015	O	VAL	229	39.842	-19.094	22.954	1.00	7.64	EII
ATOM	1966	OG SER	224	28.739	-13.345	33.821	1.00	28.61	EII	ATOM	2016	N	VAL	230	40.248	-21.299	23.107	1.00	14.32	EII
ATOM	1968	C SER	224	28.174	-14.923	30.585	1.00	25.69	EII	ATOM	2018	CA	VAL	230	41.709	-21.142	23.280	1.00	9.00	EII
ATOM	1969	O SER	224	28.046	-16.077	30.996	1.00	27.24	EII	ATOM	2019	CB	VAL	230	42.310	-22.309	24.126	1.00	10.47	EII
ATOM	1970	N SER	225	27.762	-14.533	29.395	1.00	24.82	EII	ATOM	2020	CG1	VAL	230	43.841	-22.167	24.215	1.00	9.76	EII
ATOM	1972	CA SER	225	27.097	-15.433	28.463	1.00	24.29	EII	ATOM	2021	CG2	VAL	230	41.671	-22.334	25.548	1.00	8.63	EII
ATOM	1973	CB SER	225	25.879	-14.715	27.899	1.00	25.01	EII	ATOM	2022	C	VAL	230	42.283	-21.195	21.883	1.00	7.76	EII
ATOM	1974	OG SER	225	26.255	-13.374	27.549	1.00	27.52	EII	ATOM	2023	O	VAL	230	42.603	-22.281	21.413	1.00	16.66	EII
ATOM	1976	C SER	225	28.039	-15.828	27.315	1.00	23.57	EII	ATOM	2024	N	SER	231	42.547	-20.033	21.283	1.00	11.94	EII
ATOM	1977	O SER	225	27.675	-16.646	26.491	1.00	27.12	EII	ATOM	2026	CA	SER	231	42.989	-19.965	19.883	1.00	11.06	EII
ATOM	1978	N VAL	226	29.215	-15.202	27.235	1.00	24.26	EII	ATOM	2027	CB	SER	231	42.628	-18.607	19.262	1.00	14.45	EII
ATOM	1980	CA VAL	226	30.205	-15.462	26.168	1.00	13.79	EII	ATOM	2028	OG	SER	231	43.053	-17.504	20.072	1.00	13.13	EII
ATOM	1981	CB VAL	226	31.054	-14.213	25.958	1.00	16.18	EII	ATOM	2030	C	SER	231	44.440	-20.268	19.648	1.00	12.29	EII
ATOM	1982	CG1 VAL	226	31.989	-14.372	24.758	1.00	15.00	EII	ATOM	2031	O	SER	231	44.858	-20.380	18.516	1.00	18.88	EII
ATOM	1983	CG2 VAL	226	30.161	-12.984	26.513	1.00	6.91	EII	ATOM	2032	N	GLU	232	45.194	-20.416	20.723	1.00	10.67	EII
ATOM	1984	C VAL	226	31.144	-16.633	26.513	1.00	15.92	EII	ATOM	2034	CA	GLU	232	46.610	-20.717	20.674	1.00	8.96	EII
ATOM	1985	O VAL	226	31.597	-16.752	27.654	1.00	16.42	EII	ATOM	2035	CB	GLU	232	47.445	-19.466	20.423	1.00	9.65	EII
ATOM	1986	N LVS	227	31.460	-17.476	25.533	1.00	15.07	EII	ATOM	2036	CG	GLU	232	47.699	-19.127	19.006	1.00	12.70	EII
ATOM	1988	CA LVS	227	32.340	-18.620	25.764	1.00	15.12	EII	ATOM	2037	CD	GLU	232	48.460	-17.843	18.877	1.00	10.84	EII
ATOM	1989	CB LVS	227	31.935	-19.840	24.927	1.00	13.62	EII	ATOM	2038	OE1	GLU	232	48.343	-17.172	17.841	1.00	17.00	EII
ATOM	1990	CG LVS	227	30.808	-20.674	25.500	1.00	17.74	EII	ATOM	2039	OE2	GLU	232	49.189	-17.482	19.810	1.00	18.71	EII
ATOM	1991	CD LVS	227	30.376	-21.765	24.527	0.00	16.84	EII	ATOM	2040	C	GLU	232	47.028	-21.203	22.044	1.00	13.04	EII
ATOM	1992	CE LVS	227	29.163	-22.522	25.047	0.00	17.48	EII	ATOM	2041	O	GLU	232	46.648	-20.628	23.083	1.00	13.88	EII
ATOM	1993	NZ LVS	227	28.034	-21.579	25.263	0.00	17.61	EII	ATOM	2042	N	SER	233	47.873	-22.221	22.048	1.00	15.66	EII
ATOM	1997	C LVS	227	33.734	-18.255	25.353	1.00	12.79	EII	ATOM	2044	CA	SER	233	48.447	-22.719	23.281	1.00	15.10	EII

SUBSTITUTE SHEET (Rule 26)

- 52 -

ATOM	2045	CB	SER	233	47.428	-23.447	24.147	1.00	17.52	EII	ATOM	2093	CA	GLY	239	65.574	-21.769	22.466	1.00	20.08	EII
ATOM	2046	OG	SER	233	47.998	-23.682	25.424	1.00	15.32	EII	ATOM	2094	C	GLY	239	65.466	-21.012	23.742	1.00	23.18	EII
ATOM	2048	C	SER	233	49.564	-23.626	22.809	1.00	14.53	EII	ATOM	2095	O	GLY	239	65.618	-19.793	23.744	1.00	27.89	EII
ATOM	2049	O	SER	233	49.459	-24.224	21.731	1.00	13.76	EII	ATOM	2096	N	GLY	240	65.163	-21.701	24.829	1.00	23.66	EII
ATOM	2050	N	GLY	234	50.684	-23.622	23.527	1.00	13.82	EII	ATOM	2098	CA	GLY	240	65.021	-20.991	26.082	1.00	27.94	EII
ATOM	2052	CA	GLY	234	51.807	-24.459	23.149	1.00	7.33	EII	ATOM	2099	C	GLY	240	64.824	-21.948	27.224	1.00	30.25	EII
ATOM	2053	C	GLY	234	52.945	-24.290	24.122	1.00	13.92	EII	ATOM	2100	O	GLY	240	64.701	-23.155	26.998	1.00	33.00	EII
ATOM	2054	O	GLY	234	52.823	-23.537	25.101	1.00	14.99	EII	ATOM	2101	N	THR	241	64.799	-21.400	28.437	1.00	30.01	EII
ATOM	2055	N	TRP	235	54.064	-24.946	23.820	1.00	15.91	EII	ATOM	2103	CA	THR	241	64.614	-22.148	29.671	1.00	28.71	EII
ATOM	2057	CA	TRP	235	55.280	-24.924	24.641	1.00	19.33	EII	ATOM	2104	CB	THR	241	64.350	-21.190	30.835	1.00	31.58	EII
ATOM	2058	CB	TRP	235	55.202	-26.036	25.717	1.00	16.35	EII	ATOM	2105	OG1	THR	241	65.194	-20.039	30.677	1.00	34.07	EII
ATOM	2059	CG	TRP	235	56.292	-26.058	26.781	1.00	13.75	EII	ATOM	2107	CG2	THR	241	64.676	-21.869	32.161	1.00	32.31	EII
ATOM	2060	CD2	TRP	235	56.155	-25.765	28.181	1.00	17.23	EII	ATOM	2108	C	THR	241	63.432	-23.071	29.551	1.00	25.71	EII
ATOM	2061	CE2	TRP	235	57.430	-25.913	28.776	1.00	17.10	EII	ATOM	2109	O	THR	241	62.376	-22.687	29.073	1.00	25.34	EII
ATOM	2062	CE3	TRP	235	55.060	-25.383	28.989	1.00	17.51	EII	ATOM	2110	N	ALA	242	63.657	-24.319	29.923	1.00	23.07	EII
ATOM	2063	CD1	TRP	235	57.613	-26.365	26.591	1.00	11.11	EII	ATOM	2112	CA	ALA	242	62.637	-25.351	29.867	1.00	22.69	EII
ATOM	2064	NE1	TRP	235	58.307	-26.288	27.785	1.00	12.66	EII	ATOM	2113	CB	ALA	242	61.449	-24.992	30.775	1.00	21.84	EII
ATOM	2066	C22	TRP	235	57.653	-25.701	30.149	1.00	16.57	EII	ATOM	2114	C	ALA	242	62.181	-25.686	28.442	1.00	18.91	EII
ATOM	2067	C23	TRP	235	55.281	-25.175	30.362	1.00	7.97	EII	ATOM	2115	O	ALA	242	61.318	-26.534	28.245	1.00	27.03	EII
ATOM	2068	CH2	TRP	235	56.564	-25.331	30.924	1.00	16.17	EII	ATOM	2116	N	ALA	243	62.814	-25.088	27.448	1.00	18.25	EII
ATOM	2069	C	TRP	235	56.443	-25.175	23.652	1.00	16.87	EII	ATOM	2118	CA	ALA	243	62.455	-25.366	26.070	1.00	16.60	EII
ATOM	2070	O	TRP	235	56.324	-26.053	22.804	1.00	19.48	EII	ATOM	2119	CB	ALA	243	62.757	-24.177	25.220	1.00	13.11	EII
ATOM	2071	N	PRO	236	57.539	-24.388	23.721	1.00	18.84	EII	ATOM	2120	C	ALA	243	63.175	-26.597	25.531	1.00	18.50	EII
ATOM	2072	CD	PRO	236	57.894	-23.350	24.700	1.00	20.49	EII	ATOM	2121	O	ALA	243	64.321	-26.506	25.103	1.00	23.27	EII
ATOM	2073	CA	PRO	236	58.602	-24.492	22.721	1.00	17.72	EII	ATOM	2122	N	THR	244	62.505	-27.746	25.559	1.00	20.43	EII
ATOM	2074	CB	PRO	236	59.355	-23.157	22.860	1.00	16.10	EII	ATOM	2124	CA	THR	244	63.070	-28.996	25.059	1.00	19.04	EII
ATOM	2075	CG	PRO	236	58.552	-22.348	23.828	1.00	16.21	EII	ATOM	2125	CB	THR	244	63.754	-29.803	26.208	1.00	21.24	EII
ATOM	2076	C	PRO	236	59.550	-25.665	23.015	1.00	19.89	EII	ATOM	2126	OG1	THR	244	62.769	-30.326	27.098	1.00	23.92	EII
ATOM	2077	O	PRO	236	59.799	-25.995	24.185	1.00	18.73	EII	ATOM	2128	CG2	THR	244	64.647	-28.899	27.032	1.00	19.86	EII
ATOM	2078	N	SER	237	60.115	-26.231	21.945	1.00	16.20	EII	ATOM	2129	C	THR	244	61.906	-29.801	24.456	1.00	20.96	EII
ATOM	2080	CA	SER	237	61.035	-27.361	22.015	1.00	13.46	EII	ATOM	2130	O	THR	244	60.731	-29.514	24.745	1.00	22.40	EII
ATOM	2081	CB	SER	237	60.765	-28.339	20.903	1.00	7.29	EII	ATOM	2131	N	PRO	245	62.198	-30.811	23.619	1.00	21.19	EII
ATOM	2082	OG	SER	237	60.666	-27.654	19.664	1.00	23.55	EII	ATOM	2132	CD	PRO	245	63.498	-31.192	23.044	1.00	16.05	EII
ATOM	2084	C	SER	237	62.512	-26.952	21.969	1.00	13.63	EII	ATOM	2133	CA	PRO	245	61.134	-31.704	23.131	1.00	19.50	EII
ATOM	2085	O	SER	237	63.399	-27.788	21.842	1.00	17.13	EII	ATOM	2134	CB	PRO	245	61.889	-32.626	22.157	1.00	17.61	EII
ATOM	2086	N	GLY	238	62.775	-25.659	22.076	1.00	16.21	EII	ATOM	2135	CG	PRO	245	63.082	-31.816	21.756	1.00	15.09	EII
ATOM	2088	CA	GLY	238	64.140	-25.210	22.103	1.00	16.01	EII	ATOM	2136	C	PRO	245	60.390	-32.518	24.220	1.00	19.32	EII
ATOM	2089	C	GLY	238	64.212	-23.717	22.063	1.00	17.97	EII	ATOM	2137	O	PRO	245	59.193	-32.808	24.091	1.00	16.96	EII
ATOM	2090	O	GLY	238	63.216	-23.059	21.761	1.00	18.27	EII	ATOM	2138	N	ALA	246	61.084	-32.848	25.308	1.00	20.00	EII
ATOM	2091	N	GLY	239	65.337	-23.195	22.537	1.00	20.09	EII	ATOM	2140	CA	ALA	246	60.496	-33.625	26.396	1.00	19.40	EII

SUBSTITUTE SHEET (Rule 26)

- 53 -

ATOM	2141	CB	ALA	246	61.556	-34.019	27.370	1.00	12.06	EII	ATOM	2193	CB	TYR	251	53.448	-28.624	27.555	1.00	19.37	EII
ATOM	2142	C	ALA	246	59.405	-32.825	27.089	1.00	22.07	EII	ATOM	2194	CG	TYR	251	52.403	-27.549	27.507	1.00	17.93	EII
ATOM	2143	O	ALA	246	58.301	-33.335	27.329	1.00	23.38	EII	ATOM	2195	CD1	TYR	251	51.867	-27.013	28.685	1.00	24.01	EII
ATOM	2144	N	ASN	247	59.730	-31.560	27.362	1.00	21.43	EII	ATOM	2196	CE1	TYR	251	50.713	-26.185	28.650	1.00	20.02	EII
ATOM	2146	CA	ASN	247	58.833	-30.618	28.001	1.00	17.93	EII	ATOM	2197	CD2	TYR	251	51.790	-27.220	26.300	1.00	19.94	EII
ATOM	2147	CB	ASN	247	59.573	-29.348	28.444	1.00	20.95	EII	ATOM	2198	CE2	TYR	251	50.662	-26.426	26.254	1.00	15.85	EII
ATOM	2148	CG	ASN	247	60.456	-29.590	29.651	1.00	18.22	EII	ATOM	2199	CZ	TYR	251	50.127	-25.920	27.423	1.00	18.74	EII
ATOM	2149	OD1	ASN	247	60.573	-30.719	30.101	1.00	19.55	EII	ATOM	2200	OH	TYR	251	48.994	-25.174	27.349	1.00	15.89	EII
ATOM	2150	ND2	ASN	247	61.096	-28.547	30.159	1.00	18.31	EII	ATOM	2202	C	TYR	251	51.712	-30.259	26.719	1.00	20.18	EII
ATOM	2153	C	ASN	247	57.711	-30.239	27.069	1.00	17.68	EII	ATOM	2203	O	TYR	251	50.515	-30.308	27.041	1.00	25.14	EII
ATOM	2154	O	ASN	247	56.562	-30.298	27.475	1.00	26.48	EII	ATOM	2204	N	ASN	252	52.108	-30.390	25.461	1.00	21.35	EII
ATOM	2155	N	ALA	248	58.022	-29.983	25.794	1.00	19.95	EII	ATOM	2206	CA	ASN	252	51.112	-30.549	24.409	1.00	17.76	EII
ATOM	2157	CA	ALA	248	57.007	-29.566	24.823	1.00	14.26	EII	ATOM	2207	CB	ASN	252	51.720	-30.394	23.013	1.00	14.23	EII
ATOM	2158	CB	ALA	248	57.647	-29.124	23.537	1.00	9.42	EII	ATOM	2208	CG	ASN	252	51.905	-28.923	22.647	1.00	16.38	EII
ATOM	2159	C	ALA	248	56.016	-30.697	24.574	1.00	19.58	EII	ATOM	2209	OD1	ASN	252	51.203	-28.062	23.181	1.00	15.03	EII
ATOM	2160	O	ALA	248	54.813	-30.460	24.446	1.00	23.61	EII	ATOM	2210	ND2	ASN	252	52.875	-28.618	21.805	1.00	14.95	EII
ATOM	2161	N	ARG	249	56.504	-31.931	24.585	1.00	19.93	EII	ATOM	2213	C	ASN	252	50.240	-31.757	24.524	1.00	16.97	EII
ATOM	2163	CA	ARG	249	55.653	-33.073	24.387	1.00	17.16	EII	ATOM	2214	O	ASN	252	49.051	-31.663	24.286	1.00	19.56	EII
ATOM	2164	CB	ARG	249	56.493	-34.335	24.169	1.00	19.14	EII	ATOM	2215	N	GLN	253	50.815	-32.898	24.880	1.00	20.10	EII
ATOM	2165	CG	ARG	249	55.672	-35.594	23.837	1.00	23.39	EII	ATOM	2217	CA	GLN	253	50.010	-34.086	25.035	1.00	18.91	EII
ATOM	2166	CD	ARG	249	56.146	-36.853	24.616	1.00	32.83	EII	ATOM	2218	CB	GLN	253	50.885	-35.298	25.269	1.00	18.29	EII
ATOM	2167	NE	ARG	249	56.227	-36.676	26.085	1.00	43.30	EII	ATOM	2219	CG	GLN	253	50.125	-36.577	25.149	1.00	19.54	EII
ATOM	2169	CZ	ARG	249	57.378	-36.515	26.766	1.00	51.48	EII	ATOM	2220	CD	GLN	253	49.736	-36.868	23.719	1.00	21.60	EII
ATOM	2170	NH1	ARG	249	58.544	-36.514	26.118	1.00	57.23	EII	ATOM	2221	OE1	GLN	253	48.553	-36.914	23.381	1.00	20.99	EII
ATOM	2173	NH2	ARG	249	57.380	-36.281	28.082	1.00	49.58	EII	ATOM	2222	NE2	GLN	253	50.739	-37.067	22.862	1.00	20.70	EII
ATOM	2176	C	ARG	249	54.782	-33.257	25.620	1.00	20.35	EII	ATOM	2225	C	GLN	253	49.022	-33.931	26.185	1.00	17.90	EII
ATOM	2177	O	ARG	249	53.577	-33.509	25.502	1.00	20.76	EII	ATOM	2226	O	GLN	253	47.886	-34.348	26.072	1.00	19.95	EII
ATOM	2178	N	PHE	250	55.378	-33.115	26.809	1.00	21.84	EII	ATOM	2227	N	HIS	254	49.454	-33.372	27.311	1.00	23.20	EII
ATOM	2180	CA	PHE	250	54.643	-33.306	28.066	1.00	20.86	EII	ATOM	2229	CA	HIS	254	48.523	-33.166	28.430	1.00	25.23	EII
ATOM	2181	CB	PHE	250	55.542	-33.105	29.279	1.00	23.27	EII	ATOM	2230	CB	HIS	254	49.254	-32.721	29.682	1.00	27.73	EII
ATOM	2182	CG	PHE	250	54.884	-33.486	30.591	1.00	27.40	EII	ATOM	2231	CG	HIS	254	50.008	-33.824	30.342	1.00	31.02	EII
ATOM	2183	CD1	PHE	250	54.939	-34.794	31.057	1.00	29.71	EII	ATOM	2232	CD2	HIS	254	51.068	-33.806	31.181	1.00	33.34	EII
ATOM	2184	CD2	PHE	250	54.203	-32.544	31.337	1.00	29.81	EII	ATOM	2233	ND1	HIS	254	49.725	-35.151	30.120	1.00	29.85	EII
ATOM	2185	CE1	PHE	250	54.325	-35.148	32.262	1.00	28.55	EII	ATOM	2235	CE1	HIS	254	50.577	-35.905	30.786	1.00	28.62	EII
ATOM	2186	CE2	PHE	250	53.594	-32.895	32.538	1.00	29.15	EII	ATOM	2236	NE2	HIS	254	51.403	-35.112	31.437	1.00	32.09	EII
ATOM	2187	CZ	PHE	250	53.658	-34.191	32.995	1.00	31.18	EII	ATOM	2238	C	HIS	254	47.420	-32.172	28.088	1.00	25.91	EII
ATOM	2188	C	PHE	250	53.495	-32.320	28.120	1.00	22.08	EII	ATOM	2239	O	HIS	254	46.298	-32.301	28.576	1.00	26.41	EII
ATOM	2189	O	PHE	250	52.348	-32.709	28.381	1.00	26.31	EII	ATOM	2240	N	LEU	255	47.748	-31.175	27.270	1.00	23.73	EII
ATOM	2190	N	TYR	251	53.795	-31.067	27.777	1.00	19.72	EII	ATOM	2242	CA	LEU	255	46.783	-30.181	26.821	1.00	23.06	EII
ATOM	2192	CA	TYR	251	52.808	-30.018	27.767	1.00	20.90	EII	ATOM	2243	CB	LEU	255	47.461	-29.188	25.865	1.00	15.01	EII

SUBSTITUTE SHEET (Rule 26)

ATOM	2244	CG	LEU	255	46.592	-28.017	25.389	1.00	14.07	EII	ATOM	2293	C	GLY	260	36.984	-32.073	28.232	1.00	27.66	EII
ATOM	2245	CD1	LEU	255	45.980	-27.326	26.576	1.00	14.77	EII	ATOM	2294	O	GLY	260	35.761	-32.031	28.263	1.00	28.93	EII
ATOM	2246	CD2	LEU	255	47.403	-27.045	24.573	1.00	13.38	EII	ATOM	2295	N	ARG	261	37.722	-32.020	29.333	1.00	31.58	EII
ATOM	2247	C	LEU	255	45.677	-30.953	26.090	1.00	23.45	EII	ATOM	2297	CA	ARG	261	37.141	-31.962	30.669	1.00	33.51	EII
ATOM	2248	O	LEU	255	44.480	-30.878	26.424	1.00	24.52	EII	ATOM	2298	CB	ARG	261	38.130	-32.499	31.715	1.00	32.73	EII
ATOM	2249	N	ILE	256	46.113	-31.729	25.112	1.00	23.83	EII	ATOM	2299	CG	ARG	261	38.563	-33.937	31.484	0.00	33.14	EII
ATOM	2251	CA	ILE	256	45.220	-32.528	24.292	1.00	23.43	EII	ATOM	2300	CD	ARG	261	39.549	-34.398	32.547	0.00	33.24	EII
ATOM	2252	CB	ILE	256	46.013	-33.364	23.293	1.00	20.67	EII	ATOM	2301	NE	ARG	261	39.957	-35.785	32.338	0.00	33.26	EII
ATOM	2253	CG2	ILE	256	45.090	-34.257	22.527	1.00	19.55	EII	ATOM	2303	CZ	ARG	261	40.736	-36.477	33.165	0.00	33.29	EII
ATOM	2254	CG1	ILE	256	46.763	-32.429	22.334	1.00	20.24	EII	ATOM	2304	NH1	ARG	261	41.207	-35.924	34.276	0.00	33.30	EII
ATOM	2255	CD1	ILE	256	47.608	-33.163	21.323	1.00	22.83	EII	ATOM	2307	NH2	ARG	261	41.054	-37.730	32.872	0.00	33.30	EII
ATOM	2256	C	ILE	256	44.314	-33.425	25.107	1.00	20.76	EII	ATOM	2310	C	ARG	261	36.715	-30.549	31.030	1.00	31.16	EII
ATOM	2257	O	ILE	256	43.113	-33.517	24.844	1.00	21.78	EII	ATOM	2311	O	ARG	261	35.637	-30.333	31.580	1.00	36.07	EII
ATOM	2258	N	ASN	257	44.891	-34.089	26.093	1.00	22.42	EII	ATOM	2312	N	GLY	262	37.545	-29.574	30.713	1.00	29.97	EII
ATOM	2260	CA	ASN	257	44.124	-34.981	26.927	1.00	17.31	EII	ATOM	2314	CA	GLY	262	37.162	-28.219	31.035	1.00	26.12	EII
ATOM	2261	CB	ASN	257	45.048	-35.912	27.672	1.00	20.56	EII	ATOM	2315	C	GLY	262	37.922	-27.747	32.239	1.00	23.66	EII
ATOM	2262	CG	ASN	257	45.829	-36.827	26.739	1.00	24.27	EII	ATOM	2316	O	GLY	262	39.014	-28.241	32.501	1.00	24.55	EII
ATOM	2263	OD1	ASN	257	46.936	-37.241	27.057	1.00	28.48	EII	ATOM	2317	N	THR	263	37.389	-26.735	32.915	1.00	20.28	EII
ATOM	2264	ND2	ASN	257	45.262	-37.137	25.589	1.00	23.05	EII	ATOM	2319	CA	THR	263	38.027	-26.164	34.091	1.00	19.15	EII
ATOM	2267	C	ASN	257	43.240	-34.203	27.880	1.00	21.49	EII	ATOM	2320	CB	THR	263	38.210	-24.672	33.916	1.00	19.52	EII
ATOM	2268	O	ASN	257	42.085	-34.578	28.096	1.00	28.92	EII	ATOM	2321	OG1	THR	263	36.908	-24.077	33.772	1.00	21.27	EII
ATOM	2269	N	HIS	258	43.713	-33.032	28.301	1.00	23.33	EII	ATOM	2323	CG2	THR	263	39.069	-24.358	32.688	1.00	14.96	EII
ATOM	2271	CA	HIS	258	42.978	-32.194	29.240	1.00	19.76	EII	ATOM	2324	C	THR	263	37.130	-26.374	35.305	1.00	20.99	EII
ATOM	2272	CB	HIS	258	43.919	-31.171	29.872	1.00	18.43	EII	ATOM	2325	O	THR	263	35.955	-26.733	35.170	1.00	23.56	EII
ATOM	2273	CG	HIS	258	43.290	-30.373	30.964	1.00	19.22	EII	ATOM	2326	N	PRO	264	37.574	-26.162	36.518	1.00	19.68	EII
ATOM	2274	CD2	HIS	258	42.525	-29.256	30.931	1.00	24.01	EII	ATOM	2327	CD	PRO	264	39.114	-25.947	36.772	1.00	15.99	EII
ATOM	2275	ND1	HIS	258	43.334	-30.766	32.280	1.00	22.29	EII	ATOM	2328	CA	PRO	264	36.920	-26.169	37.783	1.00	19.02	EII
ATOM	2277	CE1	HIS	258	42.610	-29.933	33.011	1.00	26.63	EII	ATOM	2329	CB	PRO	264	37.888	-25.499	38.744	1.00	19.57	EII
ATOM	2278	NE2	HIS	258	42.108	-29.012	32.216	1.00	23.25	EII	ATOM	2330	CG	PRO	264	39.210	-26.060	38.287	1.00	21.74	EII
ATOM	2280	C	HIS	258	41.741	-31.448	28.763	1.00	19.47	EII	ATOM	2331	C	PRO	264	35.561	-25.450	37.759	1.00	17.65	EII
ATOM	2281	O	HIS	258	40.696	-31.550	29.362	1.00	17.98	EII	ATOM	2332	O	PRO	264	34.536	-26.027	38.104	1.00	21.17	EII
ATOM	2282	N	VAL	259	41.849	-30.700	27.678	1.00	24.79	EII	ATOM	2333	N	ARG	265	35.544	-24.196	37.343	1.00	16.83	EII
ATOM	2284	CA	VAL	259	40.740	-29.844	27.236	1.00	21.84	EII	ATOM	2335	CA	ARG	265	34.291	-23.462	37.321	1.00	19.86	EII
ATOM	2285	CB	VAL	259	41.114	-29.058	25.973	1.00	17.27	EII	ATOM	2336	CB	ARG	265	34.542	-22.008	37.691	1.00	18.70	EII
ATOM	2286	CG1	VAL	259	42.280	-28.132	26.298	1.00	16.23	EII	ATOM	2337	CG	ARG	265	34.979	-21.754	39.105	1.00	18.29	EII
ATOM	2287	CG2	VAL	259	41.506	-29.994	24.866	1.00	17.32	EII	ATOM	2338	CD	ARG	265	35.187	-20.258	39.245	1.00	21.36	EII
ATOM	2288	C	VAL	259	39.296	-30.343	27.182	1.00	23.73	EII	ATOM	2339	NE	ARG	265	35.116	-19.780	40.609	1.00	27.88	EII
ATOM	2289	O	VAL	259	38.368	-29.562	27.409	1.00	25.69	EII	ATOM	2341	CZ	ARG	265	36.152	-19.712	41.432	1.00	27.02	EII
ATOM	2290	N	GLY	260	39.092	-31.635	26.944	1.00	26.69	EII	ATOM	2342	NH1	ARG	265	37.357	-20.086	41.030	1.00	28.18	EII
ATOM	2292	CA	GLY	260	37.733	-32.155	26.903	1.00	27.11	EII	ATOM	2345	NH2	ARG	265	35.961	-19.347	42.688	1.00	31.22	EII

SUBSTITUTE SHEET (Rule 26)

- 55 -

ATOM	2348	C	ARG	265	33.561	-23.511	35.964	1.00	21.25	EII	ATOM	2392	CD	GLU	271	36.379	-24.169	18.440	1.00	23.49	EII
ATOM	2349	O	ARG	265	32.419	-23.066	35.838	1.00	23.07	EII	ATOM	2393	OE1	GLU	271	36.645	-24.162	17.221	1.00	22.55	EII
ATOM	2350	N	HIS	266	34.173	-24.086	34.996	1.00	23.00	EII	ATOM	2394	OE2	GLU	271	35.278	-23.805	18.896	1.00	26.55	EII
ATOM	2351	CA	HIS	266	33.600	-24.173	33.645	1.00	25.48	EII	ATOM	2395	C	GLU	271	39.237	-25.044	21.908	1.00	13.93	EII
ATOM	2352	CB	HIS	266	34.242	-23.106	32.752	1.00	20.92	EII	ATOM	2396	O	GLU	271	39.435	-23.961	22.481	1.00	15.44	EII
ATOM	2353	CG	HIS	266	33.762	-21.753	33.287	1.00	15.11	EII	ATOM	2397	N	THR	272	40.209	-25.770	21.335	1.00	11.96	EII
ATOM	2354	ND1	HIS	266	34.505	-21.022	34.209	1.00	15.21	EII	ATOM	2398	CA	THR	272	41.627	-25.424	21.469	1.00	12.30	EII
ATOM	2355	CE1	HIS	266	33.843	-19.913	34.486	1.00	15.15	EII	ATOM	2399	CB	THR	272	42.297	-26.270	22.597	1.00	13.43	EII
ATOM	2356	NE2	HIS	266	32.730	-19.896	33.797	1.00	15.24	EII	ATOM	2401	OG1	THR	272	41.596	-26.045	23.827	1.00	14.63	EII
ATOM	2357	CD2	HIS	266	32.642	-21.021	33.039	1.00	15.27	EII	ATOM	2403	CG2	THR	272	43.725	-25.856	22.817	1.00	16.79	EII
ATOM	2358	C	HIS	266	33.868	-25.557	33.052	1.00	27.16	EII	ATOM	2404	C	THR	272	42.418	-25.598	20.170	1.00	10.95	EII
ATOM	2359	O	HIS	266	34.759	-25.724	32.206	1.00	32.85	EII	ATOM	2405	O	THR	272	42.222	-26.575	19.441	1.00	12.39	EII
ATOM	2360	N	PRO	267	33.108	-26.571	33.408	1.00	28.66	EII	ATOM	2406	N	TYR	273	43.353	-24.677	19.936	1.00	7.16	EII
ATOM	2361	CD	PRO	267	32.036	-26.534	34.418	1.00	24.81	EII	ATOM	2408	CA	TYR	273	44.171	-24.697	18.739	1.00	9.31	EII
ATOM	2362	CA	PRO	267	33.332	-27.945	32.919	1.00	28.00	EII	ATOM	2409	CB	TYR	273	43.897	-23.474	17.846	1.00	5.23	EII
ATOM	2363	CB	PRO	267	32.582	-28.781	33.938	1.00	24.20	EII	ATOM	2410	CG	TYR	273	42.536	-23.562	17.137	1.00	13.26	EII
ATOM	2364	CG	PRO	267	31.395	-27.897	34.261	1.00	26.53	EII	ATOM	2411	CD1	TYR	273	41.329	-23.296	17.826	1.00	12.16	EII
ATOM	2365	C	PRO	267	32.751	-28.109	31.519	1.00	25.88	EII	ATOM	2412	CE1	TYR	273	40.073	-23.457	17.188	1.00	13.49	EII
ATOM	2366	O	PRO	267	31.661	-27.637	31.232	1.00	31.93	EII	ATOM	2413	CD2	TYR	273	42.457	-23.948	15.794	1.00	7.38	EII
ATOM	2367	N	GLY	268	33.478	-28.774	30.643	1.00	26.16	EII	ATOM	2414	CE2	TYR	273	41.208	-24.104	15.169	1.00	15.63	EII
ATOM	2369	CA	GLY	268	33.001	-28.926	29.280	1.00	26.52	EII	ATOM	2415	C2	TYR	273	40.029	-23.854	15.862	1.00	18.76	EII
ATOM	2370	C	GLY	268	34.136	-28.626	28.322	1.00	25.80	EII	ATOM	2416	OH	TYR	273	38.829	-24.141	15.237	1.00	21.67	EII
ATOM	2371	O	GLY	268	34.889	-27.684	28.534	1.00	28.52	EII	ATOM	2418	C	TYR	273	45.581	-24.676	19.255	1.00	12.26	EII
ATOM	2372	N	ALA	269	34.249	-29.419	27.266	1.00	24.59	EII	ATOM	2419	O	TYR	273	45.914	-23.813	20.072	1.00	12.15	EII
ATOM	2374	CA	ALA	269	35.335	-29.272	26.316	1.00	22.56	EII	ATOM	2420	N	ILE	274	46.395	-25.659	18.856	1.00	10.71	EII
ATOM	2375	CB	ALA	269	35.093	-30.136	25.142	1.00	21.90	EII	ATOM	2422	CA	ILE	274	47.785	-25.715	19.302	1.00	14.34	EII
ATOM	2376	C	ALA	269	35.577	-27.852	25.864	1.00	20.93	EII	ATOM	2423	CB	ILE	274	48.300	-27.147	19.372	1.00	16.34	EII
ATOM	2377	O	ALA	269	34.644	-27.144	25.506	1.00	20.52	EII	ATOM	2424	CG2	ILE	274	49.833	-27.175	19.539	1.00	10.47	EII
ATOM	2378	N	ILE	270	36.837	-27.434	25.913	1.00	24.01	EII	ATOM	2425	CG1	ILE	274	47.596	-27.896	20.502	1.00	14.42	EII
ATOM	2380	CA	ILE	270	37.250	-26.092	25.496	1.00	21.68	EII	ATOM	2426	CD1	ILE	274	47.918	-29.364	20.493	1.00	20.21	EII
ATOM	2381	CB	ILE	270	38.411	-25.543	26.365	1.00	26.43	EII	ATOM	2427	C	ILE	274	48.692	-24.926	18.374	1.00	16.07	EII
ATOM	2382	CG2	ILE	270	38.658	-24.061	26.051	1.00	22.93	EII	ATOM	2428	O	ILE	274	48.534	-24.975	17.139	1.00	15.86	EII
ATOM	2383	CG1	ILE	270	38.132	-25.749	27.859	1.00	26.81	EII	ATOM	2429	N	PHE	275	49.526	-24.073	18.961	1.00	19.22	EII
ATOM	2384	CD1	ILE	270	39.339	-25.500	28.730	1.00	27.31	EII	ATOM	2431	CA	PHE	275	50.486	-23.308	18.173	1.00	19.15	EII
ATOM	2385	C	ILE	270	37.806	-26.245	24.105	1.00	22.28	EII	ATOM	2432	CB	PHE	275	50.585	-21.874	18.708	1.00	17.86	EII
ATOM	2386	O	ILE	270	38.718	-27.053	23.903	1.00	24.90	EII	ATOM	2433	CG	PHE	275	51.273	-20.935	17.759	1.00	20.77	EII
ATOM	2387	N	GLU	271	37.280	-25.487	23.146	1.00	17.94	EII	ATOM	2434	CD1	PHE	275	50.577	-20.381	16.680	1.00	15.97	EII
ATOM	2389	CA	GLU	271	37.794	-25.571	21.783	1.00	13.91	EII	ATOM	2435	CD2	PHE	275	52.634	-20.654	17.892	1.00	19.50	EII
ATOM	2390	CB	GLU	271	36.929	-24.741	20.839	1.00	10.91	EII	ATOM	2436	CE1	PHE	275	51.216	-19.592	15.768	1.00	17.43	EII
ATOM	2391	CG	GLU	271	37.426	-24.688	19.410	1.00	17.95	EII	ATOM	2437	CE2	PHE	275	53.303	-19.837	16.961	1.00	17.19	EII

SUBSTITUTE SHEET (Rule 26)

- 56 -

ATOM	2438	CZ	PHE	275	52.586	-19.311	15.900	1.00	14.96	EII	ATOM	2485	OE1	GLU	280	54.854	-20.190	13.110	1.00	45.59	EII
ATOM	2439	C	PHE	275	51.876	-23.992	18.235	1.00	19.39	EII	ATOM	2486	OE2	GLU	280	54.662	-19.139	11.218	1.00	36.53	EII
ATOM	2440	O	PHE	275	52.478	-24.049	19.327	1.00	20.17	EII	ATOM	2487	C	GLU	280	60.266	-20.305	11.694	1.00	21.83	EII
ATOM	2441	N	ALA	276	52.367	-24.570	17.121	1.00	17.11	EII	ATOM	2488	O	GLU	280	60.559	-19.484	12.573	1.00	28.08	EII
ATOM	2443	CA	ALA	276	51.830	-24.420	15.751	1.00	16.85	EII	ATOM	2489	N	ASN	281	60.968	-20.474	10.585	1.00	20.82	EII
ATOM	2444	CB	ALA	276	52.344	-23.132	15.064	1.00	8.59	EII	ATOM	2491	CA	ASN	281	62.312	-19.974	10.412	1.00	20.82	EII
ATOM	2445	C	ALA	276	52.267	-25.625	14.947	1.00	14.89	EII	ATOM	2492	CB	ASN	281	63.055	-20.869	9.434	1.00	18.95	EII
ATOM	2446	O	ALA	276	53.049	-26.429	15.428	1.00	20.94	EII	ATOM	2493	CG	ASN	281	62.918	-20.433	7.990	1.00	20.06	EII
ATOM	2447	N	MET	277	51.749	-25.769	13.731	1.00	17.36	EII	ATOM	2494	OD1	ASN	281	61.878	-19.962	7.542	1.00	23.88	EII
ATOM	2449	CA	MET	277	52.118	-26.921	12.908	1.00	18.79	EII	ATOM	2495	ND2	ASN	281	63.997	-20.603	7.250	1.00	22.88	EII
ATOM	2450	CB	MET	277	51.360	-26.930	11.567	1.00	18.48	EII	ATOM	2498	C	ASN	281	62.465	-18.519	10.050	1.00	22.22	EII
ATOM	2451	CG	MET	277	51.486	-28.252	10.762	1.00	13.46	EII	ATOM	2499	O	ASN	281	63.586	-18.031	9.948	1.00	26.05	EII
ATOM	2452	SD	MET	277	50.433	-29.590	11.459	1.00	22.51	EII	ATOM	2500	N	GLN	282	61.353	-17.830	9.843	1.00	22.43	EII
ATOM	2453	CE	MET	277	50.435	-30.850	10.212	1.00	12.51	EII	ATOM	2502	CA	GLN	282	61.407	-16.419	9.538	1.00	23.74	EII
ATOM	2454	C	MET	277	53.637	-27.146	12.706	1.00	17.84	EII	ATOM	2503	CB	GLN	282	60.451	-16.049	8.415	1.00	23.81	EII
ATOM	2455	O	MET	277	54.104	-28.260	12.910	1.00	20.71	EII	ATOM	2504	CG	GLN	282	60.857	-16.572	7.036	1.00	26.46	EII
ATOM	2456	N	PHE	278	54.388	-26.131	12.260	1.00	18.35	EII	ATOM	2505	CD	GLN	282	62.308	-16.302	6.730	1.00	22.42	EII
ATOM	2458	CA	PHE	278	55.842	-26.258	12.029	1.00	18.02	EII	ATOM	2506	OE1	GLN	282	63.142	-17.178	6.904	1.00	23.31	EII
ATOM	2459	CB	PHE	278	56.164	-26.050	10.544	1.00	19.17	EII	ATOM	2507	NE2	GLN	282	62.628	-15.075	6.333	1.00	23.29	EII
ATOM	2460	CG	PHE	278	55.344	-26.881	9.633	1.00	16.58	EII	ATOM	2510	C	GLN	282	61.118	-15.597	10.783	1.00	22.88	EII
ATOM	2461	CD1	PHE	278	54.225	-26.342	9.002	1.00	13.88	EII	ATOM	2511	O	GLN	282	61.000	-14.378	10.693	1.00	27.86	EII
ATOM	2462	CD2	PHE	278	55.671	-28.203	9.401	1.00	10.84	EII	ATOM	2512	N	LYS	283	60.942	-16.263	11.927	1.00	23.57	EII
ATOM	2463	CE1	PHE	278	53.464	-27.123	8.121	1.00	16.99	EII	ATOM	2514	CA	LYS	283	60.707	-15.590	13.216	1.00	24.27	EII
ATOM	2464	CE2	PHE	278	54.919	-28.982	8.524	1.00	10.46	EII	ATOM	2515	CB	LYS	283	59.893	-16.483	14.168	1.00	22.23	EII
ATOM	2465	CZ	PHE	278	53.811	-28.443	7.893	1.00	14.38	EII	ATOM	2516	CG	LYS	283	58.476	-16.740	13.736	1.00	25.06	EII
ATOM	2466	C	PHE	278	56.676	-25.226	12.751	1.00	18.98	EII	ATOM	2517	CD	LYS	283	57.694	-17.369	14.862	1.00	32.66	EII
ATOM	2467	O	PHE	278	56.139	-24.232	13.239	1.00	20.98	EII	ATOM	2518	CE	LYS	283	56.192	-17.403	14.569	1.00	35.09	EII
ATOM	2468	N	ASN	279	57.987	-25.455	12.809	1.00	17.92	EII	ATOM	2519	NZ	LYS	283	55.592	-16.065	14.252	1.00	39.27	EII
ATOM	2470	CA	ASN	279	58.868	-24.463	13.411	1.00	18.94	EII	ATOM	2523	C	LYS	283	62.080	-15.297	13.845	1.00	28.66	EII
ATOM	2471	CB	ASN	279	60.268	-25.037	13.602	1.00	21.05	EII	ATOM	2524	O	LYS	283	63.095	-15.886	13.456	1.00	30.07	EII
ATOM	2472	CG	ASN	279	60.323	-26.072	14.688	1.00	23.04	EII	ATOM	2525	N	ASP	284	62.114	-14.454	14.868	1.00	30.69	EII
ATOM	2473	OD1	ASN	279	59.339	-26.277	15.392	1.00	29.07	EII	ATOM	2527	CA	ASP	284	63.387	-14.109	15.486	1.00	29.50	EII
ATOM	2474	ND2	ASN	279	61.467	-26.737	14.838	1.00	20.54	EII	ATOM	2528	CB	ASP	284	63.227	-12.933	16.452	1.00	31.11	EII
ATOM	2477	C	ASN	279	58.884	-23.381	12.322	1.00	18.54	EII	ATOM	2529	CG	ASP	284	62.990	-11.591	15.740	1.00	30.32	EII
ATOM	2478	O	ASN	279	58.807	-23.728	11.138	1.00	13.56	EII	ATOM	2530	OD1	ASP	284	62.837	-11.522	14.487	1.00	33.95	EII
ATOM	2479	N	GLU	280	58.939	-22.098	12.693	1.00	17.18	EII	ATOM	2531	OD2	ASP	284	62.983	-10.580	16.460	1.00	34.78	EII
ATOM	2481	CA	GLU	280	58.936	-21.030	11.690	1.00	19.40	EII	ATOM	2532	C	ASP	284	63.948	-15.311	16.192	1.00	27.91	EII
ATOM	2482	CB	GLU	280	57.765	-20.076	11.883	1.00	23.55	EII	ATOM	2533	O	ASP	284	63.203	-16.126	16.696	1.00	29.88	EII
ATOM	2483	CG	GLU	280	56.439	-20.685	11.427	1.00	31.12	EII	ATOM	2534	N	SER	285	65.267	-15.419	16.220	1.00	32.57	EII
ATOM	2484	CD	GLU	280	55.243	-19.943	11.955	1.00	34.28	EII	ATOM	2536	CA	SER	285	65.933	-16.548	16.861	1.00	32.63	EII

SUBSTITUTE SHEET (Rule 26)

- 57 -

ATOM	2537	CB	SER	285	67.443	-16.337	16.846	1.00	35.75	EII	ATOM	2587	O	ASN	290	59.022	-24.751	19.412	1.00	19.46	EII
ATOM	2538	OG	SER	285	67.943	-16.344	15.517	1.00	46.94	EII	ATOM	2588	N	TRP	291	58.026	-23.428	17.909	1.00	13.42	EII
ATOM	2540	C	SER	285	65.465	-16.684	18.296	1.00	30.86	EII	ATOM	2590	CA	TRP	291	56.728	-23.788	18.474	1.00	17.70	EII
ATOM	2541	O	SER	285	65.202	-15.667	18.956	1.00	28.94	EII	ATOM	2591	CB	TRP	291	55.728	-22.641	18.367	1.00	11.88	EII
ATOM	2542	N	GLY	286	65.418	-17.921	18.793	1.00	27.04	EII	ATOM	2592	CG	TRP	291	56.088	-21.470	19.169	1.00	15.27	EII
ATOM	2544	CA	GLY	286	64.964	-18.154	20.155	1.00	24.62	EII	ATOM	2593	CD2	TRP	291	55.875	-21.297	20.584	1.00	16.00	EII
ATOM	2545	C	GLY	286	63.863	-19.186	20.152	1.00	23.23	EII	ATOM	2594	CE2	TRP	291	56.444	-20.059	20.945	1.00	16.54	EII
ATOM	2546	O	GLY	286	63.832	-20.024	19.257	1.00	24.80	EII	ATOM	2595	CE3	TRP	291	55.246	-22.068	21.574	1.00	11.36	EII
ATOM	2547	N	VAL	287	62.910	-19.076	21.077	1.00	26.98	EII	ATOM	2596	CD1	TRP	291	56.746	-20.346	18.741	1.00	15.08	EII
ATOM	2549	CA	VAL	287	61.796	-20.030	21.168	1.00	26.29	EII	ATOM	2597	NE1	TRP	291	56.970	-19.498	19.806	1.00	20.11	EII
ATOM	2550	CB	VAL	287	61.037	-19.978	22.548	1.00	27.54	EII	ATOM	2599	CE2	TRP	291	56.406	-19.574	22.264	1.00	19.59	EII
ATOM	2551	CG1	VAL	287	61.996	-20.181	23.662	1.00	29.45	EII	ATOM	2600	CD3	TRP	291	55.203	-21.587	22.867	1.00	12.96	EII
ATOM	2552	CG2	VAL	287	60.301	-18.647	22.757	1.00	27.63	EII	ATOM	2601	CH2	TRP	291	55.779	-20.353	23.206	1.00	16.99	EII
ATOM	2553	C	VAL	287	60.807	-19.807	20.041	1.00	24.73	EII	ATOM	2602	C	TRP	291	56.144	-25.025	17.784	1.00	16.14	EII
ATOM	2554	O	VAL	287	60.141	-20.738	19.621	1.00	30.01	EII	ATOM	2603	O	TRP	291	55.287	-25.704	18.345	1.00	24.25	EII
ATOM	2555	N	GLU	288	60.778	-18.599	19.482	1.00	24.80	EII	ATOM	2604	N	GLY	292	56.642	-25.309	16.583	1.00	18.29	EII
ATOM	2557	CA	GLU	288	59.853	-18.286	18.395	1.00	22.78	EII	ATOM	2606	CA	GLY	292	56.149	-26.393	15.764	1.00	15.77	EII
ATOM	2558	CB	GLU	288	59.972	-16.828	17.970	1.00	21.38	EII	ATOM	2607	C	GLY	292	56.082	-27.800	16.268	1.00	18.12	EII
ATOM	2559	CG	GLU	288	59.518	-15.813	19.020	1.00	29.28	EII	ATOM	2608	O	GLY	292	56.972	-28.285	16.964	1.00	23.80	EII
ATOM	2560	CD	GLU	288	58.041	-15.936	19.376	1.00	34.59	EII	ATOM	2609	N	LEU	293	55.027	-28.482	15.854	1.00	17.04	EII
ATOM	2561	OE1	GLU	288	57.701	-16.451	20.470	1.00	39.23	EII	ATOM	2611	CA	LEU	293	54.854	-29.870	16.209	1.00	19.23	EII
ATOM	2562	OE2	GLU	288	57.206	-15.503	18.565	1.00	39.72	EII	ATOM	2612	CB	LEU	293	53.376	-30.247	16.095	1.00	21.98	EII
ATOM	2563	C	GLU	288	59.994	-19.175	17.177	1.00	21.48	EII	ATOM	2613	CG1	LEU	293	52.440	-29.724	17.194	1.00	23.52	EII
ATOM	2564	O	GLU	288	59.016	-19.435	16.478	1.00	23.71	EII	ATOM	2614	CD1	LEU	293	51.032	-29.490	16.660	1.00	22.68	EII
ATOM	2565	N	GLN	289	61.180	-19.713	16.951	1.00	23.47	EII	ATOM	2615	CD2	LEU	293	52.432	-30.695	18.355	1.00	21.08	EII
ATOM	2567	CA	GLN	289	61.373	-20.549	15.787	1.00	24.53	EII	ATOM	2616	C	LEU	293	55.684	-30.665	15.208	1.00	19.55	EII
ATOM	2568	CB	GLN	289	62.767	-20.325	15.184	1.00	25.15	EII	ATOM	2617	O	LEU	293	56.135	-31.776	15.514	1.00	19.22	EII
ATOM	2569	CG	GLN	289	63.147	-18.898	14.782	1.00	25.07	EII	ATOM	2618	N	PHE	294	55.958	-30.050	14.060	1.00	17.77	EII
ATOM	2570	CD	GLN	289	64.588	-18.841	14.260	1.00	26.63	EII	ATOM	2620	CA	PHE	294	56.702	-30.685	12.953	1.00	22.47	EII
ATOM	2571	OE1	GLN	289	65.243	-19.863	14.165	1.00	32.62	EII	ATOM	2621	CB	PHE	294	55.759	-30.911	11.765	1.00	18.48	EII
ATOM	2572	NE2	GLN	289	65.071	-17.668	13.915	1.00	28.67	EII	ATOM	2622	CG	PHE	294	54.713	-31.982	11.989	1.00	18.46	EII
ATOM	2575	C	GLN	289	61.224	-22.014	16.180	1.00	23.23	EII	ATOM	2623	CD1	PHE	294	53.422	-31.646	12.351	1.00	19.05	EII
ATOM	2576	O	GLN	289	61.538	-22.897	15.368	1.00	21.52	EII	ATOM	2624	CD2	PHE	294	55.032	-33.341	11.847	1.00	15.00	EII
ATOM	2577	N	ASN	290	60.623	-22.266	17.350	1.00	20.60	EII	ATOM	2625	CE1	PHE	294	52.428	-32.654	12.566	1.00	16.39	EII
ATOM	2579	CA	ASN	290	60.476	-23.626	17.862	1.00	16.82	EII	ATOM	2626	CE2	PHE	294	54.062	-34.316	12.055	1.00	17.14	EII
ATOM	2580	CB	ASN	290	61.529	-23.886	18.938	1.00	17.54	EII	ATOM	2627	CX	PHE	294	52.757	-33.987	12.428	1.00	13.90	EII
ATOM	2581	CG	ASN	290	62.933	-23.811	18.418	1.00	18.87	EII	ATOM	2628	C	PHE	294	57.880	-29.826	12.479	1.00	23.58	EII
ATOM	2582	OD1	ASN	290	63.389	-24.697	17.705	1.00	21.61	EII	ATOM	2629	O	PHE	294	57.920	-28.605	12.662	1.00	26.52	EII
ATOM	2583	ND2	ASN	290	63.650	-22.783	18.813	1.00	16.02	EII	ATOM	2630	N	TYR	295	58.808	-30.486	11.794	1.00	21.48	EII
ATOM	2586	C	ASN	290	59.106	-23.977	18.448	1.00	19.02	EII	ATOM	2632	CA	TYR	295	59.919	-29.792	11.183	1.00	16.43	EII

SUBSTITUTE SHEET (Rule 26)

ATOM	2633	CB	TYR	295	61.122	-30.710	11.160	1.00	8.79	ATOM	2681	C	GLN	299	58.575	-34.468	11.950	1.00	26.54	EII
ATOM	2634	CG	TYR	295	61.874	-30.790	12.473	1.00	11.30	ATOM	2682	O	GLN	299	58.591	-33.237	12.071	1.00	28.35	EII
ATOM	2635	CD1	TYR	295	61.979	-31.993	13.176	1.00	13.07	ATOM	2683	N	HIS	300	57.974	-35.256	12.882	1.00	25.14	EII
ATOM	2636	CE1	TYR	295	62.657	-32.059	14.383	1.00	11.61	ATOM	2685	CA	HIS	300	57.460	-34.738	14.116	1.00	24.87	EII
ATOM	2637	CD2	TYR	295	62.474	-29.657	13.005	1.00	12.19	ATOM	2686	CB	HIS	300	56.781	-35.834	14.942	1.00	25.81	EII
ATOM	2638	CE2	TYR	295	63.149	-29.703	14.210	1.00	16.16	ATOM	2687	CG	HIS	300	55.518	-36.374	14.346	1.00	29.78	EII
ATOM	2639	CZ	TYR	295	63.235	-30.907	14.905	1.00	15.71	ATOM	2688	CD2	HIS	300	55.301	-37.126	13.239	1.00	30.17	EII
ATOM	2640	OH	TYR	295	63.868	-30.915	16.148	1.00	22.72	ATOM	2689	ND1	HIS	300	54.283	-36.191	14.929	1.00	31.83	EII
ATOM	2642	C	TYR	295	59.396	-29.554	9.756	1.00	21.35	ATOM	2691	CE1	HIS	300	53.359	-36.808	14.212	1.00	29.54	EII
ATOM	2643	O	TYR	295	58.497	-30.277	9.271	1.00	24.38	ATOM	2692	NE2	HIS	300	53.952	-37.379	13.179	1.00	27.07	EII
ATOM	2644	N	PRO	296	59.951	-28.573	9.042	1.00	21.59	ATOM	2694	C	HIS	300	58.675	-34.304	14.923	1.00	24.50	EII
ATOM	2645	CD	PRO	296	60.878	-27.503	9.444	1.00	22.13	ATOM	2695	O	HIS	300	59.747	-34.871	14.776	1.00	27.16	EII
ATOM	2646	CB	PRO	296	59.554	-28.427	7.639	1.00	21.35	ATOM	2696	N	VAL	301	58.530	-33.265	15.733	1.00	22.87	EII
ATOM	2647	CB	PRO	296	60.505	-27.361	7.135	1.00	19.29	ATOM	2698	CA	VAL	301	59.638	-32.831	16.580	1.00	20.60	EII
ATOM	2648	CG	PRO	296	60.659	-26.484	8.360	1.00	20.28	ATOM	2699	CB	VAL	301	59.457	-31.370	17.044	1.00	20.09	EII
ATOM	2649	C	PRO	296	59.710	-29.745	6.877	1.00	23.89	ATOM	2700	CG1	VAL	301	60.656	-30.933	17.892	1.00	19.51	EII
ATOM	2650	O	PRO	296	58.860	-30.106	6.050	1.00	23.22	ATOM	2701	CG2	VAL	301	59.255	-30.453	15.852	1.00	16.16	EII
ATOM	2651	N	ASN	297	60.746	-30.510	7.225	1.00	25.10	ATOM	2702	C	VAL	301	59.597	-33.755	17.805	1.00	20.40	EII
ATOM	2653	CA	ASN	297	60.999	-31.781	6.555	1.00	26.66	ATOM	2703	O	VAL	301	60.598	-33.973	18.478	1.00	23.74	EII
ATOM	2654	CB	ASN	297	62.352	-32.367	6.975	1.00	27.53	ATOM	2704	N	TYR	302	58.398	-34.235	18.115	1.00	20.65	EII
ATOM	2655	CG	ASN	297	62.370	-32.836	8.405	1.00	27.50	ATOM	2706	CA	TYR	302	58.150	-35.149	19.217	1.00	18.27	EII
ATOM	2656	OD1	ASN	297	61.335	-33.079	9.012	1.00	30.54	ATOM	2707	CB	TYR	302	58.101	-34.406	20.557	1.00	15.84	EII
ATOM	2657	ND2	ASN	297	63.555	-32.972	8.955	1.00	33.80	ATOM	2708	CG	TYR	302	57.307	-33.137	20.538	1.00	11.58	EII
ATOM	2660	C	ASN	297	59.876	-32.782	6.798	1.00	25.34	ATOM	2709	CD1	TYR	302	55.918	-33.157	20.626	1.00	11.98	EII
ATOM	2661	O	ASN	297	59.967	-33.936	6.372	1.00	26.26	ATOM	2710	CE1	TYR	302	55.181	-31.997	20.536	1.00	11.91	EII
ATOM	2662	N	MET	298	58.831	-32.329	7.491	1.00	22.48	ATOM	2711	CD2	TYR	302	57.940	-31.915	20.368	1.00	10.72	EII
ATOM	2664	CA	MET	298	57.664	-33.126	7.789	1.00	19.03	ATOM	2712	CE2	TYR	302	57.213	-30.750	20.280	1.00	15.77	EII
ATOM	2665	CB	MET	298	57.178	-33.790	6.517	1.00	22.91	ATOM	2713	CZ	TYR	302	55.833	-30.797	20.362	1.00	12.88	EII
ATOM	2666	CG	MET	298	56.694	-32.792	5.477	1.00	23.01	ATOM	2714	OH	TYR	302	55.104	-29.637	20.242	1.00	14.19	EII
ATOM	2667	SD	MET	298	55.596	-33.566	4.304	1.00	27.29	ATOM	2716	C	TYR	302	56.797	-35.791	18.909	1.00	21.79	EII
ATOM	2668	CE	MET	298	56.662	-34.944	3.837	1.00	27.69	ATOM	2717	O	TYR	302	55.975	-35.219	18.175	1.00	24.98	EII
ATOM	2669	C	MET	298	57.761	-34.124	8.948	1.00	21.99	ATOM	2718	N	PRO	303	56.558	-37.002	19.428	1.00	20.23	EII
ATOM	2670	O	MET	298	56.759	-34.740	9.329	1.00	17.86	ATOM	2719	CD	PRO	303	57.528	-37.769	20.221	1.00	12.90	EII
ATOM	2671	N	GLN	299	58.955	-34.272	9.516	1.00	20.99	ATOM	2720	CA	PRO	303	55.344	-37.789	19.144	1.00	18.35	EII
ATOM	2673	CA	GLN	299	59.152	-35.140	10.674	1.00	27.28	ATOM	2721	CB	PRO	303	55.693	-39.163	19.703	1.00	16.34	EII
ATOM	2674	CB	GLN	299	60.644	-35.369	10.908	1.00	32.90	ATOM	2722	CB	PRO	303	57.209	-39.159	19.806	1.00	20.09	EII
ATOM	2675	CG	GLN	299	61.325	-36.357	9.989	1.00	44.84	ATOM	2723	C	PRO	303	54.125	-37.229	19.864	1.00	16.20	EII
ATOM	2676	CD	GLN	299	62.784	-36.586	10.376	1.00	54.13	ATOM	2724	O	PRO	303	54.164	-36.989	21.062	1.00	21.64	EII
ATOM	2677	OD1	GLN	299	63.147	-36.552	11.565	1.00	58.53	ATOM	2725	N	ILE	304	52.999	-37.144	19.173	1.00	20.01	EII
ATOM	2678	NE2	GLN	299	63.631	-36.824	9.372	1.00	56.78	ATOM	2727	CA	ILE	304	51.780	-36.588	19.770	1.00	22.24	EII

SUBSTITUTE SHEET (Rule 26)

ATOM	2728	CB	ILE	304	51.580	-35.087	19.377	1.00	20.79	EII	ATOM	2800	OH2	H2O	W17	36.687	-1.124	18.709	1.00	23.14	SOLV
ATOM	2729	CG2	ILE	304	50.234	-34.589	19.857	1.00	17.14	EII	ATOM	2803	OH2	H2O	W19	37.024	-27.451	9.776	1.00	26.52	SOLV
ATOM	2730	CG1	ILE	304	52.685	-34.222	19.998	1.00	23.16	EII	ATOM	2806	OH2	H2O	W20	51.321	-16.872	9.284	1.00	15.66	SOLV
ATOM	2731	CD1	ILE	304	52.488	-33.919	21.496	1.00	20.18	EII	ATOM	2809	OH2	H2O	W21	28.572	-5.002	6.276	1.00	38.23	SOLV
ATOM	2732	C	ILE	304	50.576	-37.380	19.304	1.00	22.63	EII	ATOM	2812	OH2	H2O	W22	62.726	-27.506	17.428	1.00	28.36	SOLV
ATOM	2733	O	ILE	304	50.575	-37.884	18.197	1.00	28.17	EII	ATOM	2815	OH2	H2O	W23	45.305	-9.050	23.051	1.00	16.57	SOLV
ATOM	2734	N	ASN	305	49.551	-37.488	20.136	1.00	25.63	EII	ATOM	2818	OH2	H2O	W24	44.058	-13.542	13.041	1.00	51.05	SOLV
ATOM	2736	CA	ASN	305	48.365	-38.229	19.756	1.00	26.31	EII	ATOM	2821	OH2	H2O	W25	43.121	-33.812	33.358	1.00	35.56	SOLV
ATOM	2737	CB	ASN	305	48.133	-39.348	20.759	1.00	31.68	EII	ATOM	2824	OH2	H2O	W26	48.073	-18.604	-2.179	1.00	19.03	SOLV
ATOM	2738	CG	ASN	305	49.246	-40.406	20.731	1.00	37.77	EII	ATOM	2827	OH2	H2O	W29	53.437	-23.318	11.551	1.00	25.64	SOLV
ATOM	2739	OD1	ASN	305	49.471	-41.079	19.718	1.00	40.26	EII	ATOM	2830	OH2	H2O	W30	35.193	-29.369	4.177	1.00	30.72	SOLV
ATOM	2740	ND2	ASN	305	49.952	-40.543	21.842	1.00	40.67	EII	ATOM	2833	OH2	H2O	W31	42.746	-27.358	37.942	1.00	31.07	SOLV
ATOM	2743	C	ASN	305	47.255	-37.211	19.790	1.00	28.02	EII	ATOM	2836	OH2	H2O	W32	63.143	-26.515	12.529	1.00	27.73	SOLV
ATOM	2744	O	ASN	305	46.913	-36.720	20.861	1.00	27.96	EII	ATOM	2839	OH2	H2O	W33	29.882	-10.584	0.430	1.00	28.14	SOLV
ATOM	2745	N	PHE	306	46.739	-36.839	18.621	1.00	27.61	EII	ATOM	2842	OH2	H2O	W41	52.751	-34.739	39.272	1.00	39.39	SOLV
ATOM	2747	CA	PHE	306	45.687	-35.827	18.547	1.00	28.89	EII	ATOM	2845	OH2	H2O	W42	48.255	-18.972	39.703	1.00	39.53	SOLV
ATOM	2748	CB	PHE	306	45.694	-35.115	17.192	1.00	27.57	EII	ATOM	2848	OH2	H2O	W43	48.309	-16.144	3.115	1.00	30.24	SOLV
ATOM	2749	CG	PHE	306	47.004	-34.493	16.856	1.00	25.08	EII	ATOM	2851	OH2	H2O	W44	35.695	-24.236	-2.117	1.00	34.21	SOLV
ATOM	2750	CD1	PHE	306	47.998	-35.234	16.219	1.00	25.71	EII	ATOM	2854	OH2	H2O	W45	63.172	-33.514	17.460	1.00	42.14	SOLV
ATOM	2751	CD2	PHE	306	47.273	-33.185	17.207	1.00	24.37	EII	ATOM	2857	OH2	H2O	W46	50.807	-22.688	0.238	1.00	45.99	SOLV
ATOM	2752	CE1	PHE	306	49.250	-34.664	15.935	1.00	25.53	EII	ATOM	2860	OH2	H2O	W47	53.117	-17.116	12.268	1.00	38.39	SOLV
ATOM	2753	CE2	PHE	306	48.517	-32.620	16.921	1.00	26.60	EII	ATOM	2863	OH2	H2O	W48	65.518	-28.728	20.550	1.00	44.39	SOLV
ATOM	2754	CZ	PHE	306	49.501	-33.362	16.289	1.00	22.64	EII	ATOM	2866	OH2	H2O	W49	46.316	-2.083	24.516	1.00	24.17	SOLV
ATOM	2755	C	PHE	306	44.315	-36.384	18.829	1.00	32.96	EII	ATOM	2869	OH2	H2O	W50	31.589	-15.107	33.011	1.00	78.98	SOLV
ATOM	2756	OT1	PHE	306	44.212	-37.627	18.997	1.00	37.80	EII	ATOM	2872	OH2	H2O	W51	60.874	-23.558	9.170	1.00	52.60	SOLV
ATOM	2757	OT2	PHE	306	43.378	-35.553	18.931	1.00	33.47	EII	ATOM	2875	OH2	H2O	W52	20.592	-10.358	1.788	1.00	43.28	SOLV
ATOM	2758	OH2	H2O	W1	35.213	-23.276	23.978	1.00	9.40	SOLV	ATOM	2878	OH2	H2O	W53	34.113	0.226	31.484	1.00	38.34	SOLV
ATOM	2761	OH2	H2O	W2	52.348	-23.134	27.668	1.00	11.85	SOLV	ATOM	2881	OH2	H2O	W54	37.244	-31.752	11.259	1.00	40.52	SOLV
ATOM	2764	OH2	H2O	W3	31.999	-2.015	30.198	1.00	11.51	SOLV	ATOM	2884	OH2	H2O	W55	45.548	-32.881	32.807	1.00	35.29	SOLV
ATOM	2767	OH2	H2O	W4	53.979	-26.111	20.763	1.00	18.36	SOLV	ATOM	2887	OH2	H2O	W56	67.202	-24.793	26.105	1.00	35.32	SOLV
ATOM	2770	OH2	H2O	W5	54.297	-33.977	16.661	1.00	21.88	SOLV	ATOM	2890	OH2	H2O	W57	63.707	-31.842	29.284	1.00	44.68	SOLV
ATOM	2773	OH2	H2O	W6	42.427	-8.747	19.160	1.00	16.75	SOLV	ATOM	2893	OH2	H2O	W58	48.845	-26.325	-2.284	1.00	39.74	SOLV
ATOM	2776	OH2	H2O	W7	52.721	-24.499	3.525	1.00	15.03	SOLV	ATOM	2896	OH2	H2O	W59	51.153	-24.567	-2.863	1.00	36.71	SOLV
ATOM	2779	OH2	H2O	W8	48.199	-18.524	8.785	1.00	16.17	SOLV	END										
ATOM	2782	OH2	H2O	W9	43.131	-16.283	13.064	1.00	20.46	SOLV											
ATOM	2785	OH2	H2O	W10	56.750	-27.463	20.505	1.00	18.97	SOLV											
ATOM	2788	OH2	H2O	W11	48.688	-18.900	31.371	1.00	28.20	SOLV											
ATOM	2791	OH2	H2O	W12	57.818	-21.830	15.286	1.00	32.08	SOLV											
ATOM	2794	OH2	H2O	W13	29.587	-16.986	23.413	1.00	29.05	SOLV											
ATOM	2797	OH2	H2O	W14	48.883	-25.876	32.267	1.00	24.90	SOLV											
ATOM	2799	OH2	H2O	W15																	
ATOM	2797	OH2	H2O	W16																	

SUBSTITUTE SHEET (Rule 26)

- 60 -

Atomic coordinates of G2 glucanase of barley obtained by X-ray diffractio									
ATOM									
1	CB	ILE	1	51.578	8.909	77.695	1.00	16.56	A
ATOM									
2	CG2	ILE	1	50.410	8.910	78.730	1.00	16.49	A
ATOM									
3	CG1	ILE	1	52.905	8.620	78.393	1.00	15.49	A
ATOM									
4	CD1	ILE	1	53.278	9.654	79.407	1.00	13.05	A
ATOM									
5	C	ILE	1	50.649	6.582	77.033	1.00	17.29	A
ATOM									
6	O	ILE	1	49.462	6.340	76.721	1.00	18.27	A
ATOM									
9	N	ILE	1	50.469	8.473	75.492	1.00	16.51	A
ATOM									
11	CA	ILE	1	51.331	7.873	76.528	1.00	16.50	A
ATOM									
12	N	GLY	2	51.410	5.737	77.754	1.00	16.14	A
ATOM									
14	CA	GLY	2	50.856	4.516	78.294	1.00	13.73	A
ATOM									
15	C	GLY	2	50.635	4.554	79.807	1.00	12.54	A
ATOM									
16	O	GLY	2	51.163	5.435	80.495	1.00	11.85	A
ATOM									
17	N	VAL	3	49.737	3.708	80.301	1.00	9.94	A
ATOM									
19	CA	VAL	3	49.537	3.626	81.712	1.00	9.46	A
ATOM									
20	CB	VAL	3	48.255	4.306	82.205	1.00	9.04	A
ATOM									
21	CG1	VAL	3	48.156	4.138	83.734	1.00	8.77	A
ATOM									
22	CG2	VAL	3	48.249	5.804	81.855	1.00	9.82	A
ATOM									
23	C	VAL	3	49.552	2.155	82.121	1.00	10.25	A
ATOM									
24	O	VAL	3	48.923	1.318	81.473	1.00	9.94	A
ATOM									
25	N	CYS	4	50.371	1.846	83.135	1.00	10.92	A
ATOM									
27	CA	CYS	4	50.497	0.498	83.707	1.00	11.09	A
ATOM									
28	CB	CYS	4	51.614	0.456	84.734	1.00	11.48	A
ATOM									
29	SG	CYS	4	53.247	0.787	84.048	1.00	11.26	A
ATOM									
30	C	CYS	4	49.200	0.153	84.403	1.00	11.56	A
ATOM									
31	O	CYS	4	48.630	0.984	85.149	1.00	12.68	A
ATOM									
32	N	TYR	5	48.750	-1.075	84.198	1.00	10.94	A
ATOM									
34	CA	TYR	5	47.498	-1.540	84.775	1.00	11.62	A
ATOM									
35	CB	TYR	5	46.548	-1.911	83.627	1.00	12.71	A
ATOM									
36	CG	TYR	5	45.272	-2.642	84.011	1.00	15.01	A
ATOM									
37	CD1	TYR	5	44.737	-3.624	83.144	1.00	16.07	A
ATOM									
38	CE1	TYR	5	43.552	-4.309	83.440	1.00	15.82	A
ATOM									
39	CD2	TYR	5	44.581	-2.359	85.201	1.00	14.41	A
ATOM									
40	CE2	TYR	5	43.365	-3.053	85.599	1.00	15.07	A
ATOM									
41	CZ	TYR	5	42.878	-4.022	84.604	1.00	14.94	A
ATOM									
42	OH	TYR	5	41.719	-4.703	84.814	1.00	15.95	A
ATOM									
44	C	TYR	5	47.686	-2.705	85.777	1.00	10.98	A
ATOM									
45	O	TYR	5	47.864	-3.848	85.391	1.00	10.71	A
ATOM									
46	N	GLY	6	47.674	-2.362	87.061	1.00	11.29	A
ATOM									
48	CA	GLY	6	47.809	-3.326	88.134	1.00	10.57	A
ATOM									
49	C	GLY	6	46.457	-3.626	88.771	1.00	12.01	A
ATOM									
50	O	GLY	6	45.613	-2.715	88.989	1.00	10.86	A
ATOM									
51	N	VAL	7	46.309	-4.883	89.177	1.00	11.90	A
ATOM									
53	CA	VAL	7	45.069	-5.370	89.755	1.00	12.97	A
ATOM									
54	CB	VAL	7	44.466	-6.472	88.842	1.00	12.49	A
ATOM									
55	CG1	VAL	7	44.203	-5.906	87.463	1.00	12.11	A
ATOM									
56	CG2	VAL	7	45.444	-7.617	88.679	1.00	12.26	A
ATOM									
57	C	VAL	7	45.215	-5.894	91.177	1.00	14.30	A
ATOM									
58	O	VAL	7	44.478	-6.782	91.590	1.00	15.68	A
ATOM									
59	N	ILE	8	46.153	-5.342	91.939	1.00	15.50	A
ATOM									
61	CA	ILE	8	46.344	-5.773	93.332	1.00	16.50	A
ATOM									
62	CB	ILE	8	47.790	-5.689	93.764	1.00	15.61	A
ATOM									
63	CG2	ILE	8	47.954	-6.353	95.113	1.00	15.89	A
ATOM									
64	CG1	ILE	8	48.635	-6.437	92.778	1.00	15.96	A
ATOM									
65	CD1	ILE	8	48.147	-7.869	92.613	1.00	16.45	A
ATOM									
66	C	ILE	8	45.507	-4.973	94.331	1.00	17.23	A
ATOM									
67	O	ILE	8	46.032	-4.214	95.135	1.00	15.90	A
ATOM									
68	N	GLY	9	44.200	-5.146	94.238	1.00	18.04	A
ATOM									
70	CA	GLY	9	43.278	-4.467	95.118	1.00	20.11	A
ATOM									
71	C	GLY	9	41.954	-5.217	95.086	1.00	21.24	A
ATOM									
72	O	GLY	9	41.740	-6.024	94.197	1.00	20.73	A
ATOM									
73	N	ASN	10	41.050	-4.954	96.025	1.00	22.70	A
ATOM									
75	CA	ASN	10	39.766	-5.663	96.019	1.00	23.03	A
ATOM									
76	CB	ASN	10	39.449	-6.149	97.412	1.00	22.61	A
ATOM									
77	CG	ASN	10	39.541	-5.049	98.410	1.00	22.14	A
ATOM									
78	OD1	ASN	10	39.067	-3.935	98.186	1.00	21.35	A
ATOM									
79	ND2	ASN	10	40.198	-5.327	99.505	1.00	22.67	A
ATOM									
82	C	ASN	10	38.565	-4.844	95.541	1.00	23.43	A
ATOM									
83	O	ASN	10	37.420	-5.303	95.684	1.00	25.15	A
ATOM									
84	N	ASN	11	38.795	-3.709	94.892	1.00	22.65	A
ATOM									
86	CA	ASN	11	37.687	-2.862	94.493	1.00	22.07	A
ATOM									
87	CB	ASN	11	37.520	-1.833	95.605	1.00	23.54	A
ATOM									
88	CG	ASN	11	38.862	-1.284	96.099	1.00	24.72	A
ATOM									
89	OD1	ASN	11	39.840	-1.220	95.358	1.00	23.97	A
ATOM									
90	ND2	ASN	11	38.918	-0.928	97.369	1.00	25.96	A
ATOM									
93	C	ASN	11	37.841	-2.150	93.142	1.00	22.10	A
ATOM									
94	O	ASN	11	37.249	-1.076	92.920	1.00	21.25	A
ATOM									
95	N	LEU	12	38.651	-2.747	92.261	1.00	21.24	A
ATOM									
97	CA	LEU	12	38.947	-2.210	90.926	1.00	19.85	A
ATOM									

SUBSTITUTE SHEET (Rule 26)

ATOM	98	CB	LEU	12	40.297	-2.774	90.464	1.00	20.16	A	ATOM	149	OD1	ASP	17	32.773	-1.321	82.904	1.00	24.69	A
ATOM	99	CG	LEU	12	41.536	-2.521	91.317	1.00	19.85	A	ATOM	150	OD2	ASP	17	33.164	-1.323	85.093	1.00	24.31	A
ATOM	100	CD1	LEU	12	42.809	-2.873	90.585	1.00	20.05	A	ATOM	151	O	ASP	17	36.679	-0.458	81.970	1.00	17.14	A
ATOM	101	CD2	LEU	12	41.565	-1.073	91.630	1.00	22.30	A	ATOM	152	C	ASP	17	36.734	0.719	81.617	1.00	16.95	A
ATOM	102	C	LEU	12	37.836	-2.527	89.885	1.00	18.22	A	ATOM	153	N	VAL	18	37.743	-1.178	82.280	1.00	15.64	A
ATOM	103	O	LEU	12	37.032	-3.443	90.090	1.00	17.41	A	ATOM	155	CA	VAL	18	39.066	-0.604	82.267	1.00	14.12	A
ATOM	104	N	PRO	13	37.774	-1.777	88.761	1.00	17.48	A	ATOM	156	CB	VAL	18	40.128	-1.579	82.907	1.00	12.15	A
ATOM	105	CD	PRO	13	38.471	-0.539	88.386	1.00	16.44	A	ATOM	157	CG1	VAL	18	41.525	-0.932	82.914	1.00	10.23	A
ATOM	106	CA	PRO	13	36.722	-2.070	87.776	1.00	17.64	A	ATOM	158	CG2	VAL	18	39.740	-1.940	84.312	1.00	10.95	A
ATOM	107	CB	PRO	13	36.790	-0.854	86.829	1.00	16.12	A	ATOM	159	C	VAL	18	39.482	-0.153	80.883	1.00	13.92	A
ATOM	108	CG	PRO	13	37.387	0.189	87.628	1.00	15.33	A	ATOM	160	O	VAL	18	39.987	0.962	80.712	1.00	14.22	A
ATOM	109	C	PRO	13	36.910	-3.382	86.984	1.00	17.42	A	ATOM	161	N	VAL	19	39.309	-1.029	79.902	1.00	13.98	A
ATOM	110	O	PRO	13	37.932	-4.059	87.102	1.00	18.14	A	ATOM	163	CA	VAL	19	39.687	-0.718	78.519	1.00	13.53	A
ATOM	111	N	SER	14	35.894	-3.760	86.220	1.00	17.79	A	ATOM	164	CB	VAL	19	39.411	-1.929	77.599	1.00	12.04	A
ATOM	113	CA	SER	14	35.981	-4.941	85.351	1.00	18.05	A	ATOM	165	CG1	VAL	19	39.684	-1.558	76.162	1.00	10.81	A
ATOM	114	CB	SER	14	34.622	-5.220	84.685	1.00	18.49	A	ATOM	166	CG2	VAL	19	40.274	-3.108	78.024	1.00	10.15	A
ATOM	115	CG	SER	14	34.341	-4.267	83.651	1.00	18.23	A	ATOM	167	C	VAL	19	38.947	0.515	77.994	1.00	14.24	A
ATOM	117	C	SER	14	36.993	-4.614	84.225	1.00	17.66	A	ATOM	168	O	VAL	19	39.519	1.349	77.274	1.00	12.95	A
ATOM	118	O	SER	14	37.093	-3.463	83.784	1.00	17.62	A	ATOM	169	N	GLN	20	37.678	0.621	78.393	1.00	16.41	A
ATOM	119	N	ARG	15	37.682	-5.621	83.713	1.00	17.19	A	ATOM	171	CA	GLN	20	36.800	1.725	77.992	1.00	18.53	A
ATOM	121	CA	ARG	15	38.641	-5.384	82.634	1.00	17.37	A	ATOM	172	CB	GLN	20	35.338	1.455	78.416	1.00	21.50	A
ATOM	122	CB	ARG	15	39.191	-6.692	82.038	1.00	16.22	A	ATOM	173	CG	GLN	20	34.377	2.624	78.120	1.00	26.46	A
ATOM	123	CG	ARG	15	40.357	-7.321	82.781	1.00	14.23	A	ATOM	174	CD	GLN	20	33.021	2.174	77.563	1.00	29.99	A
ATOM	124	CD	ARG	15	39.992	-7.675	84.195	1.00	13.11	A	ATOM	175	OE1	GLN	20	32.165	1.659	78.305	1.00	31.63	A
ATOM	125	NE	ARG	15	41.100	-8.345	84.851	1.00	12.63	A	ATOM	176	NE2	GLN	20	32.808	2.384	76.247	1.00	31.45	A
ATOM	127	CZ	ARG	15	41.094	-8.674	86.124	1.00	11.48	A	ATOM	179	C	GLN	20	37.277	3.059	78.548	1.00	17.64	A
ATOM	128	NH1	ARG	15	40.043	-8.390	86.855	1.00	12.49	A	ATOM	180	O	GLN	20	37.286	4.067	77.822	1.00	18.69	A
ATOM	131	NH2	ARG	15	42.120	-9.298	86.667	1.00	13.12	A	ATOM	181	N	LEU	21	37.694	3.047	79.809	1.00	16.17	A
ATOM	134	C	ARG	15	38.044	-4.585	81.508	1.00	17.82	A	ATOM	183	CA	LEU	21	38.195	4.222	80.467	1.00	15.58	A
ATOM	135	O	ARG	15	38.643	-3.620	81.057	1.00	19.69	A	ATOM	184	CB	LEU	21	38.633	3.902	81.880	1.00	16.49	A
ATOM	136	N	SER	16	36.863	-4.960	81.055	1.00	17.97	A	ATOM	185	CG	LEU	21	38.232	4.891	82.988	1.00	17.74	A
ATOM	138	CA	SER	16	36.273	-4.227	79.947	1.00	19.69	A	ATOM	186	CD1	LEU	21	39.249	4.773	84.121	1.00	16.51	A
ATOM	139	CB	SER	16	35.120	-5.013	79.267	1.00	20.87	A	ATOM	187	CD2	LEU	21	38.171	6.355	82.451	1.00	17.00	A
ATOM	140	OG	SER	16	34.157	-5.465	80.191	1.00	24.18	A	ATOM	188	C	LEU	21	39.409	4.688	79.716	1.00	16.21	A
ATOM	142	C	SER	16	35.924	-2.782	80.327	1.00	19.03	A	ATOM	189	O	LEU	21	39.581	5.886	79.514	1.00	17.53	A
ATOM	143	O	SER	16	36.019	-1.872	79.480	1.00	19.21	A	ATOM	190	N	TYR	22	40.274	3.745	79.358	1.00	16.08	A
ATOM	144	N	ASP	17	35.614	-2.559	81.607	1.00	18.59	A	ATOM	192	CA	TYR	22	41.505	4.011	78.611	1.00	16.42	A
ATOM	146	CA	ASP	17	35.361	-1.201	82.099	1.00	18.70	A	ATOM	193	CB	TYR	22	42.239	2.689	78.290	1.00	15.56	A
ATOM	147	CB	ASP	17	35.027	-1.193	83.604	1.00	21.06	A	ATOM	194	CG	TYR	22	43.317	2.301	79.268	1.00	14.05	A
ATOM	148	CG	ASP	17	33.545	-1.278	83.888	1.00	22.89	A	ATOM	195	CD1	TYR	22	42.998	1.662	80.481	1.00	13.71	A

SUBSTITUTE SHEET (Rule 26)

ATOM	196	CE1 TYR	22	43.991	1.321	81.403	1.00	12.32	A	ATOM	251	CG2 ILE	27	46.708	5.025	78.269	1.00	17.20	A
ATOM	197	CD2 TYR	22	44.657	2.585	79.003	1.00	13.29	A	ATOM	252	CG1 ILE	27	45.273	6.972	79.051	1.00	18.35	A
ATOM	198	CE2 TYR	22	45.666	2.243	79.937	1.00	13.81	A	ATOM	253	CD1 ILE	27	44.470	6.601	80.314	1.00	20.24	A
ATOM	199	CZ TYR	22	45.312	1.616	81.126	1.00	12.31	A	ATOM	254	C ILE	27	45.818	5.417	75.556	1.00	18.32	A
ATOM	200	OH TYR	22	46.272	1.306	82.038	1.00	12.46	A	ATOM	255	O ILE	27	44.970	4.558	75.332	1.00	18.04	A
ATOM	202	C TYR	22	41.223	4.723	77.301	1.00	17.15	A	ATOM	256	N ASN	28	47.016	5.416	74.976	1.00	17.72	A
ATOM	203	O TYR	22	41.824	5.754	76.981	1.00	17.02	A	ATOM	258	CA ASN	28	47.329	4.453	73.933	1.00	18.20	A
ATOM	204	N ARG	23	40.333	4.130	76.518	1.00	18.83	A	ATOM	259	CB ASN	28	47.815	5.191	72.706	1.00	21.29	A
ATOM	206	CA ARG	23	39.977	4.700	75.237	1.00	20.20	A	ATOM	260	CG ASN	28	49.026	6.005	73.002	1.00	24.56	A
ATOM	207	CB ARG	23	39.117	3.727	74.472	1.00	21.94	A	ATOM	261	OD1 ASN	28	49.139	6.598	74.080	1.00	27.22	A
ATOM	208	CG ARG	23	39.631	2.315	74.566	1.00	26.13	A	ATOM	262	ND2 ASN	28	49.980	5.985	72.102	1.00	26.59	A
ATOM	209	CD ARG	23	39.057	1.426	73.512	1.00	28.85	A	ATOM	265	C ASN	28	48.328	3.366	74.278	1.00	17.33	A
ATOM	210	NE ARG	23	39.432	1.916	72.186	1.00	32.06	A	ATOM	266	O ASN	28	48.867	2.720	73.381	1.00	16.67	A
ATOM	212	CZ ARG	23	38.570	2.155	71.197	1.00	33.01	A	ATOM	267	N GLY	29	48.560	3.128	75.560	1.00	15.40	A
ATOM	213	NH1 ARG	23	37.267	1.944	71.367	1.00	32.53	A	ATOM	269	CA GLY	29	49.503	2.104	75.900	1.00	13.65	A
ATOM	216	NH2 ARG	23	39.021	2.631	70.041	1.00	34.18	A	ATOM	270	C GLY	29	49.140	1.506	77.221	1.00	13.40	A
ATOM	219	C ARG	23	39.275	6.042	75.433	1.00	20.89	A	ATOM	271	O GLY	29	48.693	2.218	78.115	1.00	14.65	A
ATOM	220	O ARG	23	39.454	6.941	74.642	1.00	20.76	A	ATOM	272	N MET	30	49.350	0.211	77.375	1.00	11.87	A
ATOM	221	N SER	24	38.524	6.207	76.514	1.00	21.98	A	ATOM	274	CA MET	30	49.028	-0.453	78.634	1.00	10.20	A
ATOM	223	CA SER	24	37.872	7.497	76.763	1.00	23.68	A	ATOM	275	CB MET	30	47.722	-1.236	78.500	1.00	8.31	A
ATOM	224	CB SER	24	36.960	7.403	77.970	1.00	24.17	A	ATOM	276	CG MET	30	47.260	-1.914	79.788	1.00	8.50	A
ATOM	225	OG SER	24	35.955	6.445	77.687	1.00	28.90	A	ATOM	277	SD MET	30	45.730	-2.867	79.651	1.00	9.05	A
ATOM	227	C SER	24	38.906	8.596	76.989	1.00	23.18	A	ATOM	278	CE MET	30	44.356	-1.661	79.839	1.00	3.07	A
ATOM	228	O SER	24	38.848	9.647	76.370	1.00	24.77	A	ATOM	279	C MET	30	50.134	-1.437	78.948	1.00	10.16	A
ATOM	229	N LYS	25	39.886	8.307	77.839	1.00	23.16	A	ATOM	280	O MET	30	50.777	-1.943	78.030	1.00	12.41	A
ATOM	231	CA LYS	25	40.965	9.228	78.182	1.00	21.38	A	ATOM	281	N ARG	31	50.484	-1.571	80.215	1.00	8.80	A
ATOM	232	CB LYS	25	41.689	8.714	79.399	1.00	21.09	A	ATOM	283	CA ARG	31	51.427	-2.603	80.597	1.00	8.74	A
ATOM	233	CG LYS	25	40.795	8.713	80.571	1.00	22.04	A	ATOM	284	CB ARG	31	52.630	-2.069	81.364	1.00	6.81	A
ATOM	234	CD LYS	25	40.218	10.086	80.778	1.00	21.12	A	ATOM	285	CG ARG	31	53.432	-3.192	81.976	1.00	5.46	A
ATOM	235	CE LYS	25	38.962	9.974	81.605	1.00	24.09	A	ATOM	286	CD ARG	31	54.805	-2.744	82.379	1.00	6.76	A
ATOM	236	NZ LYS	25	38.497	11.313	82.027	1.00	24.54	A	ATOM	287	NE ARG	31	55.607	-3.852	82.889	1.00	6.47	A
ATOM	240	C LYS	25	41.966	9.431	77.076	1.00	21.26	A	ATOM	289	CZ ARG	31	56.702	-3.688	83.620	1.00	7.52	A
ATOM	241	O LYS	25	42.791	10.360	77.140	1.00	20.57	A	ATOM	290	NH1 ARG	31	57.104	-2.469	83.929	1.00	7.80	A
ATOM	242	N GLY	26	41.953	8.527	76.102	1.00	19.53	A	ATOM	293	NH2 ARG	31	57.431	-4.730	83.985	1.00	7.53	A
ATOM	244	CA GLY	26	42.889	8.672	75.007	1.00	20.09	A	ATOM	296	C ARG	31	50.598	-3.498	81.522	1.00	10.14	A
ATOM	245	C GLY	26	44.265	8.125	75.330	1.00	19.26	A	ATOM	297	O ARG	31	50.598	-3.006	82.193	1.00	11.37	A
ATOM	246	O GLY	26	45.279	8.594	74.813	1.00	18.37	A	ATOM	298	N ILE	32	50.788	-4.818	81.464	1.00	11.45	A
ATOM	247	N ILE	27	44.292	7.135	76.216	1.00	19.55	A	ATOM	300	CA ILE	32	50.082	-5.713	82.380	1.00	10.67	A
ATOM	249	CA ILE	27	45.546	6.492	76.602	1.00	18.74	A	ATOM	301	CB ILE	32	48.838	-6.394	81.782	1.00	10.17	A
ATOM	250	CB ILE	27	45.445	5.858	78.007	1.00	18.08	A	ATOM	302	CG2 ILE	32	47.885	-5.317	81.382	1.00	10.14	A

SUBSTITUTE SHEET (Rule 26)

ATOM	303	CG1 ILE	32	49.155	-7.338	80.612	1.00	9.86	A	ATOM	348	N GLY	37	44.194	-13.102	80.990	1.00	18.25	A
ATOM	304	CD1 ILE	32	47.941	-8.178	80.180	1.00	6.70	A	ATOM	350	CA GLY	37	43.241	-13.401	79.918	1.00	18.79	A
ATOM	305	C ILE	32	51.146	-6.655	82.891	1.00	11.29	A	ATOM	351	C GLY	37	42.038	-12.472	79.739	1.00	19.91	A
ATOM	306	O ILE	32	52.101	-6.917	82.162	1.00	12.06	A	ATOM	352	O GLY	37	41.618	-12.179	78.616	1.00	18.61	A
ATOM	307	N TYR	33	51.017	-7.063	84.164	1.00	10.72	A	ATOM	353	N GLN	38	41.450	-12.019	80.836	1.00	20.09	A
ATOM	309	CA TYR	33	52.000	-7.877	84.881	1.00	9.67	A	ATOM	355	CA GLN	38	40.329	-11.113	80.703	1.00	20.80	A
ATOM	310	CB TYR	33	52.141	-7.357	86.325	1.00	8.91	A	ATOM	356	CB GLN	38	39.674	-10.899	82.026	1.00	22.45	A
ATOM	311	CG TYR	33	52.570	-5.902	86.349	1.00	8.80	A	ATOM	357	CG GLN	38	39.264	-12.114	82.714	1.00	26.07	A
ATOM	312	CD1 TYR	33	51.630	-4.846	86.244	1.00	9.84	A	ATOM	358	CD GLN	38	39.130	-11.830	84.184	1.00	28.97	A
ATOM	313	CE1 TYR	33	52.049	-3.497	86.146	1.00	8.28	A	ATOM	359	OE1 GLN	38	38.021	-11.645	84.683	1.00	31.77	A
ATOM	314	CD2 TYR	33	53.910	-5.569	86.362	1.00	8.88	A	ATOM	360	NE2 GLN	38	40.265	-11.712	84.881	1.00	29.85	A
ATOM	315	CE2 TYR	33	54.330	-4.235	86.247	1.00	8.80	A	ATOM	363	C GLN	38	40.765	-9.739	80.184	1.00	20.28	A
ATOM	316	CZ TYR	33	53.412	-3.224	86.154	1.00	8.01	A	ATOM	364	O GLN	38	39.956	-9.031	79.607	1.00	21.54	A
ATOM	317	OH TYR	33	53.887	-1.950	86.115	1.00	6.25	A	ATOM	365	N ALA	39	41.986	-9.306	80.514	1.00	19.78	A
ATOM	319	C TYR	33	51.976	-9.391	84.787	1.00	8.82	A	ATOM	367	CA ALA	39	42.498	-8.005	80.071	1.00	19.16	A
ATOM	320	O TYR	33	52.847	-10.053	85.263	1.00	9.53	A	ATOM	368	CB ALA	39	43.817	-7.644	80.790	1.00	18.30	A
ATOM	321	N PHE	34	50.994	-9.935	84.123	1.00	10.90	A	ATOM	369	C ALA	39	42.721	-8.127	78.567	1.00	18.75	A
ATOM	323	CA PHE	34	50.957	-11.362	83.879	1.00	10.77	A	ATOM	370	O ALA	39	42.207	-7.331	77.793	1.00	20.23	A
ATOM	324	CB PHE	34	50.450	-12.150	85.090	1.00	10.32	A	ATOM	371	N LEU	40	43.401	-9.196	78.173	1.00	17.57	A
ATOM	325	CG PHE	34	49.096	-11.733	85.582	1.00	9.54	A	ATOM	373	CA LEU	40	43.699	-9.497	76.778	1.00	17.38	A
ATOM	326	CD1 PHE	34	47.980	-12.506	85.304	1.00	9.33	A	ATOM	374	CB LEU	40	44.525	-10.788	76.694	1.00	16.67	A
ATOM	327	CD2 PHE	34	48.947	-10.608	86.371	1.00	9.73	A	ATOM	375	CG LEU	40	45.896	-10.693	77.369	1.00	14.61	A
ATOM	328	CE1 PHE	34	46.732	-12.165	85.806	1.00	10.62	A	ATOM	376	CD1 LEU	40	46.293	-12.041	77.924	1.00	12.08	A
ATOM	329	CE2 PHE	34	47.701	-10.253	86.884	1.00	11.78	A	ATOM	377	CD2 LEU	40	46.905	-10.121	76.402	1.00	12.98	A
ATOM	330	CZ PHE	34	46.584	-11.040	86.597	1.00	10.71	A	ATOM	378	C LEU	40	42.469	-9.591	75.873	1.00	17.60	A
ATOM	331	C PHE	34	50.050	-11.540	82.680	1.00	11.55	A	ATOM	379	O LEU	40	42.494	-9.026	74.791	1.00	17.81	A
ATOM	332	O PHE	34	49.410	-10.577	82.220	1.00	11.52	A	ATOM	380	N SER	41	41.408	-10.299	76.296	1.00	17.53	A
ATOM	333	N ALA	35	50.021	-12.740	82.136	1.00	13.14	A	ATOM	382	CA SER	41	40.197	-10.404	75.483	1.00	17.04	A
ATOM	335	CA ALA	35	49.135	-13.010	81.018	1.00	15.02	A	ATOM	383	CB SER	41	39.164	-11.319	76.113	1.00	17.77	A
ATOM	336	CB ALA	35	49.469	-14.370	80.407	1.00	14.62	A	ATOM	384	OG SER	41	39.828	-12.314	76.844	1.00	21.43	A
ATOM	337	C ALA	35	47.702	-12.993	81.570	1.00	15.04	A	ATOM	386	C SER	41	39.580	-9.039	75.352	1.00	16.35	A
ATOM	338	O ALA	35	47.144	-14.021	81.868	1.00	16.49	A	ATOM	387	O SER	41	39.165	-8.634	74.266	1.00	17.33	A
ATOM	339	N ASP	36	47.126	-11.819	81.755	1.00	15.05	A	ATOM	388	N ALA	42	39.526	-8.322	76.463	1.00	14.79	A
ATOM	341	CA ASP	36	45.766	-11.730	82.267	1.00	15.72	A	ATOM	390	CA ALA	42	38.967	-6.996	76.442	1.00	13.66	A
ATOM	342	CB ASP	36	45.611	-10.360	82.950	1.00	14.76	A	ATOM	391	CB ALA	42	38.929	-6.439	77.865	1.00	11.91	A
ATOM	343	CG ASP	36	44.236	-10.105	83.519	1.00	12.67	A	ATOM	392	C ALA	42	39.784	-6.110	75.484	1.00	13.40	A
ATOM	344	OD1 ASP	36	43.271	-10.828	83.227	1.00	13.69	A	ATOM	393	O ALA	42	39.233	-5.260	74.818	1.00	15.80	A
ATOM	345	OD2 ASP	36	44.113	-9.117	84.259	1.00	12.92	A	ATOM	394	N LEU	43	41.071	-6.396	75.308	1.00	13.08	A
ATOM	346	C ASP	36	44.784	-11.911	81.092	1.00	17.11	A	ATOM	396	CA LEU	43	41.948	-5.584	74.460	1.00	11.90	A
ATOM	347	O ASP	36	44.557	-10.984	80.296	1.00	17.79	A	ATOM	397	CB LEU	43	43.400	-5.778	74.933	1.00	10.77	A

SUBSTITUTE SHEET (Rule 26)

ATOM	398	CG LEU	43	43.750	-5.132	76.265	1.00	7.95	A	ATOM	451	C ILE	48	47.364	-0.800	72.567	1.00	10.55	A
ATOM	399	CD1 LEU	43	44.931	-5.813	76.889	1.00	6.70	A	ATOM	452	O ILE	48	47.217	-2.024	72.542	1.00	11.79	A
ATOM	400	CD2 LEU	43	44.010	-3.653	76.036	1.00	6.59	A	ATOM	453	N GLY	49	48.555	-0.207	72.484	1.00	9.22	A
ATOM	401	C LEU	43	41.871	-5.750	72.925	1.00	13.05	A	ATOM	455	CA GLY	49	49.780	-0.985	72.411	1.00	8.27	A
ATOM	402	O LEU	43	42.492	-4.982	72.150	1.00	11.69	A	ATOM	456	C GLY	49	49.968	-1.587	73.787	1.00	8.76	A
ATOM	403	N ARG	44	41.134	-6.755	72.485	1.00	14.56	A	ATOM	457	O GLY	49	49.677	-0.943	74.808	1.00	7.91	A
ATOM	405	CA ARG	44	40.995	-7.055	71.067	1.00	15.68	A	ATOM	458	N LEU	50	50.547	-2.773	73.846	1.00	9.36	A
ATOM	406	CB ARG	44	40.058	-8.256	70.923	1.00	17.33	A	ATOM	460	CA LEU	50	50.695	-3.430	75.124	1.00	9.53	A
ATOM	407	CG ARG	44	40.644	-9.610	71.363	1.00	19.70	A	ATOM	461	CB LEU	50	49.663	-4.576	75.190	1.00	8.94	A
ATOM	408	CD ARG	44	39.679	-10.770	71.068	1.00	21.78	A	ATOM	462	CG LEU	50	49.624	-5.499	76.420	1.00	9.83	A
ATOM	409	NE ARG	44	38.648	-10.842	72.106	1.00	27.78	A	ATOM	463	CD1 LEU	50	49.052	-4.717	77.592	1.00	10.67	A
ATOM	411	CZ ARG	44	37.506	-11.542	72.054	1.00	29.42	A	ATOM	464	CD2 LEU	50	48.790	-6.759	76.170	1.00	8.44	A
ATOM	412	NH1 ARG	44	37.180	-12.279	70.997	1.00	32.21	A	ATOM	465	C LEU	50	52.057	-3.999	75.431	1.00	10.06	A
ATOM	415	NH2 ARG	44	36.660	-11.497	73.076	1.00	30.80	A	ATOM	466	O LEU	50	52.738	-4.476	74.519	1.00	9.99	A
ATOM	418	C ARG	44	40.531	-5.833	70.205	1.00	15.54	A	ATOM	467	N ILE	51	52.490	-3.843	76.690	1.00	9.74	A
ATOM	419	O ARG	44	39.499	-5.260	70.432	1.00	13.58	A	ATOM	469	CA ILE	51	53.701	-4.516	77.186	1.00	9.43	A
ATOM	420	N ASN	45	41.311	-5.473	69.193	1.00	16.44	A	ATOM	470	CB ILE	51	54.561	-3.688	78.174	1.00	10.77	A
ATOM	422	CA ASN	45	41.003	-4.329	68.331	1.00	18.05	A	ATOM	471	CG2 ILE	51	55.586	-4.574	78.851	1.00	9.59	A
ATOM	423	CB ASN	45	39.871	-4.682	67.392	1.00	18.53	A	ATOM	472	CG1 ILE	51	55.377	-2.601	77.477	1.00	8.85	A
ATOM	424	CG ASN	45	40.261	-5.788	66.454	1.00	20.08	A	ATOM	473	CD1 ILE	51	55.962	-1.633	78.499	1.00	11.06	A
ATOM	425	OD1 ASN	45	41.264	-5.693	65.710	1.00	18.40	A	ATOM	474	C ILE	51	53.085	-5.680	78.013	1.00	9.64	A
ATOM	426	ND2 ASN	45	39.490	-6.871	66.494	1.00	20.47	A	ATOM	475	O ILE	51	52.280	-5.425	78.952	1.00	9.51	A
ATOM	429	C ASN	45	40.728	-2.973	69.002	1.00	17.59	A	ATOM	476	N LEU	52	53.394	-6.926	77.619	1.00	8.21	A
ATOM	430	O ASN	45	40.080	-2.122	68.401	1.00	17.92	A	ATOM	478	CA LEU	52	52.909	-8.128	78.304	1.00	6.99	A
ATOM	431	N SER	46	41.344	-2.739	70.169	1.00	17.60	A	ATOM	479	CB LEU	52	52.396	-9.148	77.294	1.00	7.76	A
ATOM	433	CA SER	46	41.169	-1.522	70.977	1.00	16.24	A	ATOM	480	CG LEU	52	51.933	-10.525	77.825	1.00	6.94	A
ATOM	434	CB SER	46	41.397	-1.849	72.442	1.00	15.31	A	ATOM	481	CD1 LEU	52	50.694	-10.398	78.668	1.00	7.39	A
ATOM	435	OG SER	46	42.721	-2.313	72.623	1.00	15.09	A	ATOM	482	CD2 LEU	52	51.643	-11.410	76.676	1.00	5.84	A
ATOM	437	C SER	46	42.147	-0.432	70.594	1.00	16.19	A	ATOM	483	C LEU	52	53.997	-8.788	79.131	1.00	7.20	A
ATOM	438	O SER	46	41.995	0.717	70.996	1.00	16.72	A	ATOM	484	O LEU	52	54.935	-9.372	78.578	1.00	7.45	A
ATOM	439	N GLY	47	43.162	-0.819	69.837	1.00	15.87	A	ATOM	485	N ASP	53	53.940	-8.656	80.454	1.00	7.28	A
ATOM	441	CA GLY	47	44.189	0.102	69.412	1.00	15.39	A	ATOM	487	CA ASP	53	54.954	-9.318	81.288	1.00	7.20	A
ATOM	442	C GLY	47	45.202	0.454	70.490	1.00	15.72	A	ATOM	488	CB ASP	53	54.912	-8.770	82.702	1.00	8.55	A
ATOM	443	O GLY	47	46.015	1.369	70.282	1.00	18.63	A	ATOM	489	CG ASP	53	55.486	-7.371	82.825	1.00	10.65	A
ATOM	444	N ILE	48	45.199	-0.240	71.626	1.00	13.11	A	ATOM	490	OD1 ASP	53	55.908	-7.005	83.947	1.00	10.32	A
ATOM	446	CA ILE	48	46.152	0.095	72.671	1.00	10.33	A	ATOM	491	OD2 ASP	53	55.541	-6.642	81.824	1.00	11.82	A
ATOM	447	CB ILE	48	45.507	-0.042	74.077	1.00	10.42	A	ATOM	492	C ASP	53	54.595	-10.814	81.365	1.00	7.17	A
ATOM	448	CG2 ILE	48	46.543	0.252	75.205	1.00	8.33	A	ATOM	493	O ASP	53	53.421	-11.162	81.353	1.00	4.77	A
ATOM	449	CG1 ILE	48	44.285	0.891	74.174	1.00	10.32	A	ATOM	494	N ILE	54	55.591	-11.702	81.404	1.00	7.83	A
ATOM	450	CD1 ILE	48	43.303	0.579	75.363	1.00	12.37	A	ATOM	496	CA ILE	54	55.289	-13.147	81.497	1.00	7.07	A

SUBSTITUTE SHEET (Rule 26)

ATOM	497	CB	ILE	54	56.509	-14.018	81.108	1.00	6.32	A	ATOM	546	CD2	LEU	59	63.433	-15.229	85.994	1.00	16.03	A
ATOM	498	CG2	ILE	54	56.780	-13.956	79.597	1.00	3.97	A	ATOM	547	C	LEU	59	61.326	-18.765	84.328	1.00	10.90	A
ATOM	499	CG1	ILE	54	57.736	-13.593	81.935	1.00	5.32	A	ATOM	548	O	LEU	59	61.764	-19.133	83.246	1.00	11.83	A
ATOM	500	CD1	ILE	54	58.865	-14.628	81.970	1.00	4.36	A	ATOM	549	N	ALA	60	61.335	-19.552	85.397	1.00	9.22	A
ATOM	501	C	ILE	54	54.822	-13.554	82.971	1.00	7.61	A	ATOM	551	CA	ALA	60	61.992	-20.841	85.387	1.00	8.57	A
ATOM	502	O	ILE	54	53.941	-14.407	83.067	1.00	7.64	A	ATOM	552	CB	ALA	60	62.002	-21.444	86.777	1.00	7.07	A
ATOM	503	N	GLY	55	55.396	-12.901	83.941	1.00	7.53	A	ATOM	553	C	ALA	60	61.413	-21.822	84.390	1.00	9.23	A
ATOM	505	CA	GLY	55	55.123	-13.190	85.342	1.00	7.96	A	ATOM	554	O	ALA	60	62.148	-22.580	83.754	1.00	11.12	A
ATOM	506	C	GLY	55	56.383	-13.863	85.905	1.00	10.01	A	ATOM	555	N	ASN	61	60.105	-21.810	84.228	1.00	10.28	A
ATOM	507	O	GLY	55	56.833	-14.846	85.344	1.00	10.00	A	ATOM	557	CA	ASN	61	59.412	-22.751	83.333	1.00	11.22	A
ATOM	508	N	ASN	56	56.991	-13.324	86.967	1.00	12.01	A	ATOM	558	CB	ASN	61	57.922	-22.613	83.561	1.00	12.27	A
ATOM	510	CA	ASN	56	58.229	-13.891	87.521	1.00	12.56	A	ATOM	559	CG	ASN	61	57.140	-23.725	82.935	1.00	14.36	A
ATOM	511	CB	ASN	56	58.701	-13.080	88.723	1.00	10.66	A	ATOM	560	OD1	ASN	61	56.802	-24.685	83.611	1.00	17.06	A
ATOM	512	CG	ASN	56	59.245	-11.728	88.329	1.00	11.65	A	ATOM	561	ND2	ASN	61	56.804	-23.592	81.647	1.00	15.50	A
ATOM	513	OD1	ASN	56	59.605	-11.521	87.184	1.00	12.56	A	ATOM	564	C	ASN	61	59.752	-22.439	81.895	1.00	11.18	A
ATOM	514	ND2	ASN	56	59.302	-10.799	89.270	1.00	9.23	A	ATOM	565	O	ASN	61	60.055	-23.316	81.603	1.00	10.53	A
ATOM	517	C	ASN	56	58.182	-15.377	87.853	1.00	13.34	A	ATOM	566	N	ILE	62	59.778	-21.152	81.603	1.00	10.17	A
ATOM	518	O	ASN	56	59.197	-16.095	87.743	1.00	12.17	A	ATOM	568	CA	ILE	62	60.106	-20.699	80.269	1.00	10.82	A
ATOM	519	N	ASP	57	56.985	-15.848	88.168	1.00	14.52	A	ATOM	569	CB	ILE	62	59.566	-19.261	80.028	1.00	10.30	A
ATOM	521	CA	ASP	57	55.394	-17.398	89.199	1.00	19.63	A	ATOM	570	CG2	ILE	62	60.225	-18.643	78.799	1.00	10.30	A
ATOM	522	CG	ASP	57	54.282	-16.949	88.237	1.00	24.26	A	ATOM	571	CG1	ILE	62	58.045	-19.333	79.840	1.00	5.61	A
ATOM	523	CG	ASP	57	54.075	-17.570	87.159	1.00	26.71	A	ATOM	572	CD1	ILE	62	57.380	-18.053	79.857	1.00	3.67	A
ATOM	524	OD1	ASP	57	53.651	-15.911	88.504	1.00	28.53	A	ATOM	573	C	ILE	62	61.604	-20.827	79.964	1.00	10.21	A
ATOM	525	OD2	ASP	57	56.863	-18.163	87.351	1.00	15.73	A	ATOM	574	O	ILE	62	61.985	-21.109	78.829	1.00	10.35	A
ATOM	526	C	ASP	57	56.705	-19.384	87.468	1.00	15.68	A	ATOM	575	N	ALA	63	62.454	-20.648	80.968	1.00	9.39	A
ATOM	527	O	ASP	57	56.936	-17.547	86.169	1.00	14.76	A	ATOM	577	CA	ALA	63	63.882	-20.788	80.734	1.00	8.74	A
ATOM	528	N	GLN	58	56.998	-18.271	84.883	1.00	13.65	A	ATOM	578	CB	ALA	63	64.642	-20.236	81.903	1.00	7.21	A
ATOM	530	CA	GLN	58	56.176	-17.533	83.827	1.00	15.15	A	ATOM	579	C	ALA	63	64.288	-22.245	80.472	1.00	8.97	A
ATOM	531	CB	GLN	58	54.705	-17.372	84.155	1.00	17.49	A	ATOM	580	O	ALA	63	65.302	-22.506	79.826	1.00	9.18	A
ATOM	532	CG	GLN	58	54.038	-18.703	84.279	1.00	20.17	A	ATOM	581	N	ALA	64	63.464	-23.197	80.908	1.00	9.15	A
ATOM	533	CD	GLN	58	54.476	-19.689	83.673	1.00	23.80	A	ATOM	583	CA	ALA	64	63.810	-24.611	80.786	1.00	8.36	A
ATOM	534	OE1	GLN	58	52.980	-18.766	85.076	1.00	22.23	A	ATOM	584	CB	ALA	64	62.850	-25.440	81.594	1.00	9.78	A
ATOM	535	NE2	GLN	58	58.418	-18.339	84.370	1.00	12.78	A	ATOM	585	C	ALA	64	63.895	-25.164	79.385	1.00	9.54	A
ATOM	538	C	GLN	58	58.749	-19.149	83.515	1.00	12.74	A	ATOM	586	O	ALA	64	64.867	-25.861	79.033	1.00	8.28	A
ATOM	539	O	GLN	58	59.265	-17.480	84.906	1.00	12.25	A	ATOM	587	N	SER	65	62.863	-24.877	78.596	1.00	8.68	A
ATOM	540	N	LEU	59	60.611	-17.410	84.436	1.00	12.23	A	ATOM	589	CA	SER	65	62.806	-25.376	77.255	1.00	10.56	A
ATOM	542	CA	LEU	59	61.367	-16.368	85.251	1.00	13.35	A	ATOM	590	CB	SER	65	62.097	-26.713	77.276	1.00	12.59	A
ATOM	543	CB	LEU	59	62.728	-15.867	84.771	1.00	14.82	A	ATOM	591	OG	SER	65	60.792	-26.519	77.817	1.00	18.23	A
ATOM	544	CG	LEU	59	62.607	-14.860	83.619	1.00	14.81	A	ATOM	593	C	SER	65	62.060	-24.471	76.291	1.00	9.81	A
ATOM	545	CD1	LEU	59						A	ATOM	594	O	SER	65	61.273	-23.641	76.704	1.00	10.42	A

SUBSTITUTE SHEET (Rule 26)

ATOM	595	N	THR	66	62.291	-24.687	74.998	1.00	9.36	A	ATOM	647	CG	TRP	72	53.795	-18.381	78.373	1.00	7.78	A
ATOM	597	CA	THR	66	61.612	-23.951	73.963	1.00	9.43	A	ATOM	648	CD2	TRP	72	53.757	-16.990	77.978	1.00	7.63	A
ATOM	598	CB	THR	66	62.345	-24.064	72.653	1.00	11.27	A	ATOM	649	CE2	TRP	72	53.280	-16.252	79.090	1.00	8.08	A
ATOM	599	CG1	THR	66	62.385	-25.431	72.264	1.00	14.11	A	ATOM	650	CE3	TRP	72	54.059	-16.298	76.799	1.00	6.17	A
ATOM	601	CG2	THR	66	63.770	-23.570	72.785	1.00	10.70	A	ATOM	651	CD1	TRP	72	53.355	-18.409	79.685	1.00	6.83	A
ATOM	602	C	THR	66	60.193	-24.556	73.873	1.00	8.99	A	ATOM	652	NE1	TRP	72	53.044	-17.144	80.110	1.00	7.37	A
ATOM	603	O	THR	66	59.239	-23.840	73.558	1.00	9.95	A	ATOM	654	CH2	TRP	72	53.100	-14.838	79.040	1.00	6.83	A
ATOM	604	N	SER	67	60.030	-25.855	74.120	1.00	6.94	A	ATOM	655	CH3	TRP	72	53.866	-14.908	76.755	1.00	5.80	A
ATOM	606	CA	SER	67	58.672	-26.377	74.132	1.00	8.25	A	ATOM	656	CH2	TRP	72	53.392	-14.201	77.870	1.00	4.61	A
ATOM	607	CB	SER	67	58.628	-27.890	74.209	1.00	8.13	A	ATOM	657	C	TRP	72	52.599	-19.447	75.641	1.00	9.78	A
ATOM	608	OG	SER	67	59.441	-28.349	75.254	1.00	12.10	A	ATOM	658	O	TRP	72	51.583	-18.788	75.783	1.00	12.42	A
ATOM	610	C	SER	67	57.847	-25.725	75.266	1.00	8.26	A	ATOM	659	N	VAL	73	53.375	-19.335	74.565	1.00	8.67	A
ATOM	611	O	SER	67	56.655	-25.482	75.084	1.00	8.13	A	ATOM	661	CA	VAL	73	53.000	-18.504	73.408	1.00	8.08	A
ATOM	612	N	ASN	68	58.485	-25.382	76.399	1.00	8.05	A	ATOM	662	CB	VAL	73	54.167	-18.463	72.333	1.00	7.73	A
ATOM	614	CA	ASN	68	57.794	-24.693	77.486	1.00	6.50	A	ATOM	663	CG1	VAL	73	53.753	-17.723	71.047	1.00	5.34	A
ATOM	615	CB	ASN	68	58.711	-24.547	78.727	1.00	7.81	A	ATOM	664	CG2	VAL	73	55.403	-17.751	72.944	1.00	5.25	A
ATOM	616	CG	ASN	68	58.689	-25.782	79.632	1.00	7.40	A	ATOM	665	C	VAL	73	51.660	-18.968	72.806	1.00	8.15	A
ATOM	617	OD1	ASN	68	57.833	-26.633	79.503	1.00	5.06	A	ATOM	666	O	VAL	73	50.726	-18.184	72.590	1.00	7.72	A
ATOM	618	ND2	ASN	68	59.650	-25.886	80.518	1.00	7.82	A	ATOM	667	N	GLN	74	51.529	-20.269	72.651	1.00	8.73	A
ATOM	621	C	ASN	68	57.383	-23.292	76.969	1.00	5.96	A	ATOM	669	CA	GLN	74	50.332	-20.838	72.092	1.00	10.41	A
ATOM	622	O	ASN	68	56.251	-22.844	77.176	1.00	4.47	A	ATOM	670	CB	GLN	74	50.508	-22.347	71.937	1.00	9.20	A
ATOM	623	N	ALA	69	58.326	-22.575	76.358	1.00	6.45	A	ATOM	671	CG	GLN	74	49.283	-23.030	71.433	1.00	8.89	A
ATOM	625	CA	ALA	69	58.047	-21.231	75.773	1.00	6.87	A	ATOM	672	CD	GLN	74	49.587	-24.408	70.904	1.00	8.90	A
ATOM	626	CB	ALA	69	59.311	-20.632	75.225	1.00	6.36	A	ATOM	673	OE1	GLN	74	50.673	-24.651	70.403	1.00	9.27	A
ATOM	627	C	ALA	69	56.985	-21.265	74.664	1.00	7.72	A	ATOM	674	NE2	GLN	74	48.607	-25.296	70.957	1.00	9.77	A
ATOM	628	O	ALA	69	56.147	-20.375	74.561	1.00	7.80	A	ATOM	677	C	GLN	74	49.094	-20.527	72.913	1.00	12.06	A
ATOM	629	N	ALA	70	56.990	-22.312	73.855	1.00	8.41	A	ATOM	678	O	GLN	74	48.003	-20.318	72.377	1.00	12.54	A
ATOM	631	CA	ALA	70	56.011	-22.415	72.763	1.00	11.33	A	ATOM	679	N	ASN	75	49.267	-20.473	74.219	1.00	12.64	A
ATOM	632	CB	ALA	70	56.386	-23.577	71.760	1.00	9.54	A	ATOM	681	CA	ASN	75	48.134	-20.239	75.083	1.00	13.76	A
ATOM	633	C	ALA	70	54.591	-22.590	73.297	1.00	10.89	A	ATOM	682	CB	ASN	75	48.373	-20.917	76.433	1.00	15.19	A
ATOM	634	O	ALA	70	53.645	-22.037	72.739	1.00	11.29	A	ATOM	683	CG	ASN	75	48.227	-22.364	76.365	1.00	16.69	A
ATOM	635	N	SER	71	54.451	-23.429	74.313	1.00	10.93	A	ATOM	684	OD1	ASN	75	47.429	-22.851	75.597	1.00	20.09	A
ATOM	637	CA	SER	71	53.177	-23.686	74.967	1.00	11.42	A	ATOM	685	ND2	ASN	75	48.962	-23.090	77.196	1.00	19.33	A
ATOM	638	CB	SER	71	53.419	-24.771	76.020	1.00	13.76	A	ATOM	688	C	ASN	75	47.844	-18.810	75.396	1.00	12.95	A
ATOM	639	OG	SER	71	52.233	-25.227	76.623	1.00	15.94	A	ATOM	689	O	ASN	75	46.717	-18.443	75.527	1.00	13.83	A
ATOM	641	C	SER	71	52.659	-22.368	75.591	1.00	11.15	A	ATOM	690	N	ASN	76	48.891	-18.019	75.554	1.00	12.60	A
ATOM	642	O	SER	71	51.507	-22.027	75.450	1.00	13.46	A	ATOM	692	CA	ASN	76	48.778	-16.665	76.013	1.00	11.61	A
ATOM	643	N	TRP	72	53.518	-21.588	76.233	1.00	10.29	A	ATOM	693	CB	ASN	76	49.692	-16.523	77.252	1.00	9.32	A
ATOM	645	CA	TRP	72	53.087	-20.321	76.784	1.00	8.94	A	ATOM	694	CG	ASN	76	49.296	-17.510	78.361	1.00	10.74	A
ATOM	646	CB	TRP	72	54.235	-19.591	77.518	1.00	8.41	A	ATOM	695	OD1	ASN	76	48.206	-17.399	78.959	1.00	8.85	A

SUBSTITUTE SHEET (Rule 26)

ATOM	696	ND2 ASN	76	50.129	-18.529	78.585	1.00	10.57	A	ATOM	747	N TYR	81	46.745	-12.058	69.342	1.00	11.99	A
ATOM	699	C ASN	76	48.990	-15.544	75.037	1.00	11.70	A	ATOM	749	CA TYR	81	47.477	-11.281	68.373	1.00	11.92	A
ATOM	700	O ASN	76	48.682	-14.413	75.356	1.00	12.85	A	ATOM	750	CB TYR	81	48.943	-11.527	68.653	1.00	11.65	A
ATOM	701	N VAL	77	49.539	-15.839	73.869	1.00	11.84	A	ATOM	751	CG TYR	81	49.883	-10.739	67.819	1.00	12.62	A
ATOM	703	CA VAL	77	49.790	-14.802	72.864	1.00	12.15	A	ATOM	752	CD1 TYR	81	50.358	-9.513	68.261	1.00	12.11	A
ATOM	704	CB VAL	77	51.281	-14.723	72.552	1.00	11.52	A	ATOM	753	CE1 TYR	81	51.310	-8.840	67.545	1.00	12.41	A
ATOM	705	CG1 VAL	77	51.575	-13.701	71.443	1.00	11.55	A	ATOM	754	CD2 TYR	81	50.385	-11.262	66.627	1.00	12.23	A
ATOM	706	CG2 VAL	77	52.031	-14.389	73.818	1.00	9.61	A	ATOM	755	CE2 TYR	81	51.330	-10.602	65.922	1.00	11.54	A
ATOM	707	C VAL	77	49.005	-15.105	71.595	1.00	13.64	A	ATOM	756	CZ TYR	81	51.798	-9.399	66.386	1.00	11.86	A
ATOM	708	O VAL	77	48.195	-14.283	71.131	1.00	14.89	A	ATOM	757	OH TYR	81	52.826	-8.787	65.733	1.00	11.92	A
ATOM	709	N ARG	78	49.196	-16.322	71.097	1.00	14.51	A	ATOM	759	C TYR	81	47.102	-11.806	66.993	1.00	12.22	A
ATOM	711	CA ARG	78	48.551	-16.849	69.900	1.00	15.06	A	ATOM	761	O TYR	81	46.996	-13.026	66.828	1.00	11.22	A
ATOM	712	CB ARG	78	48.738	-18.374	69.843	1.00	16.75	A	ATOM	760	N PRO	82	47.001	-10.907	65.972	1.00	11.73	A
ATOM	713	CG ARG	78	49.954	-18.861	69.103	0.00	19.00	A	ATOM	762	CD PRO	82	47.096	-11.259	64.546	1.00	10.43	A
ATOM	714	CD ARG	78	49.560	-19.275	67.707	0.00	21.09	A	ATOM	763	CA PRO	82	47.234	-9.470	66.123	1.00	10.89	A
ATOM	715	NE ARG	78	49.231	-18.125	66.875	1.00	23.28	A	ATOM	764	CB PRO	82	47.823	-9.093	64.769	1.00	10.57	A
ATOM	717	CZ ARG	78	49.903	-17.814	65.758	1.00	25.26	A	ATOM	765	CG PRO	82	47.076	-9.907	63.878	1.00	11.94	A
ATOM	718	NH1 ARG	78	50.940	-18.577	65.344	1.00	23.67	A	ATOM	766	C PRO	82	46.115	-8.512	66.538	1.00	9.64	A
ATOM	721	NH2 ARG	78	49.559	-16.724	65.064	1.00	26.18	A	ATOM	767	O PRO	82	46.348	-7.326	66.555	1.00	9.30	A
ATOM	724	C ARG	78	47.056	-16.511	69.710	1.00	14.11	A	ATOM	768	N ALA	83	44.943	-9.006	66.916	1.00	9.55	A
ATOM	725	O ARG	78	46.640	-16.178	68.594	1.00	13.32	A	ATOM	770	CA ALA	83	43.848	-8.145	67.325	1.00	9.28	A
ATOM	726	N PRO	79	46.244	-16.583	70.783	1.00	12.20	A	ATOM	771	CB ALA	83	42.743	-8.953	67.765	1.00	9.38	A
ATOM	727	CD PRO	79	46.467	-17.118	72.136	1.00	12.56	A	ATOM	772	C ALA	83	44.278	-7.218	68.447	1.00	10.76	A
ATOM	728	CA PRO	79	44.837	-16.272	70.591	1.00	11.66	A	ATOM	773	O ALA	83	43.810	-6.095	68.550	1.00	10.80	A
ATOM	729	CB PRO	79	44.159	-16.928	71.810	1.00	11.44	A	ATOM	774	N VAL	84	45.086	-7.752	69.356	1.00	12.03	A
ATOM	730	CG PRO	79	45.193	-17.862	72.398	1.00	10.99	A	ATOM	776	CA VAL	84	45.641	-6.993	70.463	1.00	12.66	A
ATOM	731	C PRO	79	44.489	-14.806	70.560	1.00	12.00	A	ATOM	777	CB VAL	84	45.736	-7.825	71.774	1.00	12.99	A
ATOM	732	O PRO	79	43.355	-14.472	70.290	1.00	12.62	A	ATOM	778	CG1 VAL	84	46.355	-6.977	72.900	1.00	11.67	A
ATOM	733	N TYR	80	45.409	-13.916	70.885	1.00	12.21	A	ATOM	779	CG2 VAL	84	44.367	-8.326	72.175	1.00	13.88	A
ATOM	735	CA TYR	80	45.032	-12.513	70.930	1.00	11.94	A	ATOM	780	C VAL	84	47.048	-6.644	69.977	1.00	11.84	A
ATOM	736	CB TYR	80	45.349	-11.960	72.316	1.00	11.11	A	ATOM	781	O VAL	84	47.795	-7.513	69.546	1.00	12.45	A
ATOM	737	CG TYR	80	44.754	-12.814	73.398	1.00	10.91	A	ATOM	782	N ASN	85	47.420	-5.384	70.114	1.00	11.73	A
ATOM	738	CD1 TYR	80	45.549	-13.712	74.146	1.00	12.13	A	ATOM	784	CA ASN	85	48.691	-4.918	69.632	1.00	11.98	A
ATOM	739	CE1 TYR	80	44.976	-14.556	75.089	1.00	10.35	A	ATOM	785	CB ASN	85	48.574	-3.448	69.219	1.00	10.87	A
ATOM	740	CD2 TYR	80	43.382	-12.791	73.634	1.00	10.66	A	ATOM	786	CG ASN	85	49.808	-2.934	68.493	1.00	13.17	A
ATOM	741	CE2 TYR	80	42.811	-13.624	74.562	1.00	10.20	A	ATOM	787	OD1 ASN	85	50.044	-1.741	68.456	1.00	15.64	A
ATOM	742	CZ TYR	80	43.600	-14.498	75.282	1.00	10.49	A	ATOM	788	ND2 ASN	85	50.567	-3.817	67.865	1.00	14.70	A
ATOM	743	OH TYR	80	42.973	-15.312	76.191	1.00	12.08	A	ATOM	791	C ASN	85	49.795	-5.141	70.650	1.00	12.79	A
ATOM	745	C TYR	80	45.630	-11.620	69.880	1.00	12.12	A	ATOM	792	O ASN	85	50.274	-4.192	71.297	1.00	12.74	A
ATOM	746	O TYR	80	45.072	-10.585	69.527	1.00	12.72	A	ATOM	793	N ILE	86	50.214	-6.393	70.813	1.00	12.26	A

SUBSTITUTE SHEET (RULE 26)

- 68 -

ATOM	795	CA	ILE	86	51.290	-6.629	71.778	1.00	12.74	A	ATOM	843	O	ALA	90	58.136	-10.547	80.831	1.00	9.12	A
ATOM	796	CB	ILE	86	51.472	-8.104	72.156	1.00	13.17	A	ATOM	844	N	ALA	91	60.220	-10.654	79.895	1.00	11.85	A
ATOM	797	CG2	ILE	86	52.597	-8.241	73.203	1.00	11.73	A	ATOM	846	CA	ALA	91	60.551	-11.946	80.502	1.00	12.99	A
ATOM	798	CG1	ILE	86	50.146	-8.721	72.635	1.00	12.88	A	ATOM	847	CB	ALA	91	61.590	-12.759	79.609	1.00	12.89	A
ATOM	799	CD1	ILE	86	50.238	-10.228	72.757	1.00	12.69	A	ATOM	848	C	ALA	91	61.135	-11.647	81.882	1.00	12.88	A
ATOM	800	C	ILE	86	52.575	-6.156	71.130	1.00	12.24	A	ATOM	849	O	ALA	91	62.333	-11.698	82.085	1.00	12.46	A
ATOM	801	O	ILE	86	52.992	-6.660	70.122	1.00	13.88	A	ATOM	850	N	GLY	92	60.276	-11.262	82.812	1.00	14.39	A
ATOM	802	N	LYS	87	53.261	-5.265	71.781	1.00	12.21	A	ATOM	852	CA	GLY	92	60.735	-10.944	84.164	1.00	14.85	A
ATOM	804	CA	LYS	87	54.474	-4.738	71.250	1.00	12.55	A	ATOM	853	C	GLY	92	60.645	-9.460	84.499	1.00	14.54	A
ATOM	805	CB	LYS	87	54.470	-3.244	71.539	1.00	15.11	A	ATOM	854	O	GLY	92	60.751	-8.600	83.598	1.00	13.85	A
ATOM	806	CG	LYS	87	53.207	-2.547	71.019	1.00	15.46	A	ATOM	855	N	ASN	93	60.396	-9.164	85.776	1.00	12.88	A
ATOM	807	CD	LYS	87	53.321	-1.071	71.244	1.00	18.33	A	ATOM	857	CA	ASN	93	60.289	-7.791	86.245	1.00	11.91	A
ATOM	808	CE	LYS	87	54.526	-0.496	70.544	1.00	20.24	A	ATOM	858	CB	ASN	93	58.828	-7.376	86.463	1.00	10.51	A
ATOM	809	NZ	LYS	87	54.688	0.981	70.811	1.00	24.38	A	ATOM	859	CG	ASN	93	58.667	-5.887	86.872	1.00	9.77	A
ATOM	813	C	LYS	87	55.719	-5.406	71.817	1.00	12.83	A	ATOM	860	OD1	ASN	93	59.410	-5.009	86.425	1.00	10.75	A
ATOM	814	O	LYS	87	56.644	-5.727	71.071	1.00	13.21	A	ATOM	861	ND2	ASN	93	57.695	-5.616	87.738	1.00	8.12	A
ATOM	815	N	TYR	88	55.751	-5.584	73.141	1.00	12.66	A	ATOM	864	C	ASN	93	61.059	-7.631	87.519	1.00	12.88	A
ATOM	817	CA	TYR	88	56.871	-6.203	73.835	1.00	12.27	A	ATOM	865	O	ASN	93	60.719	-8.229	88.545	1.00	12.80	A
ATOM	818	CB	TYR	88	57.625	-5.155	74.643	1.00	12.51	A	ATOM	866	N	GLU	94	62.154	-6.880	87.416	1.00	14.69	A
ATOM	819	CG	TYR	88	57.867	-3.865	73.907	1.00	13.39	A	ATOM	868	CA	GLU	94	63.029	-6.573	88.544	1.00	15.45	A
ATOM	820	CD1	TYR	88	57.317	-2.675	74.350	1.00	12.20	A	ATOM	869	CB	GLU	94	62.322	-5.610	89.505	1.00	14.88	A
ATOM	821	CE1	TYR	88	57.529	-1.500	73.671	1.00	12.81	A	ATOM	870	CG	GLU	94	61.904	-4.298	88.851	1.00	16.74	A
ATOM	822	CD2	TYR	88	58.643	-3.844	72.753	1.00	14.16	A	ATOM	871	CD	GLU	94	61.474	-3.213	89.858	1.00	17.31	A
ATOM	823	CE2	TYR	88	58.864	-2.677	72.067	1.00	14.50	A	ATOM	872	OE1	GLU	94	61.282	-3.509	91.071	1.00	17.85	A
ATOM	824	C2	TYR	88	58.303	-1.511	72.533	1.00	14.09	A	ATOM	873	OE2	GLU	94	61.358	-2.042	89.436	1.00	16.84	A
ATOM	825	OH	TYR	88	58.551	-0.366	71.841	1.00	14.10	A	ATOM	874	C	GLU	94	63.458	-7.862	89.259	1.00	17.04	A
ATOM	827	C	TYR	88	56.389	-7.249	74.818	1.00	12.42	A	ATOM	875	O	GLU	94	63.404	-7.959	90.490	1.00	17.38	A
ATOM	828	O	TYR	88	55.227	-7.248	75.217	1.00	12.52	A	ATOM	876	N	VAL	95	63.880	-8.850	88.474	1.00	17.65	A
ATOM	829	N	ILE	89	57.279	-8.173	75.155	1.00	11.81	A	ATOM	878	CA	VAL	95	64.310	-10.109	89.017	1.00	19.33	A
ATOM	831	CA	ILE	89	57.015	-9.204	76.150	1.00	11.14	A	ATOM	879	CB	VAL	95	64.388	-11.185	87.912	1.00	18.29	A
ATOM	832	CB	ILE	89	56.983	-10.650	75.536	1.00	11.00	A	ATOM	880	CG1	VAL	95	65.079	-12.457	88.436	1.00	17.26	A
ATOM	833	CG2	ILE	89	57.088	-11.709	76.643	1.00	11.27	A	ATOM	881	CG2	VAL	95	62.992	-11.534	87.465	1.00	17.06	A
ATOM	834	CG1	ILE	89	55.711	-10.836	74.712	1.00	9.15	A	ATOM	882	C	VAL	95	65.622	-10.002	89.829	1.00	21.47	A
ATOM	835	CD1	ILE	89	55.534	-12.175	74.081	1.00	8.08	A	ATOM	883	O	VAL	95	66.534	-9.232	89.493	1.00	21.42	A
ATOM	836	C	ILE	89	58.190	-9.043	77.137	1.00	11.33	A	ATOM	884	N	GLN	96	65.690	-10.782	90.910	1.00	23.73	A
ATOM	837	O	ILE	89	59.348	-8.938	76.728	1.00	10.91	A	ATOM	886	CA	GLN	96	66.838	-10.795	91.801	1.00	24.87	A
ATOM	838	N	ALA	90	57.866	-8.841	78.409	1.00	10.97	A	ATOM	887	CB	GLN	96	66.488	-9.970	93.032	1.00	27.38	A
ATOM	840	CA	ALA	90	58.869	-8.686	79.451	1.00	11.14	A	ATOM	888	CG	GLN	96	67.376	-8.767	93.197	1.00	30.41	A
ATOM	841	CB	ALA	90	58.410	-7.644	80.478	1.00	10.86	A	ATOM	889	CD	GLN	96	66.587	-7.543	93.501	1.00	32.38	A
ATOM	842	C	ALA	90	59.059	-10.041	80.139	1.00	11.61	A	ATOM	890	OE1	GLN	96	66.341	-7.236	94.668	1.00	33.89	A

SUBSTITUTE SHEET (Rule 26)

ATOM	891	NE2	GLN	96	66.147	-6.838	92.451	1.00	32.90	A	ATOM	944	CB	ILE	103	66.701	-12.843	82.681	1.00	9.46	A
ATOM	894	C	GLN	96	67.268	-12.178	92.262	1.00	24.32	A	ATOM	945	CG2	ILE	103	66.318	-11.838	81.596	1.00	10.20	A
ATOM	895	O	GLN	96	66.455	-13.074	92.426	1.00	24.70	A	ATOM	946	CG1	ILE	103	66.037	-12.563	84.022	1.00	7.09	A
ATOM	896	N	GLY	97	68.561	-12.341	92.490	1.00	24.59	A	ATOM	947	CG1	ILE	103	66.678	-11.441	84.755	1.00	4.09	A
ATOM	898	CA	GLY	97	69.067	-13.600	92.996	1.00	23.27	A	ATOM	948	C	ILE	103	66.900	-14.420	80.778	1.00	12.94	A
ATOM	899	C	GLY	97	69.587	-14.484	91.905	1.00	23.35	A	ATOM	949	O	ILE	103	66.131	-14.200	79.848	1.00	15.50	A
ATOM	900	O	GLY	97	70.089	-14.015	90.897	1.00	23.55	A	ATOM	950	N	LEU	104	68.173	-14.719	80.574	1.00	13.04	A
ATOM	901	N	GLY	98	69.521	-15.783	92.131	1.00	23.95	A	ATOM	952	CA	LEU	104	68.670	-14.856	79.202	1.00	14.07	A
ATOM	903	CA	GLY	98	69.967	-16.705	91.105	1.00	23.65	A	ATOM	953	CB	LEU	104	70.196	-14.763	79.161	1.00	17.22	A
ATOM	904	C	GLY	98	68.917	-16.732	90.006	1.00	22.95	A	ATOM	954	CG	LEU	104	70.715	-14.557	77.736	1.00	18.10	A
ATOM	905	O	GLY	98	69.133	-17.323	88.942	1.00	23.35	A	ATOM	955	CD1	LEU	104	70.430	-13.120	77.363	1.00	18.66	A
ATOM	906	N	ALA	99	67.763	-16.109	90.280	1.00	20.63	A	ATOM	956	CD2	LEU	104	72.201	-14.835	77.693	1.00	19.43	A
ATOM	908	CA	ALA	99	66.706	-16.063	89.301	1.00	19.14	A	ATOM	957	C	LEU	104	68.151	-16.134	78.480	1.00	12.60	A
ATOM	909	CB	ALA	99	65.487	-15.431	89.880	1.00	19.02	A	ATOM	958	O	LEU	104	67.741	-16.070	77.337	1.00	13.21	A
ATOM	910	C	ALA	99	67.220	-15.266	88.118	1.00	18.08	A	ATOM	959	N	PRO	105	68.230	-17.307	79.121	1.00	12.08	A
ATOM	911	O	ALA	99	66.860	-15.540	86.999	1.00	18.56	A	ATOM	960	CD	PRO	105	69.007	-17.656	80.339	1.00	12.55	A
ATOM	912	N	THR	100	68.059	-14.268	88.368	1.00	16.77	A	ATOM	961	CA	PRO	105	67.714	-18.505	78.444	1.00	10.69	A
ATOM	914	CA	THR	100	68.582	-13.502	87.260	1.00	17.11	A	ATOM	962	CB	PRO	105	68.089	-19.644	79.421	1.00	11.56	A
ATOM	915	CB	THR	100	69.682	-12.469	87.663	1.00	15.41	A	ATOM	963	CG	PRO	105	68.366	-18.937	80.802	1.00	10.56	A
ATOM	916	OG1	THR	100	70.716	-13.128	88.376	1.00	15.23	A	ATOM	964	C	PRO	105	66.178	-18.405	78.170	1.00	9.75	A
ATOM	918	CG2	THR	100	69.116	-11.370	88.499	1.00	15.09	A	ATOM	965	O	PRO	105	65.671	-18.943	77.176	1.00	10.41	A
ATOM	919	C	THR	100	69.205	-14.470	86.248	1.00	17.44	A	ATOM	966	N	ALA	106	65.443	-17.674	79.008	1.00	8.20	A
ATOM	920	O	THR	100	69.188	-14.201	85.065	1.00	17.93	A	ATOM	968	CA	ALA	106	63.994	-17.494	78.809	1.00	5.71	A
ATOM	921	N	GLN	101	69.730	-15.593	86.724	1.00	18.24	A	ATOM	969	CB	ALA	106	63.337	-16.933	80.058	1.00	4.63	A
ATOM	923	CA	GLN	101	70.337	-16.609	85.850	1.00	18.30	A	ATOM	970	C	ALA	106	63.769	-16.554	77.623	1.00	6.04	A
ATOM	924	CB	GLN	101	70.847	-17.794	86.694	1.00	17.98	A	ATOM	971	O	ALA	106	62.874	-16.786	76.787	1.00	3.26	A
ATOM	925	CG	GLN	101	72.091	-17.506	87.540	1.00	19.16	A	ATOM	972	N	MET	107	64.602	-15.511	77.554	1.00	6.14	A
ATOM	926	CD	GLN	101	72.349	-18.566	88.594	0.00	18.79	A	ATOM	974	CA	MET	107	64.575	-14.540	76.468	1.00	7.36	A
ATOM	927	OE1	GLN	101	72.378	-18.272	89.787	0.00	18.89	A	ATOM	975	CB	MET	107	65.596	-13.419	76.706	1.00	8.85	A
ATOM	928	NE2	GLN	101	72.545	-19.804	88.160	0.00	18.89	A	ATOM	976	CG	MET	107	65.088	-12.282	77.565	1.00	7.34	A
ATOM	931	C	GLN	101	69.367	-17.160	84.805	1.00	17.74	A	ATOM	977	SD	MET	107	66.370	-11.064	77.880	1.00	12.15	A
ATOM	932	O	GLN	101	69.779	-17.790	83.852	1.00	20.04	A	ATOM	978	CE	MET	107	66.468	-10.194	76.328	1.00	8.30	A
ATOM	933	N	SER	102	68.076	-16.975	85.012	1.00	17.50	A	ATOM	979	C	MET	107	64.845	-15.189	75.115	1.00	8.47	A
ATOM	935	CA	SER	102	67.065	-17.502	84.110	1.00	16.74	A	ATOM	980	O	MET	107	64.245	-14.808	74.105	1.00	10.13	A
ATOM	936	CB	SER	102	65.831	-17.936	84.914	1.00	17.70	A	ATOM	981	N	ARG	108	65.797	-16.109	75.091	1.00	8.52	A
ATOM	937	CG	SER	102	66.129	-18.957	85.842	1.00	18.93	A	ATOM	983	CA	ARG	108	66.159	-16.833	73.889	1.00	9.64	A
ATOM	939	C	SER	102	66.585	-16.557	83.023	1.00	15.99	A	ATOM	984	CB	ARG	108	67.369	-17.741	74.169	1.00	11.91	A
ATOM	940	O	SER	102	65.952	-16.996	82.072	1.00	17.44	A	ATOM	985	CG	ARG	108	68.615	-17.110	74.785	1.00	15.45	A
ATOM	941	N	ILE	103	66.884	-15.282	83.151	1.00	13.29	A	ATOM	986	CD	ARG	108	69.830	-18.012	74.429	1.00	21.24	A
ATOM	943	CA	ILE	103	66.399	-14.285	82.203	1.00	12.59	A	ATOM	987	NE	ARG	108	70.953	-17.974	75.384	1.00	24.84	A

SUBSTITUTE SHEET (Rule 26)

ATOM	989	CZ	ARG	108	72.112	-17.352	75.158	1.00	25.44	A	ATOM	1043	CA	LEU	114	57.793	-16.473	68.619	1.00	12.91	A
ATOM	990	NH1	ARG	108	72.319	-16.707	74.017	0.00	25.39	A	ATOM	1044	CB	LEU	114	58.236	-15.121	69.204	1.00	12.25	A
ATOM	993	NH2	ARG	108	73.073	-17.400	76.067	0.00	25.39	A	ATOM	1045	CG	LEU	114	57.598	-14.807	70.571	1.00	12.03	A
ATOM	996	C	ARG	108	65.002	-17.746	73.481	1.00	10.28	A	ATOM	1046	CD1	LEU	114	58.266	-13.604	71.215	1.00	10.36	A
ATOM	997	O	ARG	108	64.551	-17.780	72.325	1.00	10.21	A	ATOM	1047	CD2	LEU	114	56.043	-14.583	70.410	1.00	9.08	A
ATOM	998	N	ASN	109	64.597	-18.568	74.440	1.00	11.06	A	ATOM	1048	C	LEU	114	58.140	-16.592	67.114	1.00	13.42	A
ATOM	1000	CA	ASN	109	63.523	-19.505	74.273	1.00	10.67	A	ATOM	1049	O	LEU	114	57.270	-16.612	66.207	1.00	13.67	A
ATOM	1001	CB	ASN	109	63.233	-20.197	75.610	1.00	10.72	A	ATOM	1050	N	SER	115	59.415	-16.763	66.866	1.00	12.71	A
ATOM	1002	CG	ASN	109	64.196	-21.313	75.896	1.00	11.67	A	ATOM	1052	CA	SER	115	59.886	-16.915	65.527	1.00	13.74	A
ATOM	1003	OD1	ASN	109	65.080	-21.577	75.103	1.00	11.83	A	ATOM	1053	CB	SER	115	61.384	-17.158	65.602	1.00	14.96	A
ATOM	1004	ND2	ASN	109	64.014	-22.000	77.006	1.00	12.62	A	ATOM	1054	OG	SER	115	61.978	-17.239	64.320	1.00	18.12	A
ATOM	1007	C	ASN	109	62.276	-18.865	73.713	1.00	10.37	A	ATOM	1056	C	SER	115	59.164	-18.080	64.829	1.00	12.89	A
ATOM	1008	O	ASN	109	61.636	-19.439	72.850	1.00	12.51	A	ATOM	1057	O	SER	115	58.504	-17.902	63.844	1.00	14.53	A
ATOM	1009	N	LEU	110	61.921	-17.684	74.190	1.00	11.07	A	ATOM	1058	N	ALA	116	59.191	-19.267	65.389	1.00	13.04	A
ATOM	1011	CA	LEU	110	60.725	-17.001	73.730	1.00	9.80	A	ATOM	1060	CA	ALA	116	58.522	-20.380	64.737	1.00	12.01	A
ATOM	1012	CB	LEU	110	60.388	-15.847	74.676	1.00	10.99	A	ATOM	1061	CB	ALA	116	58.846	-21.652	65.420	1.00	10.26	A
ATOM	1013	CG	LEU	110	59.189	-15.732	75.658	1.00	9.59	A	ATOM	1062	C	ALA	116	57.024	-20.215	64.614	1.00	12.86	A
ATOM	1014	CD1	LEU	110	58.400	-17.016	75.925	1.00	9.40	A	ATOM	1063	O	ALA	116	56.404	-20.895	63.811	1.00	14.85	A
ATOM	1015	CD2	LEU	110	59.704	-15.125	76.942	1.00	8.74	A	ATOM	1064	N	ALA	117	56.413	-19.347	65.412	1.00	13.86	A
ATOM	1016	C	LEU	110	60.982	-16.519	72.311	1.00	10.46	A	ATOM	1066	CA	ALA	117	54.958	-19.150	65.341	1.00	13.39	A
ATOM	1017	O	LEU	110	60.121	-16.696	71.436	1.00	10.83	A	ATOM	1067	CB	ALA	117	54.411	-18.728	66.678	1.00	13.42	A
ATOM	1018	N	ASN	111	62.191	-16.016	72.047	1.00	9.61	A	ATOM	1068	C	ALA	117	54.677	-18.086	64.324	1.00	13.64	A
ATOM	1020	CA	ASN	111	62.567	-15.573	70.676	1.00	9.50	A	ATOM	1069	O	ALA	117	53.533	-17.742	64.069	1.00	15.02	A
ATOM	1021	CB	ASN	111	64.008	-15.048	70.589	1.00	10.84	A	ATOM	1070	N	GLY	118	55.736	-17.595	63.709	1.00	13.91	A
ATOM	1022	CG	ASN	111	64.148	-13.599	71.051	1.00	9.53	A	ATOM	1072	CA	GLY	118	55.585	-16.538	62.760	1.00	14.63	A
ATOM	1023	OD1	ASN	111	63.270	-12.794	70.833	1.00	10.75	A	ATOM	1073	C	GLY	118	55.147	-15.257	63.451	1.00	16.58	A
ATOM	1024	ND2	ASN	111	65.251	-13.281	71.681	1.00	8.82	A	ATOM	1074	O	GLY	118	54.541	-14.415	62.798	1.00	18.30	A
ATOM	1027	C	ASN	111	62.457	-16.671	69.654	1.00	8.61	A	ATOM	1075	N	LEU	119	55.415	-15.091	64.753	1.00	17.41	A
ATOM	1028	O	ASN	111	62.106	-16.434	68.509	1.00	7.56	A	ATOM	1077	CA	LEU	119	55.043	-13.851	65.465	1.00	17.06	A
ATOM	1029	N	ALA	112	62.784	-17.881	70.060	1.00	9.27	A	ATOM	1078	CB	LEU	119	54.347	-14.197	66.755	1.00	17.36	A
ATOM	1031	CA	ALA	112	62.729	-19.004	69.133	1.00	9.73	A	ATOM	1079	CG	LEU	119	53.229	-15.176	66.584	1.00	16.87	A
ATOM	1032	CB	ALA	112	63.502	-20.178	69.700	1.00	8.79	A	ATOM	1080	CD1	LEU	119	52.666	-15.510	67.947	1.00	19.39	A
ATOM	1033	C	ALA	112	61.298	-19.407	68.857	1.00	10.54	A	ATOM	1081	CD2	LEU	119	52.176	-14.524	65.742	1.00	19.79	A
ATOM	1034	O	ALA	112	60.898	-19.638	67.715	1.00	9.64	A	ATOM	1082	C	LEU	119	56.277	-12.990	65.780	1.00	17.12	A
ATOM	1035	N	ALA	113	60.516	-19.413	69.929	1.00	11.42	A	ATOM	1083	O	LEU	119	56.390	-12.416	66.875	1.00	18.38	A
ATOM	1037	CA	ALA	113	59.115	-19.802	69.881	1.00	12.92	A	ATOM	1084	N	GLY	120	57.179	-12.895	64.805	1.00	15.83	A
ATOM	1038	CB	ALA	113	58.575	-19.985	71.369	1.00	12.48	A	ATOM	1086	CA	GLY	120	58.429	-12.160	64.942	1.00	14.06	A
ATOM	1039	C	ALA	113	58.252	-18.808	69.083	1.00	12.95	A	ATOM	1087	C	GLY	120	58.413	-10.654	65.090	1.00	13.82	A
ATOM	1040	O	ALA	113	57.344	-19.192	68.337	1.00	13.21	A	ATOM	1088	O	GLY	120	59.459	-10.017	65.303	1.00	14.11	A
ATOM	1041	N	LEU	114	58.498	-17.530	69.312	1.00	12.62	A	ATOM	1089	N	ALA	121	57.254	-10.045	64.894	1.00	13.70	A

SUBSTITUTE SHEET (Rule 26)

ATOM 1091	CA	ALA	121	57.187	-8.610	65.079	1.00	12.80	A	ATOM	1141	O	THR	126	63.754	-5.371	80.629	1.00	9.68	A
ATOM 1092	CB	ALA	121	55.920	-8.062	64.466	1.00	10.46	A	ATOM	1142	N	SER	127	62.347	-6.306	82.165	1.00	10.89	A
ATOM 1093	C	ALA	121	57.234	-8.350	66.621	1.00	14.19	A	ATOM	1144	CA	SER	127	62.150	-5.062	82.987	1.00	12.16	A
ATOM 1094	O	ALA	121	57.845	-7.362	67.092	1.00	15.20	A	ATOM	1145	CB	SER	127	60.683	-4.936	83.263	1.00	12.56	A
ATOM 1095	N	ILE	122	56.628	-9.246	67.406	1.00	13.68	A	ATOM	1146	OG	SER	127	60.340	-3.593	83.542	1.00	13.86	A
ATOM 1097	CA	ILE	122	56.637	-9.074	68.846	1.00	12.79	A	ATOM	1148	C	SER	127	63.047	-4.949	84.135	1.00	13.57	A
ATOM 1098	CB	ILE	122	55.787	-10.128	69.538	1.00	11.04	A	ATOM	1149	O	SER	127	63.060	-5.827	84.998	1.00	13.26	A
ATOM 1099	CG2	ILE	122	55.650	-9.769	70.967	1.00	10.47	A	ATOM	1150	N	ILE	128	63.802	-3.859	84.223	1.00	14.43	A
ATOM 1100	CG1	ILE	122	54.375	-10.148	68.930	1.00	10.24	A	ATOM	1152	CA	ILE	128	64.702	-3.641	85.341	1.00	15.30	A
ATOM 1101	CD1	ILE	122	53.432	-11.096	69.585	1.00	6.71	A	ATOM	1153	CB	ILE	128	66.214	-3.627	84.878	1.00	15.76	A
ATOM 1102	C	ILE	122	58.065	-9.177	69.356	1.00	13.87	A	ATOM	1154	CG2	ILE	128	66.560	-4.904	84.074	1.00	14.98	A
ATOM 1103	O	ILE	122	58.743	-10.166	69.074	1.00	15.29	A	ATOM	1155	CG1	ILE	128	66.515	-2.355	84.056	1.00	15.86	A
ATOM 1104	N	LYS	123	58.503	-8.179	70.124	1.00	13.48	A	ATOM	1156	CD1	ILE	128	67.983	-1.902	84.071	1.00	14.20	A
ATOM 1106	CA	LYS	123	59.857	-8.120	70.596	1.00	13.29	A	ATOM	1157	C	ILE	128	64.464	-2.337	86.117	1.00	15.44	A
ATOM 1107	CB	LYS	123	60.385	-6.687	70.568	1.00	14.22	A	ATOM	1158	O	ILE	128	63.884	-1.363	85.630	1.00	14.40	A
ATOM 1108	CG	LYS	123	60.544	-6.240	69.144	1.00	16.22	A	ATOM	1159	N	ARG	129	64.971	-2.336	87.334	1.00	16.63	A
ATOM 1109	CD	LYS	123	61.682	-7.012	68.541	1.00	19.45	A	ATOM	1161	CA	ARG	129	64.913	-1.174	88.180	1.00	18.37	A
ATOM 1110	CE	LYS	123	61.821	-6.806	67.022	1.00	22.94	A	ATOM	1162	CB	ARG	129	64.654	-1.539	89.621	1.00	20.31	A
ATOM 1111	NZ	LYS	123	63.112	-7.377	66.447	1.00	23.11	A	ATOM	1163	CG	ARG	129	65.274	-2.830	90.036	1.00	23.81	A
ATOM 1115	C	LYS	123	59.973	-8.581	72.162	1.00	11.90	A	ATOM	1164	CD	ARG	129	64.646	-3.270	91.301	1.00	27.04	A
ATOM 1116	O	LYS	123	59.160	-8.212	73.004	1.00	11.93	A	ATOM	1165	NE	ARG	129	65.510	-2.975	92.416	1.00	29.70	A
ATOM 1117	N	VAL	124	61.046	-9.300	72.477	1.00	11.56	A	ATOM	1167	CZ	ARG	129	65.528	-3.697	93.522	1.00	31.18	A
ATOM 1119	CA	VAL	124	61.303	-9.843	73.830	1.00	11.78	A	ATOM	1168	NH1	ARG	129	64.695	-4.739	93.645	1.00	31.07	A
ATOM 1120	CB	VAL	124	61.601	-11.338	73.740	1.00	10.81	A	ATOM	1171	NH2	ARG	129	66.459	-3.444	94.442	1.00	31.97	A
ATOM 1121	CG1	VAL	124	62.136	-11.856	75.023	1.00	10.92	A	ATOM	1174	C	ARG	129	66.243	-0.457	88.055	1.00	18.18	A
ATOM 1122	CG2	VAL	124	60.374	-12.062	73.279	1.00	10.87	A	ATOM	1175	O	ARG	129	67.275	-1.036	87.135	1.00	16.92	A
ATOM 1123	C	VAL	124	62.413	-9.102	74.622	1.00	12.44	A	ATOM	1176	N	PHE	130	66.190	0.825	88.346	1.00	19.07	A
ATOM 1124	O	VAL	124	63.550	-8.958	74.170	1.00	15.04	A	ATOM	1178	CA	PHE	130	67.329	1.693	88.253	1.00	19.35	A
ATOM 1125	N	SER	125	62.087	-8.658	75.826	1.00	12.04	A	ATOM	1179	CB	PHE	130	66.889	3.102	88.629	1.00	17.28	A
ATOM 1127	CA	SER	125	63.029	-7.887	76.630	1.00	11.07	A	ATOM	1180	CG	PHE	130	67.843	4.141	88.187	1.00	17.26	A
ATOM 1128	CB	SER	125	62.702	-6.386	76.402	1.00	10.68	A	ATOM	1181	CD1	PHE	130	67.890	4.521	86.858	1.00	17.23	A
ATOM 1129	OG	SER	125	63.630	-5.512	77.034	1.00	9.67	A	ATOM	1182	CD2	PHE	130	68.761	4.675	89.067	1.00	15.31	A
ATOM 1131	O	SER	125	62.877	-8.296	78.119	1.00	10.92	A	ATOM	1183	CE1	PHE	130	68.848	5.410	86.421	1.00	17.58	A
ATOM 1132	C	SER	125	62.376	-9.388	78.441	1.00	11.37	A	ATOM	1184	CE2	PHE	130	69.719	5.564	88.640	1.00	16.06	A
ATOM 1133	N	THR	126	63.399	-7.485	79.017	1.00	9.76	A	ATOM	1185	CZ	PHE	130	69.773	5.935	87.321	1.00	16.74	A
ATOM 1135	CA	THR	126	63.264	-7.759	80.436	1.00	9.61	A	ATOM	1186	C	PHE	130	68.537	1.267	89.082	1.00	20.06	A
ATOM 1136	CB	THR	126	64.431	-8.577	80.962	1.00	10.17	A	ATOM	1187	O	PHE	130	69.676	1.480	88.660	1.00	21.09	A
ATOM 1137	OG1	THR	126	64.026	-9.275	82.154	1.00	8.21	A	ATOM	1188	N	ASP	131	68.292	0.628	90.229	1.00	21.10	A
ATOM 1139	CG2	THR	126	65.657	-7.662	81.224	1.00	8.10	A	ATOM	1190	CA	ASP	131	69.358	0.198	91.156	1.00	22.06	A
ATOM 1140	C	THR	126	63.179	-6.377	81.125	1.00	11.25	A	ATOM	1191	CB	ASP	131	68.781	-0.207	92.552	1.00	21.74	A

SUBSTITUTE SHEET (Rule 26)

ATOM	1192	CG	ASP	131	68.730	-1.735	92.783	1.00	25.27	A	ATOM	1240	N	PHE	137	76.129	9.135	88.585	1.00	27.74	A
ATOM	1193	OD1	ASP	131	68.196	-2.504	91.929	1.00	25.25	A	ATOM	1242	CA	PHE	137	76.475	10.545	88.645	1.00	28.26	A
ATOM	1194	OD2	ASP	131	69.212	-2.178	93.863	1.00	26.91	A	ATOM	1243	CB	PHE	137	76.004	11.257	89.905	1.00	29.07	A
ATOM	1195	C	ASP	131	70.325	-0.832	90.530	1.00	22.02	A	ATOM	1244	CG	PHE	137	76.166	12.746	89.791	1.00	31.77	A
ATOM	1196	O	ASP	131	71.277	-1.289	91.169	1.00	22.52	A	ATOM	1245	CD1	PHE	137	75.305	13.479	88.969	1.00	32.45	A
ATOM	1197	N	GLU	132	70.071	-1.151	89.263	1.00	21.03	A	ATOM	1246	CD2	PHE	137	77.266	13.401	90.368	1.00	32.71	A
ATOM	1199	CA	GLU	132	70.902	-2.039	88.460	1.00	21.06	A	ATOM	1247	CE1	PHE	137	75.544	14.837	88.713	1.00	33.75	A
ATOM	1200	CB	GLU	132	70.088	-2.546	87.271	1.00	21.92	A	ATOM	1248	CE2	PHE	137	77.516	14.766	90.121	1.00	33.22	A
ATOM	1201	CG	GLU	132	69.474	-3.894	87.517	1.00	24.36	A	ATOM	1249	CZ	PHE	137	76.655	15.480	89.290	1.00	33.43	A
ATOM	1202	CD	GLU	132	70.488	-4.930	87.948	1.00	24.60	A	ATOM	1250	C	PHE	137	77.956	10.837	88.445	1.00	27.41	A
ATOM	1203	OE1	GLU	132	71.648	-4.936	87.439	1.00	26.46	A	ATOM	1251	O	PHE	137	78.803	10.289	89.159	1.00	28.54	A
ATOM	1204	OE2	GLU	132	70.108	-5.738	88.814	1.00	26.42	A	ATOM	1252	N	PRO	138	78.294	11.632	87.416	1.00	25.93	A
ATOM	1205	C	GLU	132	72.089	-1.278	87.884	1.00	19.83	A	ATOM	1253	CD	PRO	138	79.678	11.840	86.968	1.00	25.55	A
ATOM	1206	O	GLU	132	73.059	-1.883	87.432	1.00	18.97	A	ATOM	1254	CA	PRO	138	77.370	12.239	86.462	1.00	24.52	A
ATOM	1207	N	VAL	133	71.923	0.046	87.808	1.00	19.78	A	ATOM	1255	CB	PRO	138	78.309	13.038	85.585	1.00	24.62	A
ATOM	1209	CA	VAL	133	72.898	0.970	87.258	1.00	19.92	A	ATOM	1256	CG	PRO	138	79.494	12.173	85.500	1.00	24.67	A
ATOM	1210	CB	VAL	133	72.187	2.029	86.404	1.00	19.98	A	ATOM	1257	C	PRO	138	76.726	11.098	85.676	1.00	24.21	A
ATOM	1211	CG1	VAL	133	73.193	3.026	85.812	1.00	20.69	A	ATOM	1258	O	PRO	138	77.219	9.964	85.725	1.00	23.57	A
ATOM	1212	CG2	VAL	133	71.383	1.344	85.287	1.00	19.89	A	ATOM	1259	N	PRO	139	75.646	11.382	84.915	1.00	24.21	A
ATOM	1213	C	VAL	133	73.699	1.689	88.325	1.00	20.20	A	ATOM	1260	CD	PRO	139	74.980	12.680	84.672	1.00	23.08	A
ATOM	1214	O	VAL	133	73.122	2.392	89.125	1.00	21.63	A	ATOM	1261	CA	PRO	139	74.980	10.325	84.150	1.00	23.43	A
ATOM	1215	N	ALA	134	75.017	1.486	88.336	1.00	20.59	A	ATOM	1262	CB	PRO	139	73.935	11.101	83.363	1.00	23.01	A
ATOM	1217	CA	ALA	134	75.942	2.134	89.273	1.00	21.26	A	ATOM	1263	CG	PRO	139	73.621	12.237	84.251	1.00	22.85	A
ATOM	1218	CB	ALA	134	77.041	1.177	89.706	1.00	19.88	A	ATOM	1264	C	PRO	139	75.929	9.549	83.228	1.00	24.31	A
ATOM	1219	C	ALA	134	76.561	3.370	88.625	1.00	21.76	A	ATOM	1265	O	PRO	139	75.748	8.346	82.992	1.00	24.12	A
ATOM	1220	O	ALA	134	76.440	3.582	87.431	1.00	21.39	A	ATOM	1266	N	SER	140	76.960	10.237	82.740	1.00	24.24	A
ATOM	1221	N	ASN	135	77.215	4.174	89.450	1.00	23.40	A	ATOM	1268	CA	SER	140	77.941	9.635	81.849	1.00	23.99	A
ATOM	1223	CA	ASN	135	77.865	5.430	89.073	1.00	25.37	A	ATOM	1269	CB	SER	140	78.857	10.740	81.295	1.00	25.50	A
ATOM	1224	CB	ASN	135	79.209	5.180	88.416	1.00	28.00	A	ATOM	1270	OG	SER	140	79.432	11.521	82.359	1.00	25.53	A
ATOM	1225	CG	ASN	135	80.152	4.457	89.314	1.00	30.30	A	ATOM	1272	C	SER	140	78.766	8.541	82.561	1.00	23.60	A
ATOM	1226	OD1	ASN	135	80.087	4.580	90.562	1.00	31.22	A	ATOM	1273	O	SER	140	79.512	7.793	81.942	1.00	23.75	A
ATOM	1227	ND2	ASN	135	81.023	3.654	88.706	1.00	31.27	A	ATOM	1274	N	ALA	141	78.668	8.477	83.875	1.00	23.67	A
ATOM	1230	C	ASN	135	77.039	6.331	88.198	1.00	25.56	A	ATOM	1276	CA	ALA	141	79.400	7.469	84.616	1.00	22.84	A
ATOM	1231	O	ASN	135	77.564	6.991	87.138	1.00	25.43	A	ATOM	1277	CB	ALA	141	79.887	8.060	85.888	1.00	21.82	A
ATOM	1232	N	SER	136	75.763	6.444	88.525	1.00	26.11	A	ATOM	1278	C	ALA	141	78.510	6.229	84.872	1.00	22.87	A
ATOM	1234	CA	SER	136	74.850	7.253	87.753	1.00	27.19	A	ATOM	1279	O	ALA	141	78.882	5.309	85.607	1.00	22.88	A
ATOM	1235	CB	SER	136	73.400	6.907	88.118	1.00	27.37	A	ATOM	1280	N	GLY	142	77.337	6.188	84.251	1.00	22.06	A
ATOM	1236	CG	SER	136	73.227	6.835	89.518	1.00	29.74	A	ATOM	1282	CA	GLY	142	76.485	5.042	84.472	1.00	21.72	A
ATOM	1238	C	SER	136	75.115	8.745	87.825	1.00	27.41	A	ATOM	1283	C	GLY	142	77.107	3.758	83.934	1.00	21.11	A
ATOM	1239	O	SER	136	74.366	9.550	87.242	1.00	28.25	A	ATOM	1284	O	GLY	142	77.562	3.724	82.778	1.00	21.47	A

SUBSTITUTE SHEET (Rule 26)

ATOM	1285	N	VAL	143	77.077	2.700	84.745	1.00	20.21	A	ATOM	1335	N	TYR	148	75.352	-10.247	84.467	1.00	20.88	A
ATOM	1287	CA	VAL	143	77.618	1.391	84.376	1.00	20.23	A	ATOM	1337	CA	TYR	148	74.283	-10.755	83.621	1.00	21.34	A
ATOM	1288	CB	VAL	143	79.117	1.300	84.815	1.00	21.19	A	ATOM	1338	CB	TYR	148	73.223	-11.449	84.479	1.00	20.15	A
ATOM	1289	CG1	VAL	143	79.245	0.907	86.294	1.00	20.95	A	ATOM	1339	CG	TYR	148	72.208	-10.509	85.056	1.00	20.77	A
ATOM	1290	CG2	VAL	143	79.872	0.376	83.928	1.00	20.58	A	ATOM	1340	CD1	TYR	148	70.986	-10.268	84.403	1.00	20.83	A
ATOM	1291	C	VAL	143	76.790	0.259	85.030	1.00	19.57	A	ATOM	1341	CE1	TYR	148	70.068	-9.397	84.931	1.00	21.25	A
ATOM	1292	O	VAL	143	76.381	0.368	86.182	1.00	19.01	A	ATOM	1342	CD2	TYR	148	72.462	-9.850	86.243	1.00	20.74	A
ATOM	1293	N	PHE	144	76.467	-0.784	84.278	1.00	19.49	A	ATOM	1343	CE2	TYR	148	71.557	-8.990	86.778	1.00	21.46	A
ATOM	1295	CA	PHE	144	75.698	-1.889	84.845	1.00	20.31	A	ATOM	1344	CZ	TYR	148	70.368	-8.761	86.132	1.00	21.94	A
ATOM	1296	CB	PHE	144	75.297	-2.946	83.787	1.00	18.00	A	ATOM	1345	OH	TYR	148	69.493	-7.897	86.729	1.00	22.43	A
ATOM	1297	CG	PHE	144	74.207	-2.488	82.833	1.00	17.76	A	ATOM	1347	C	TYR	148	73.658	-9.701	82.701	1.00	20.88	A
ATOM	1298	CD1	PHE	144	74.305	-2.748	81.467	1.00	15.02	A	ATOM	1348	O	TYR	148	73.172	-10.011	81.622	1.00	20.84	A
ATOM	1299	CD2	PHE	144	73.084	-1.785	83.297	1.00	15.87	A	ATOM	1349	N	MET	149	73.701	-8.453	83.114	1.00	22.25	A
ATOM	1300	CE1	PHE	144	73.334	-2.331	80.604	1.00	14.15	A	ATOM	1351	CA	MET	149	73.137	-7.380	82.318	1.00	23.80	A
ATOM	1301	CE2	PHE	144	72.107	-1.370	82.405	1.00	14.33	A	ATOM	1352	CB	MET	149	72.968	-6.106	83.161	1.00	24.28	A
ATOM	1302	CZ	PHE	144	72.242	-1.648	81.062	1.00	13.41	A	ATOM	1353	CG	MET	149	71.632	-6.023	83.877	1.00	24.75	A
ATOM	1303	C	PHE	144	76.557	-2.554	85.894	1.00	21.56	A	ATOM	1354	SD	MET	149	70.212	-6.441	82.787	1.00	25.47	A
ATOM	1304	O	PHE	144	77.676	-2.995	85.588	1.00	21.03	A	ATOM	1355	CE	MET	149	70.095	-4.951	81.760	1.00	24.65	A
ATOM	1305	N	LYS	145	76.029	-2.659	87.114	1.00	22.88	A	ATOM	1356	C	MET	149	73.917	-7.080	81.051	1.00	23.81	A
ATOM	1307	CA	LYS	145	76.786	-3.283	88.194	1.00	24.21	A	ATOM	1357	O	MET	149	73.390	-6.465	80.136	1.00	25.01	A
ATOM	1308	CB	LYS	145	76.362	-2.736	89.571	1.00	25.42	A	ATOM	1358	N	THR	150	75.173	-7.483	80.969	1.00	24.49	A
ATOM	1309	CG	LYS	145	74.942	-3.087	90.024	1.00	26.38	A	ATOM	1360	CA	THR	150	75.887	-7.208	79.730	1.00	24.76	A
ATOM	1310	CD	LYS	145	74.687	-2.680	91.476	1.00	28.20	A	ATOM	1361	CB	THR	150	77.412	-7.263	79.879	1.00	25.63	A
ATOM	1311	CE	LYS	145	73.802	-3.729	92.197	1.00	29.64	A	ATOM	1362	CG1	THR	150	77.809	-6.523	81.042	1.00	27.35	A
ATOM	1312	NZ	LYS	145	72.402	-3.897	91.666	1.00	28.88	A	ATOM	1364	CG2	THR	150	78.070	-6.663	78.645	1.00	25.27	A
ATOM	1316	C	LYS	145	76.786	-4.830	88.179	1.00	24.66	A	ATOM	1365	C	THR	150	75.433	-8.230	78.709	1.00	24.76	A
ATOM	1317	O	LYS	145	77.719	-5.460	88.684	1.00	25.61	A	ATOM	1366	O	THR	150	75.282	-7.900	77.533	1.00	24.98	A
ATOM	1318	N	ASN	146	75.796	-5.444	87.540	1.00	25.05	A	ATOM	1367	N	ASP	151	75.235	-9.472	79.165	1.00	24.84	A
ATOM	1320	CA	ASN	146	75.723	-6.913	87.496	1.00	24.78	A	ATOM	1369	CA	ASP	151	74.754	-10.558	78.314	1.00	25.22	A
ATOM	1321	CB	ASN	146	74.303	-7.370	87.807	1.00	24.82	A	ATOM	1370	CB	ASP	151	74.565	-11.828	79.139	1.00	27.10	A
ATOM	1322	CG	ASN	146	73.896	-7.026	89.225	1.00	25.15	A	ATOM	1371	CG	ASP	151	75.869	-12.450	79.597	1.00	28.78	A
ATOM	1323	OD1	ASN	146	74.681	-7.193	90.151	1.00	25.04	A	ATOM	1372	OD1	ASP	151	75.906	-12.963	80.753	1.00	29.64	A
ATOM	1324	ND2	ASN	146	72.677	-6.540	89.403	1.00	23.63	A	ATOM	1373	OD2	ASP	151	76.825	-12.482	78.788	1.00	29.01	A
ATOM	1327	C	ASN	146	76.216	-7.484	86.179	1.00	24.41	A	ATOM	1374	C	ASP	151	73.376	-10.172	77.729	1.00	25.10	A
ATOM	1328	O	ASN	146	75.968	-6.908	85.107	1.00	25.26	A	ATOM	1375	O	ASP	151	73.071	-10.454	76.566	1.00	24.90	A
ATOM	1329	N	ALA	147	76.931	-8.604	86.233	1.00	23.35	A	ATOM	1376	N	VAL	152	72.540	-9.562	78.565	1.00	24.11	A
ATOM	1331	CA	ALA	147	77.473	-9.183	84.993	1.00	22.31	A	ATOM	1378	CA	VAL	152	71.216	-9.153	78.166	1.00	23.89	A
ATOM	1332	CB	ALA	147	78.447	-10.310	85.311	1.00	22.61	A	ATOM	1379	CB	VAL	152	70.357	-8.728	79.376	1.00	23.14	A
ATOM	1333	C	ALA	147	76.429	-9.646	83.967	1.00	21.63	A	ATOM	1380	CG1	VAL	152	69.020	-8.256	78.930	1.00	21.84	A
ATOM	1334	O	ALA	147	76.582	-9.421	82.760	1.00	21.51	A	ATOM	1381	CG2	VAL	152	70.174	-9.887	80.306	1.00	22.64	A

SUBSTITUTE SHEET (Rule 26)

ATOM	1382	C	VAL	152	71.301	-8.021	77.161	1.00	24.67	ATOM	1433	CA	SER	158	71.363	-8.272	68.055	1.00	18.81	A
ATOM	1383	O	VAL	152	70.691	-8.100	76.083	1.00	24.99	ATOM	1434	CB	SER	158	72.153	-9.582	68.202	1.00	19.09	A
ATOM	1384	N	ALA	153	72.091	-6.998	77.459	1.00	24.23	ATOM	1435	OG	SER	158	71.774	-10.324	69.343	1.00	19.91	A
ATOM	1386	CA	ALA	153	72.180	-5.874	76.519	1.00	24.58	ATOM	1437	C	SER	158	69.937	-8.538	67.631	1.00	19.08	A
ATOM	1387	CB	ALA	153	73.107	-4.765	77.060	1.00	25.09	ATOM	1438	O	SER	158	69.682	-8.764	66.433	1.00	20.98	A
ATOM	1388	C	ALA	153	72.633	-6.313	75.133	1.00	24.18	ATOM	1439	N	THR	159	69.000	-8.498	68.574	1.00	17.92	A
ATOM	1389	O	ALA	153	72.160	-5.788	74.113	1.00	24.39	ATOM	1441	CA	THR	159	67.601	-8.750	68.245	1.00	16.31	A
ATOM	1390	N	ARG	154	73.567	-7.258	75.111	1.00	24.17	ATOM	1442	CB	THR	159	66.911	-9.624	69.320	1.00	16.21	A
ATOM	1392	CA	ARG	154	74.115	-7.803	73.869	1.00	23.53	ATOM	1443	OG1	THR	159	66.790	-8.909	70.552	1.00	16.89	A
ATOM	1393	CB	ARG	154	75.313	-8.704	74.160	1.00	23.52	ATOM	1445	CG2	THR	159	67.756	-10.827	69.592	1.00	16.73	A
ATOM	1394	CG	ARG	154	76.525	-7.900	74.627	1.00	24.31	ATOM	1446	C	THR	159	66.795	-7.479	67.946	1.00	15.74	A
ATOM	1395	CD	ARG	154	77.800	-8.746	74.706	1.00	25.07	ATOM	1447	O	THR	159	65.670	-7.523	67.438	1.00	15.92	A
ATOM	1396	NE	ARG	154	77.646	-9.920	75.560	0.00	25.44	ATOM	1448	N	GLY	160	67.377	-6.322	68.193	1.00	14.63	A
ATOM	1398	CZ	ARG	154	78.537	-10.903	75.648	0.00	25.69	ATOM	1450	CA	GLY	160	66.610	-5.137	67.913	1.00	13.17	A
ATOM	1399	NH1	ARG	154	79.655	-10.862	74.935	0.00	25.86	ATOM	1451	C	GLY	160	65.458	-4.949	68.883	1.00	13.00	A
ATOM	1402	NH2	ARG	154	78.304	-11.940	76.439	0.00	25.86	ATOM	1452	O	GLY	160	64.426	-4.379	68.517	1.00	15.49	A
ATOM	1405	C	ARG	154	73.046	-8.532	73.081	1.00	21.85	ATOM	1453	N	ALA	161	65.607	-5.435	70.114	1.00	11.24	A
ATOM	1406	O	ARG	154	72.925	-8.338	71.876	1.00	22.89	ATOM	1455	CA	ALA	161	64.582	-5.249	71.117	1.00	9.17	A
ATOM	1407	N	LEU	155	72.214	-9.298	73.773	1.00	20.76	ATOM	1456	CB	ALA	161	64.340	-6.492	71.857	1.00	8.62	A
ATOM	1409	CA	LEU	155	71.129	-10.019	73.119	1.00	18.53	ATOM	1457	C	ALA	161	65.147	-4.181	72.045	1.00	9.79	A
ATOM	1410	CB	LEU	155	70.431	-10.982	74.094	1.00	16.53	ATOM	1458	O	ALA	161	66.371	-4.065	72.208	1.00	9.88	A
ATOM	1411	CG	LEU	155	69.147	-11.608	73.514	1.00	17.43	ATOM	1459	N	PRO	162	64.283	-3.322	72.607	1.00	9.62	A
ATOM	1412	CD1	LEU	155	69.406	-12.212	72.141	1.00	16.13	ATOM	1460	CD	PRO	162	62.834	-3.217	72.365	1.00	9.55	A
ATOM	1413	CD2	LEU	155	68.560	-12.661	74.405	1.00	16.49	ATOM	1461	CA	PRO	162	64.740	-2.266	73.510	1.00	10.02	A
ATOM	1414	C	LEU	155	70.152	-8.992	72.579	1.00	17.41	ATOM	1462	CB	PRO	162	63.609	-1.263	73.425	1.00	11.44	A
ATOM	1415	O	LEU	155	69.709	-9.091	71.442	1.00	18.55	ATOM	1463	CG	PRO	162	62.410	-2.186	73.376	1.00	10.03	A
ATOM	1416	N	LEU	156	69.832	-7.980	73.370	1.00	17.48	ATOM	1464	C	PRO	162	64.795	-2.799	74.894	1.00	10.55	A
ATOM	1418	CA	LEU	156	68.904	-6.933	72.914	1.00	17.87	ATOM	1465	O	PRO	162	64.372	-3.930	75.124	1.00	11.67	A
ATOM	1419	CB	LEU	156	68.685	-5.899	74.012	1.00	17.57	ATOM	1466	N	LEU	163	65.203	-1.942	75.833	1.00	10.63	A
ATOM	1420	CG	LEU	156	67.921	-6.383	75.234	1.00	15.82	ATOM	1468	CA	LEU	163	65.283	-2.302	77.247	1.00	9.50	A
ATOM	1421	CD1	LEU	156	67.889	-5.295	76.200	1.00	15.48	ATOM	1469	CB	LEU	163	66.651	-1.909	79.310	1.00	10.58	A
ATOM	1422	CD2	LEU	156	66.527	-6.805	74.860	1.00	16.22	ATOM	1470	CG	LEU	163	66.894	-2.105	79.310	1.00	10.58	A
ATOM	1423	C	LEU	156	69.418	-6.229	71.655	1.00	17.95	ATOM	1471	CD1	LEU	163	66.664	-3.597	79.740	1.00	9.85	A
ATOM	1424	O	LEU	156	68.654	-5.925	70.740	1.00	18.46	ATOM	1472	CD2	LEU	163	68.348	-1.669	79.603	1.00	10.33	A
ATOM	1425	N	ALA	157	70.724	-5.995	71.614	1.00	18.96	ATOM	1473	C	LEU	163	64.170	-1.570	77.997	1.00	8.34	A
ATOM	1427	CA	ALA	157	71.381	-5.349	70.485	1.00	19.45	ATOM	1474	O	LEU	163	63.938	-0.395	77.755	1.00	6.95	A
ATOM	1428	CB	ALA	157	72.872	-5.183	70.763	1.00	19.00	ATOM	1475	N	LEU	164	63.458	-2.269	78.876	1.00	7.84	A
ATOM	1429	C	ALA	157	71.178	-6.140	69.195	1.00	20.43	ATOM	1477	CA	LEU	164	62.399	-1.623	79.614	1.00	9.11	A
ATOM	1430	O	ALA	157	70.735	-5.582	68.182	1.00	21.29	ATOM	1478	CB	LEU	164	61.181	-2.525	79.689	1.00	9.98	A
ATOM	1431	N	SER	158	71.491	-7.437	69.232	1.00	20.44	ATOM	1479	CG	LEU	164	60.770	-3.330	78.451	1.00	11.36	A

ATOM	1480	CD1 LEU	164	59.639	-4.216	78.900	1.00	11.67	A	ATOM	1527	CG PRO	169	62.259	10.931	88.219	1.00	11.11	A
ATOM	1481	CD2 LEU	164	60.354	-2.461	77.225	1.00	10.23	A	ATOM	1528	C PRO	169	62.251	10.358	91.899	1.00	13.19	A
ATOM	1482	C LEU	164	62.954	-1.274	81.006	1.00	9.07	A	ATOM	1529	O PRO	169	63.039	10.816	92.740	1.00	13.35	A
ATOM	1483	O LEU	164	63.477	-2.140	81.702	1.00	6.43	A	ATOM	1530	N TYR	170	61.006	9.967	92.214	1.00	14.80	A
ATOM	1484	N ALA	165	62.874	0.011	81.359	1.00	9.75	A	ATOM	1532	CA TYR	170	60.474	10.070	93.575	1.00	16.05	A
ATOM	1486	CA ALA	165	63.376	0.524	82.635	1.00	10.75	A	ATOM	1533	CB TYR	170	59.015	9.590	93.673	1.00	15.61	A
ATOM	1487	CB ALA	165	64.531	1.481	82.351	1.00	10.33	A	ATOM	1534	CG TYR	170	58.490	9.461	95.111	1.00	16.70	A
ATOM	1488	C ALA	165	62.327	1.212	83.532	1.00	10.97	A	ATOM	1535	CD1 TYR	170	58.253	10.600	95.912	1.00	18.02	A
ATOM	1489	O ALA	165	61.590	2.091	83.073	1.00	12.55	A	ATOM	1536	CE1 TYR	170	57.856	10.474	97.275	1.00	17.13	A
ATOM	1490	N ASN	166	62.244	0.787	84.796	1.00	11.61	A	ATOM	1537	CD2 TYR	170	58.307	8.207	95.705	1.00	17.30	A
ATOM	1492	CA ASN	166	61.335	1.363	85.824	1.00	10.94	A	ATOM	1538	CE2 TYR	170	57.915	8.075	97.071	1.00	16.60	A
ATOM	1493	CB ASN	166	60.986	0.307	86.858	1.00	10.21	A	ATOM	1539	CZ TYR	170	57.690	9.207	97.849	1.00	17.37	A
ATOM	1494	CG ASN	166	60.289	-0.847	86.245	1.00	10.62	A	ATOM	1540	OH TYR	170	57.285	9.079	99.166	1.00	15.96	A
ATOM	1495	OD1 ASN	166	59.615	-0.667	85.250	1.00	12.05	A	ATOM	1542	C TYR	170	61.322	9.289	94.562	1.00	16.98	A
ATOM	1496	ND2 ASN	166	60.463	-2.049	86.782	1.00	10.09	A	ATOM	1543	O TYR	170	61.561	9.775	95.677	1.00	18.38	A
ATOM	1499	C ASN	166	62.104	2.513	86.476	1.00	11.04	A	ATOM	1544	N PHE	171	61.776	8.092	94.176	1.00	17.16	A
ATOM	1500	O ASN	166	63.020	2.276	87.261	1.00	10.77	A	ATOM	1546	CA PHE	171	62.568	7.285	95.100	1.00	17.94	A
ATOM	1501	N VAL	167	61.793	3.752	86.062	1.00	11.23	A	ATOM	1547	CB PHE	171	62.704	5.852	94.590	1.00	18.94	A
ATOM	1503	CA VAL	167	62.486	4.347	86.527	1.00	10.45	A	ATOM	1548	CG PHE	171	61.414	5.083	94.553	1.00	18.77	A
ATOM	1504	CB VAL	167	63.085	5.743	85.329	1.00	11.14	A	ATOM	1549	CD1 PHE	171	61.226	4.089	93.624	1.00	19.41	A
ATOM	1505	CG1 VAL	167	63.737	7.054	85.801	1.00	10.49	A	ATOM	1550	CD2 PHE	171	60.392	5.361	95.429	1.00	20.53	A
ATOM	1506	CG2 VAL	167	64.128	4.885	84.582	1.00	12.23	A	ATOM	1551	CE1 PHE	171	60.032	3.373	93.560	1.00	19.50	A
ATOM	1507	C VAL	167	61.545	5.809	87.347	1.00	11.10	A	ATOM	1552	CE2 PHE	171	59.173	4.638	95.373	1.00	21.35	A
ATOM	1508	O VAL	167	60.490	6.246	86.871	1.00	10.81	A	ATOM	1553	CZ PHE	171	59.009	3.645	94.430	1.00	19.92	A
ATOM	1509	N TYR	168	61.946	6.046	88.590	1.00	10.34	A	ATOM	1554	C PHE	171	63.953	7.923	95.332	1.00	18.54	A
ATOM	1511	CA TYR	168	61.171	6.822	89.544	1.00	10.92	A	ATOM	1555	O PHE	171	64.495	7.923	96.460	1.00	16.76	A
ATOM	1512	CB TYR	168	60.686	5.909	90.674	1.00	8.77	A	ATOM	1556	N ALA	172	64.518	8.484	94.263	1.00	18.94	A
ATOM	1513	CG TYR	168	59.610	4.951	90.273	1.00	7.98	A	ATOM	1558	CA ALA	172	65.814	9.142	94.375	1.00	19.65	A
ATOM	1514	CD1 TYR	168	59.897	3.886	89.744	1.00	7.32	A	ATOM	1559	CB ALA	172	66.295	9.585	92.986	1.00	18.23	A
ATOM	1515	CE1 TYR	168	58.876	2.802	89.439	1.00	6.96	A	ATOM	1560	C ALA	172	65.613	10.355	95.314	1.00	20.48	A
ATOM	1516	CD2 TYR	168	58.299	5.299	90.471	1.00	7.95	A	ATOM	1561	O ALA	172	66.273	10.499	96.342	1.00	20.12	A
ATOM	1517	CE2 TYR	168	57.277	4.454	90.186	1.00	9.15	A	ATOM	1562	N TYR	173	64.624	11.166	94.990	1.00	22.46	A
ATOM	1518	CZ TYR	168	57.535	3.209	89.678	1.00	9.84	A	ATOM	1564	CA TYR	173	64.316	12.327	95.791	1.00	25.15	A
ATOM	1519	OH TYR	168	56.401	2.423	89.478	1.00	8.00	A	ATOM	1565	CB TYR	173	63.095	13.037	95.240	1.00	26.78	A
ATOM	1521	C TYR	168	61.975	7.923	90.202	1.00	11.49	A	ATOM	1566	CG TYR	173	62.699	14.216	96.092	1.00	29.52	A
ATOM	1522	O TYR	168	62.684	7.646	91.167	1.00	13.27	A	ATOM	1567	CD1 TYR	173	63.599	15.258	96.325	1.00	30.81	A
ATOM	1523	N PRO	169	61.889	9.180	89.716	1.00	11.72	A	ATOM	1568	CE1 TYR	173	63.282	16.316	97.135	1.00	31.16	A
ATOM	1524	CD PRO	169	61.423	9.677	88.403	1.00	10.90	A	ATOM	1569	CD2 TYR	173	61.456	14.273	96.697	1.00	29.99	A
ATOM	1525	CA PRO	169	62.676	10.212	90.402	1.00	11.73	A	ATOM	1570	CE2 TYR	173	61.126	15.333	97.520	1.00	32.77	A
ATOM	1526	CB PRO	169	62.350	11.461	89.577	1.00	10.69	A	ATOM	1571	CZ TYR	173	62.056	16.349	97.736	1.00	32.45	A

SUBSTITUTE SHEET (Rule 26)

ATOM	1572	OH	TYR	173	61.773	17.361	98.618	1.00	34.60	A	ATOM	1624	O	GLY	178	69.741	18.623	99.215	1.00	35.39	A
ATOM	1574	C	TYR	173	64.038	11.985	97.248	1.00	26.23	A	ATOM	1625	N	SER	179	70.448	16.499	99.073	1.00	33.76	A
ATOM	1575	O	TYR	173	64.599	12.615	98.144	1.00	26.68	A	ATOM	1627	CA	SER	179	71.133	16.757	97.818	1.00	32.86	A
ATOM	1576	N	ARG	174	63.166	11.005	97.482	1.00	26.68	A	ATOM	1628	CB	SER	179	72.051	15.589	97.416	1.00	33.15	A
ATOM	1578	CA	ARG	174	62.780	10.624	98.841	1.00	28.34	A	ATOM	1629	OG	SER	179	71.321	14.412	97.087	1.00	35.36	A
ATOM	1579	CB	ARG	174	61.741	9.492	98.799	1.00	29.01	A	ATOM	1631	C	SER	179	70.210	17.108	96.675	1.00	32.25	A
ATOM	1580	CG	ARG	174	61.158	9.094	100.141	1.00	28.93	A	ATOM	1632	O	SER	179	70.573	17.931	95.843	1.00	32.51	A
ATOM	1581	CD	ARG	174	60.345	7.778	100.064	1.00	29.32	A	ATOM	1633	N	ILE	180	69.009	16.531	96.662	1.00	31.14	A
ATOM	1582	NE	ARG	174	59.813	7.412	101.391	1.00	31.00	A	ATOM	1635	CA	ILE	180	68.040	16.751	95.578	1.00	29.81	A
ATOM	1584	CZ	ARG	174	58.694	6.719	101.641	1.00	30.03	A	ATOM	1636	CB	ILE	180	67.513	15.375	95.094	1.00	29.56	A
ATOM	1585	NH1	ARG	174	57.932	6.261	100.655	1.00	28.61	A	ATOM	1637	CG2	ILE	180	66.607	15.531	93.871	1.00	29.41	A
ATOM	1588	NH2	ARG	174	58.285	6.584	102.900	1.00	30.21	A	ATOM	1638	CG1	ILE	180	68.691	14.453	94.786	1.00	29.65	A
ATOM	1591	C	ARG	174	63.983	10.257	99.716	1.00	29.14	A	ATOM	1639	CD1	ILE	180	68.282	13.041	94.540	1.00	28.67	A
ATOM	1592	O	ARG	174	64.117	10.759	100.807	1.00	29.41	A	ATOM	1640	C	ILE	180	66.830	17.693	95.884	1.00	29.10	A
ATOM	1593	N	ASP	175	64.886	9.438	99.195	1.00	30.46	A	ATOM	1641	O	ILE	180	66.106	17.496	96.874	1.00	28.15	A
ATOM	1595	CA	ASP	175	66.078	9.011	99.923	1.00	31.62	A	ATOM	1642	N	SER	181	66.572	18.646	94.978	1.00	27.52	A
ATOM	1596	CB	ASP	175	66.849	7.946	99.122	1.00	32.24	A	ATOM	1644	CA	SER	181	65.457	19.595	95.122	1.00	26.54	A
ATOM	1597	CG	ASP	175	66.102	6.628	98.973	1.00	33.58	A	ATOM	1645	CB	SER	181	65.830	20.934	94.493	1.00	27.04	A
ATOM	1598	OD1	ASP	175	64.911	6.517	99.369	1.00	33.00	A	ATOM	1646	OG	SER	181	66.508	20.750	93.267	1.00	29.84	A
ATOM	1599	OD2	ASP	175	66.740	5.690	98.428	1.00	33.44	A	ATOM	1648	C	SER	181	64.150	19.109	94.508	1.00	25.47	A
ATOM	1600	C	ASP	175	67.060	10.152	100.134	1.00	32.00	A	ATOM	1649	O	SER	181	64.165	18.482	93.439	1.00	24.84	A
ATOM	1601	O	ASP	175	67.871	10.117	101.057	1.00	32.52	A	ATOM	1650	N	LEU	182	63.017	19.485	95.114	1.00	23.94	A
ATOM	1602	N	ASN	176	67.094	11.084	99.189	1.00	32.65	A	ATOM	1652	CA	LEU	182	61.717	19.043	94.612	1.00	22.59	A
ATOM	1604	CA	ASN	176	68.044	12.199	99.268	1.00	33.12	A	ATOM	1653	CB	LEU	182	60.578	19.476	95.533	1.00	21.74	A
ATOM	1605	CB	ASN	176	69.164	11.972	98.254	1.00	35.04	A	ATOM	1654	CG	LEU	182	59.200	18.880	95.168	1.00	21.61	A
ATOM	1606	CG	ASN	176	70.464	11.736	98.923	1.00	36.52	A	ATOM	1655	CD1	LEU	182	59.234	17.381	95.057	1.00	20.54	A
ATOM	1607	OD1	ASN	176	71.097	12.687	99.403	1.00	37.94	A	ATOM	1656	CD2	LEU	182	58.153	19.286	96.207	1.00	22.90	A
ATOM	1608	ND2	ASN	176	70.824	10.469	99.093	1.00	37.56	A	ATOM	1657	C	LEU	182	61.460	19.496	93.173	1.00	22.20	A
ATOM	1611	C	ASN	176	67.523	13.632	99.138	1.00	31.85	A	ATOM	1658	O	LEU	182	60.867	18.773	92.365	1.00	21.25	A
ATOM	1612	O	ASN	176	68.021	14.392	98.313	1.00	31.05	A	ATOM	1659	N	ASN	183	61.948	20.674	92.843	1.00	21.59	A
ATOM	1613	N	PRO	177	66.603	14.040	100.034	1.00	31.57	A	ATOM	1661	CA	ASN	183	61.790	21.184	91.496	1.00	21.80	A
ATOM	1614	CD	PRO	177	66.076	13.234	101.151	1.00	31.25	A	ATOM	1662	CB	ASN	183	62.442	22.554	91.378	1.00	22.75	A
ATOM	1615	CA	PRO	177	65.994	15.370	100.048	1.00	31.69	A	ATOM	1663	CG	ASN	183	61.541	23.659	91.826	1.00	24.42	A
ATOM	1616	CB	PRO	177	64.998	15.285	101.212	1.00	31.57	A	ATOM	1664	OD1	ASN	183	60.332	23.464	92.053	1.00	25.75	A
ATOM	1617	CG	PRO	177	64.698	13.837	101.335	1.00	31.86	A	ATOM	1665	ND2	ASN	183	62.108	24.842	91.953	1.00	25.28	A
ATOM	1618	C	PRO	177	67.003	16.490	100.260	1.00	31.88	A	ATOM	1668	C	ASN	183	62.450	20.237	90.503	1.00	21.24	A
ATOM	1619	O	PRO	177	66.728	17.634	99.940	1.00	31.93	A	ATOM	1669	O	ASN	183	61.783	19.681	89.624	1.00	21.34	A
ATOM	1620	N	GLY	178	68.161	16.164	100.821	1.00	32.80	A	ATOM	1670	N	TYR	184	63.739	19.987	90.727	1.00	20.37	A
ATOM	1622	CA	GLY	178	69.178	17.175	101.039	1.00	33.52	A	ATOM	1672	CA	TYR	184	64.547	19.120	89.873	1.00	19.82	A
ATOM	1623	C	GLY	178	69.848	17.501	99.714	1.00	34.34	A	ATOM	1673	CB	TYR	184	65.902	18.889	90.544	1.00	19.06	A

SUBSTITUTE SHEET (Rule 26)

ATOM	1674	CG	TYR	184	66.934	18.232	89.687	1.00	18.02	A	ATOM	1722	O	GLN	188	62.633	22.731	87.867	1.00	29.73	A
ATOM	1675	CD1	TYR	184	67.193	18.707	88.416	1.00	18.28	A	ATOM	1723	N	PRO	189	61.445	24.473	87.017	1.00	30.71	A
ATOM	1676	CE1	TYR	184	68.165	18.132	87.627	1.00	20.18	A	ATOM	1724	CD	PRO	189	60.212	25.042	86.437	1.00	31.10	A
ATOM	1677	CD2	TYR	184	67.678	17.155	90.159	1.00	18.92	A	ATOM	1725	CA	PRO	189	62.553	25.422	86.851	1.00	31.01	A
ATOM	1678	CE2	TYR	184	68.665	16.569	89.369	1.00	18.74	A	ATOM	1726	CB	PRO	189	61.850	26.687	86.308	1.00	31.06	A
ATOM	1679	CZ	TYR	184	68.892	17.067	88.103	1.00	19.08	A	ATOM	1727	CG	PRO	189	60.397	26.501	86.678	1.00	30.66	A
ATOM	1680	OH	TYR	184	69.821	16.515	87.268	1.00	21.42	A	ATOM	1728	C	PRO	189	63.350	25.681	88.124	1.00	30.64	A
ATOM	1682	C	TYR	184	63.833	17.791	89.698	1.00	19.81	A	ATOM	1729	O	PRO	189	62.798	25.748	89.215	1.00	30.17	A
ATOM	1683	O	TYR	184	63.838	17.190	88.627	1.00	20.83	A	ATOM	1730	N	GLY	190	64.663	25.741	87.981	1.00	31.07	A
ATOM	1684	N	ALA	185	63.212	17.340	90.773	1.00	20.07	A	ATOM	1732	CA	GLY	190	65.489	25.976	89.143	1.00	32.36	A
ATOM	1686	CA	ALA	185	62.495	16.102	90.774	1.00	20.48	A	ATOM	1733	C	GLY	190	66.888	25.374	89.165	1.00	32.90	A
ATOM	1687	CB	ALA	185	62.212	15.677	92.213	1.00	18.81	A	ATOM	1734	O	GLY	190	67.859	26.102	89.351	1.00	34.30	A
ATOM	1688	C	ALA	185	61.186	16.176	89.978	1.00	21.55	A	ATOM	1735	N	THR	191	67.012	24.064	88.974	1.00	32.57	A
ATOM	1689	O	ALA	185	60.889	15.304	89.162	1.00	22.22	A	ATOM	1737	CA	THR	191	68.317	23.396	89.019	1.00	30.69	A
ATOM	1690	N	THR	186	60.452	17.264	90.131	1.00	22.45	A	ATOM	1738	CB	THR	191	68.180	22.137	89.877	1.00	31.29	A
ATOM	1692	CA	THR	186	59.139	17.352	89.515	1.00	21.64	A	ATOM	1739	CG1	THR	191	67.748	22.531	91.189	1.00	32.09	A
ATOM	1693	CB	THR	186	58.107	17.926	90.524	1.00	21.81	A	ATOM	1741	CG2	THR	191	69.491	21.315	89.930	1.00	30.50	A
ATOM	1694	OG1	THR	186	58.587	19.180	91.051	1.00	20.74	A	ATOM	1742	C	THR	191	68.907	23.050	87.640	1.00	29.75	A
ATOM	1696	CG2	THR	186	57.864	16.934	91.674	1.00	18.80	A	ATOM	1743	O	THR	191	68.167	22.715	86.714	1.00	27.78	A
ATOM	1697	C	THR	186	59.033	18.082	88.202	1.00	22.07	A	ATOM	1744	N	THR	192	70.241	23.135	87.538	1.00	29.50	A
ATOM	1698	O	THR	186	57.934	18.443	87.775	1.00	20.84	A	ATOM	1746	CA	THR	192	71.016	22.838	86.314	1.00	29.00	A
ATOM	1699	N	PHE	187	60.168	18.222	87.533	1.00	22.86	A	ATOM	1747	CB	THR	192	71.465	24.105	85.607	1.00	27.79	A
ATOM	1701	CA	PHE	187	60.223	18.907	86.233	1.00	24.06	A	ATOM	1748	OG1	THR	192	70.356	24.688	84.925	1.00	28.38	A
ATOM	1702	CB	PHE	187	59.203	18.344	85.229	1.00	22.17	A	ATOM	1750	CG2	THR	192	72.601	23.811	84.639	1.00	26.33	A
ATOM	1703	CG	PHE	187	59.469	16.948	84.801	1.00	19.65	A	ATOM	1751	C	THR	192	72.290	22.092	86.706	1.00	29.23	A
ATOM	1704	CD1	PHE	187	58.667	15.916	85.264	1.00	18.89	A	ATOM	1752	O	THR	192	73.092	22.592	87.482	1.00	30.06	A
ATOM	1705	CD2	PHE	187	60.505	16.669	83.933	1.00	18.75	A	ATOM	1753	N	VAL	193	72.498	20.924	86.129	1.00	29.07	A
ATOM	1706	CE1	PHE	187	58.890	14.634	84.874	1.00	18.58	A	ATOM	1755	CA	VAL	193	73.649	20.105	86.447	1.00	29.40	A
ATOM	1707	CE2	PHE	187	60.744	15.376	83.531	1.00	19.62	A	ATOM	1756	CB	VAL	193	73.169	18.776	87.032	1.00	29.86	A
ATOM	1708	CZ	PHE	187	59.934	14.352	84.003	1.00	18.58	A	ATOM	1757	CG1	VAL	193	74.353	17.835	87.339	1.00	29.62	A
ATOM	1709	C	PHE	187	59.938	20.377	86.373	1.00	25.33	A	ATOM	1758	CG2	VAL	193	72.308	19.051	88.260	1.00	29.84	A
ATOM	1710	O	PHE	187	59.233	20.955	85.535	1.00	25.86	A	ATOM	1759	C	VAL	193	74.383	19.844	85.152	1.00	29.76	A
ATOM	1711	N	GLN	188	60.498	20.996	87.404	1.00	27.12	A	ATOM	1760	O	VAL	193	73.759	19.511	84.156	1.00	29.93	A
ATOM	1713	CA	GLN	188	60.273	22.416	87.626	1.00	28.18	A	ATOM	1761	N	ARG	194	75.697	19.996	85.131	1.00	30.41	A
ATOM	1714	CB	GLN	188	59.538	22.627	88.939	1.00	27.32	A	ATOM	1763	CA	ARG	194	76.403	19.757	83.876	1.00	31.29	A
ATOM	1715	CG	GLN	188	58.087	22.234	88.862	1.00	26.22	A	ATOM	1764	CB	ARG	194	77.234	20.987	83.485	1.00	30.78	A
ATOM	1716	CD	GLN	188	57.235	23.295	88.191	0.00	26.43	A	ATOM	1765	CG	ARG	194	77.738	21.009	82.031	1.00	31.35	A
ATOM	1717	OE1	GLN	188	57.208	23.410	86.967	0.00	26.31	A	ATOM	1766	CD	ARG	194	78.632	22.211	81.779	0.00	30.68	A
ATOM	1718	NE2	GLN	188	56.545	24.091	88.996	0.00	26.31	A	ATOM	1767	NE	ARG	194	79.193	22.208	80.430	0.00	30.43	A
ATOM	1721	C	GLN	188	61.548	23.234	87.550	1.00	29.35	A	ATOM	1769	CZ	ARG	194	78.571	22.681	79.354	0.00	30.23	A

SUBSTITUTE SHEET (Rule 26)

ATOM	1770	NH1	ARG	194	77.356	23.203	79.456	0.00	30.13	A	ATOM	1825	O	GLY	199	77.263	20.002	78.287	1.00	28.35	A
ATOM	1773	NH2	ARG	194	79.167	22.630	78.171	0.00	30.13	A	ATOM	1826	N	LEU	200	76.833	17.821	78.570	1.00	26.42	A
ATOM	1776	C	ARG	194	77.261	18.486	83.913	1.00	31.75	A	ATOM	1828	CA	LEU	200	75.397	18.073	78.472	1.00	24.01	A
ATOM	1777	O	ARG	194	78.007	18.253	84.859	1.00	31.87	A	ATOM	1829	CB	LEU	200	74.620	16.789	78.093	1.00	23.79	A
ATOM	1778	N	ASP	195	77.098	17.623	82.917	1.00	32.70	A	ATOM	1830	CG	LEU	200	75.023	15.944	76.854	1.00	23.60	A
ATOM	1780	CA	ASP	195	77.894	16.418	82.863	1.00	33.27	A	ATOM	1831	CD1	LEU	200	74.031	14.819	76.646	1.00	23.40	A
ATOM	1781	CB	ASP	195	77.277	15.405	81.924	1.00	33.40	A	ATOM	1832	CD2	LEU	200	75.134	16.739	75.591	1.00	21.81	A
ATOM	1782	CG	ASP	195	77.939	14.065	82.030	1.00	33.29	A	ATOM	1833	C	LEU	200	74.876	18.697	79.777	1.00	22.76	A
ATOM	1783	OD1	ASP	195	79.086	13.920	81.554	1.00	32.88	A	ATOM	1834	O	LEU	200	75.465	18.550	80.846	1.00	21.27	A
ATOM	1784	OD2	ASP	195	77.307	13.164	82.614	1.00	33.24	A	ATOM	1835	N	THR	201	73.796	19.449	79.667	1.00	22.85	A
ATOM	1785	C	ASP	195	79.230	16.867	82.309	1.00	34.30	A	ATOM	1837	CA	THR	201	73.212	20.076	80.824	1.00	23.31	A
ATOM	1786	O	ASP	195	79.319	17.252	81.144	1.00	34.72	A	ATOM	1838	CB	THR	201	73.011	21.589	80.613	1.00	25.19	A
ATOM	1787	N	GLN	196	80.275	16.814	83.128	1.00	34.92	A	ATOM	1839	CG1	THR	201	74.280	22.253	80.725	1.00	25.95	A
ATOM	1789	CA	GLN	196	81.573	17.273	82.669	1.00	35.73	A	ATOM	1841	CG2	THR	201	72.016	22.175	81.660	1.00	25.13	A
ATOM	1790	CB	GLN	196	82.583	17.236	83.812	1.00	36.40	A	ATOM	1842	C	THR	201	71.914	19.418	81.217	1.00	23.07	A
ATOM	1791	CG	GLN	196	83.634	18.349	83.736	1.00	36.99	A	ATOM	1843	O	THR	201	71.071	19.100	80.377	1.00	22.60	A
ATOM	1792	CD	GLN	196	84.599	18.180	82.579	0.00	36.96	A	ATOM	1844	N	TYR	202	71.739	19.250	82.522	1.00	23.63	A
ATOM	1793	OE1	GLN	196	85.306	17.178	82.488	0.00	37.06	A	ATOM	1846	CA	TYR	202	70.551	18.612	83.058	1.00	22.80	A
ATOM	1794	NE2	GLN	196	84.637	19.163	81.692	0.00	37.06	A	ATOM	1847	CB	TYR	202	70.945	17.329	83.781	1.00	20.88	A
ATOM	1797	C	GLN	196	82.084	16.519	81.438	1.00	36.06	A	ATOM	1848	CG	TYR	202	71.435	16.294	82.798	1.00	21.45	A
ATOM	1798	O	GLN	196	82.494	17.145	80.453	1.00	35.89	A	ATOM	1849	CD1	TYR	202	72.791	16.228	82.426	1.00	20.63	A
ATOM	1799	N	ASN	197	81.934	15.196	81.460	1.00	36.28	A	ATOM	1850	CE1	TYR	202	73.223	15.280	81.472	1.00	19.96	A
ATOM	1801	CA	ASN	197	82.378	14.318	80.389	1.00	36.41	A	ATOM	1851	CD2	TYR	202	70.536	15.390	82.194	1.00	20.38	A
ATOM	1802	CB	ASN	197	82.002	12.872	80.688	1.00	38.10	A	ATOM	1852	CE2	TYR	202	70.960	14.458	81.256	1.00	18.50	A
ATOM	1803	CG	ASN	197	82.524	12.412	82.041	1.00	41.01	A	ATOM	1853	CZ	TYR	202	72.294	14.398	80.895	1.00	19.98	A
ATOM	1804	OD1	ASN	197	83.336	13.110	82.666	1.00	42.99	A	ATOM	1854	OH	TYR	202	72.708	13.440	79.973	1.00	19.37	A
ATOM	1805	ND2	ASN	197	82.033	11.265	82.529	1.00	41.95	A	ATOM	1856	C	TYR	202	69.728	19.543	83.922	1.00	22.16	A
ATOM	1808	C	ASN	197	81.898	14.689	79.011	1.00	36.35	A	ATOM	1857	O	TYR	202	70.258	20.363	84.670	1.00	24.37	A
ATOM	1809	O	ASN	197	82.717	14.919	78.111	1.00	37.57	A	ATOM	1858	N	THR	203	68.429	19.507	83.720	1.00	21.66	A
ATOM	1810	N	ASN	198	80.588	14.752	78.818	1.00	34.62	A	ATOM	1860	CA	THR	203	67.527	20.332	84.492	1.00	20.82	A
ATOM	1812	CA	ASN	198	80.067	15.074	77.490	1.00	32.93	A	ATOM	1861	CG	THR	203	66.861	21.442	83.631	1.00	21.96	A
ATOM	1813	CB	ASN	198	78.928	14.115	77.109	1.00	32.85	A	ATOM	1862	OG1	THR	203	66.251	20.874	82.453	1.00	22.44	A
ATOM	1814	CG	ASN	198	77.792	14.079	78.133	1.00	32.87	A	ATOM	1864	CG2	THR	203	67.909	22.526	83.216	1.00	22.52	A
ATOM	1815	OD1	ASN	198	77.631	14.983	78.972	1.00	33.44	A	ATOM	1865	C	THR	203	66.452	19.497	85.159	1.00	20.36	A
ATOM	1816	ND2	ASN	198	76.995	13.032	78.060	1.00	31.77	A	ATOM	1866	O	THR	203	65.610	20.056	85.853	1.00	22.39	A
ATOM	1819	C	ASN	198	79.613	16.517	77.366	1.00	31.88	A	ATOM	1867	N	SER	204	66.408	18.186	84.882	1.00	18.76	A
ATOM	1820	O	ASN	198	79.260	16.989	76.271	1.00	31.09	A	ATOM	1869	CA	SER	204	65.426	17.308	85.523	1.00	17.23	A
ATOM	1821	N	GLY	199	79.588	17.189	78.511	1.00	30.70	A	ATOM	1870	CB	SER	204	64.171	17.114	84.685	1.00	17.50	A
ATOM	1823	CA	GLY	199	79.171	18.578	78.568	1.00	29.72	A	ATOM	1871	OG	SER	204	64.405	16.336	83.528	1.00	20.01	A
ATOM	1824	C	GLY	199	77.672	18.848	78.466	1.00	28.33	A	ATOM	1873	C	SER	204	66.010	15.966	85.905	1.00	16.95	A

SUBSTITUTE SHEET (Rule 26)

ATOM	1874	O	SER	204	66.837	15.402	85.197	1.00	16.36	A	ATOM	1919	O	MET	209	68.946	7.190	83.874	1.00	16.17	A
ATOM	1875	N	LEU	205	65.601	15.484	87.065	1.00	16.90	A	ATOM	1920	N	VAL	210	67.335	8.539	83.076	1.00	17.10	A
ATOM	1877	CA	LEU	205	66.061	14.202	87.605	1.00	17.30	A	ATOM	1922	CA	VAL	210	67.246	7.829	81.809	1.00	17.64	A
ATOM	1878	CB	LEU	205	65.381	13.962	88.963	1.00	17.74	A	ATOM	1923	CB	VAL	210	66.186	8.484	80.906	1.00	17.39	A
ATOM	1879	CG	LEU	205	65.941	12.839	89.811	1.00	16.76	A	ATOM	1924	CG	VAL	210	66.220	7.863	79.492	1.00	17.20	A
ATOM	1880	CD	LEU	205	67.415	13.040	89.928	1.00	15.35	A	ATOM	1925	CD	VAL	210	64.806	8.291	81.539	1.00	16.40	A
ATOM	1881	CD2	LEU	205	65.288	12.871	91.178	1.00	17.18	A	ATOM	1926	C	VAL	210	68.625	7.805	81.110	1.00	18.41	A
ATOM	1882	C	LEU	205	65.720	13.055	86.640	1.00	17.44	A	ATOM	1927	O	VAL	210	69.092	6.766	80.562	1.00	18.26	A
ATOM	1883	O	LEU	205	66.495	12.100	86.491	1.00	17.54	A	ATOM	1928	N	ASP	211	69.292	8.955	81.048	1.00	19.56	A
ATOM	1884	N	PHE	206	64.525	13.114	86.043	1.00	17.07	A	ATOM	1930	CA	ASP	211	70.601	9.048	80.428	1.00	18.03	A
ATOM	1886	CA	PHE	206	64.115	12.102	85.092	1.00	15.51	A	ATOM	1931	CB	ASP	211	70.988	10.493	80.250	1.00	18.08	A
ATOM	1887	CB	PHE	206	62.789	12.480	84.483	1.00	12.12	A	ATOM	1932	CG	ASP	211	70.318	11.105	79.042	1.00	17.11	A
ATOM	1888	CG	PHE	206	62.234	11.428	83.579	1.00	9.19	A	ATOM	1933	OD1	ASP	211	69.516	10.386	78.388	1.00	15.44	A
ATOM	1889	CD1	PHE	206	61.680	10.272	84.110	1.00	7.63	A	ATOM	1934	OD2	ASP	211	70.596	12.284	78.744	1.00	15.09	A
ATOM	1890	CD2	PHE	206	62.228	11.604	82.193	1.00	8.12	A	ATOM	1935	C	ASP	211	71.706	8.235	81.047	1.00	18.54	A
ATOM	1891	CE1	PHE	206	61.117	9.302	83.285	1.00	6.89	A	ATOM	1936	O	ASP	211	72.685	7.887	80.355	1.00	18.97	A
ATOM	1892	CE2	PHE	206	61.660	10.634	81.353	1.00	6.51	A	ATOM	1937	N	ALA	212	71.550	7.881	82.320	1.00	18.53	A
ATOM	1893	CZ	PHE	206	61.105	9.492	81.904	1.00	5.42	A	ATOM	1939	CA	ALA	212	72.520	7.012	82.993	1.00	18.73	A
ATOM	1894	C	PHE	206	65.194	11.987	83.985	1.00	16.60	A	ATOM	1940	CB	ALA	212	72.343	7.056	84.510	1.00	18.04	A
ATOM	1895	O	PHE	206	65.771	10.904	83.736	1.00	15.92	A	ATOM	1941	C	ALA	212	72.298	5.564	82.455	1.00	18.43	A
ATOM	1896	N	ASP	207	55.509	13.111	83.356	1.00	16.57	A	ATOM	1942	O	ALA	212	73.240	4.782	82.304	1.00	18.77	A
ATOM	1898	CA	ASP	207	66.522	13.070	82.303	1.00	18.57	A	ATOM	1943	N	VAL	213	71.059	5.228	82.133	1.00	17.74	A
ATOM	1899	CB	ASP	207	66.797	14.456	81.724	1.00	18.68	A	ATOM	1945	CA	VAL	213	70.756	3.923	81.567	1.00	18.72	A
ATOM	1900	CG	ASP	207	55.637	14.993	80.927	1.00	18.86	A	ATOM	1946	CB	VAL	213	69.255	3.753	81.424	1.00	18.89	A
ATOM	1901	OD1	ASP	207	64.696	14.224	80.624	1.00	19.25	A	ATOM	1947	CG1	VAL	213	68.916	2.419	80.746	1.00	18.00	A
ATOM	1902	OD2	ASP	207	65.694	16.185	80.586	1.00	19.33	A	ATOM	1948	CG2	VAL	213	68.633	3.885	82.826	1.00	19.47	A
ATOM	1903	C	ASP	207	67.837	12.458	82.745	1.00	18.14	A	ATOM	1949	C	VAL	213	71.407	3.809	80.200	1.00	19.59	A
ATOM	1904	O	ASP	207	68.371	11.581	82.070	1.00	18.50	A	ATOM	1950	O	VAL	213	71.900	2.752	79.832	1.00	20.75	A
ATOM	1905	N	ALA	208	68.411	13.007	83.806	1.00	17.62	A	ATOM	1951	N	TYR	214	71.328	4.880	79.413	1.00	20.47	A
ATOM	1907	CA	ALA	208	69.670	12.500	84.321	1.00	16.92	A	ATOM	1953	CA	TYR	214	71.967	4.928	78.101	1.00	20.46	A
ATOM	1908	CB	ALA	208	70.024	13.231	85.614	1.00	15.98	A	ATOM	1954	CB	TYR	214	71.558	6.219	77.375	1.00	19.52	A
ATOM	1909	C	ALA	208	69.584	10.978	84.542	1.00	16.23	A	ATOM	1955	CG	TYR	214	70.259	6.072	76.613	1.00	20.65	A
ATOM	1910	O	ALA	208	70.522	10.263	84.228	1.00	17.52	A	ATOM	1956	CD1	TYR	214	69.243	7.038	76.677	1.00	20.86	A
ATOM	1911	N	MET	209	68.456	10.483	85.034	1.00	15.50	A	ATOM	1957	CE1	TYR	214	68.013	6.856	75.969	1.00	21.85	A
ATOM	1913	CA	MET	209	68.266	9.031	85.274	1.00	16.01	A	ATOM	1958	CD2	TYR	214	70.030	4.937	75.837	1.00	21.10	A
ATOM	1914	CB	MET	209	67.035	8.757	86.168	1.00	14.46	A	ATOM	1959	CE2	TYR	214	68.834	4.747	75.143	1.00	22.01	A
ATOM	1915	CG	MET	209	67.273	9.116	87.627	1.00	14.70	A	ATOM	1960	CZ	TYR	214	67.834	5.693	75.205	1.00	22.11	A
ATOM	1916	SD	MET	209	65.863	8.883	88.664	1.00	17.08	A	ATOM	1961	OH	TYR	214	66.684	5.428	74.482	1.00	22.51	A
ATOM	1917	CE	MET	209	66.232	7.369	89.503	1.00	18.07	A	ATOM	1963	C	TYR	214	73.506	4.829	78.288	1.00	20.96	A
ATOM	1918	C	MET	209	68.211	8.171	84.005	1.00	16.51	A	ATOM	1964	O	TYR	214	74.213	4.148	77.534	1.00	20.68	A

SUBSTITUTE SHEET (Rule 26)

- 80 -

ATOM	1965	N	ALA	215	74.032	5.477	79.320	1.00	21.67	A	ATOM	2014	O	ALA	220	78.153	-4.593	76.066	1.00	26.37	A
ATOM	1967	CA	ALA	215	75.474	5.405	79.561	1.00	21.26	A	ATOM	2015	N	GLY	221	78.264	-2.428	75.449	1.00	25.95	A
ATOM	1968	CB	ALA	215	75.870	6.214	80.794	1.00	21.43	A	ATOM	2017	CA	GLY	221	78.464	-2.720	74.045	1.00	25.87	A
ATOM	1969	C	ALA	215	75.862	3.949	79.729	1.00	21.56	A	ATOM	2018	C	GLY	221	77.167	-2.650	73.266	1.00	26.26	A
ATOM	1970	O	ALA	215	76.734	3.456	78.999	1.00	21.85	A	ATOM	2019	O	GLY	221	77.102	-3.156	72.167	1.00	27.17	A
ATOM	1971	N	ALA	216	75.124	3.243	80.594	1.00	21.24	A	ATOM	2020	N	ALA	222	76.136	-2.014	73.819	1.00	27.76	A
ATOM	1973	CA	ALA	216	75.380	1.832	80.887	1.00	21.61	A	ATOM	2022	CA	ALA	222	74.820	-1.881	73.150	1.00	27.89	A
ATOM	1974	CB	ALA	216	74.461	1.355	82.021	1.00	19.97	A	ATOM	2023	CB	ALA	222	73.757	-2.620	73.943	1.00	27.14	A
ATOM	1975	C	ALA	216	75.242	0.917	79.661	1.00	22.42	A	ATOM	2024	C	ALA	222	74.408	-0.406	72.916	1.00	28.55	A
ATOM	1976	O	ALA	216	75.998	-0.050	79.499	1.00	23.06	A	ATOM	2025	O	ALA	222	73.359	0.072	73.382	1.00	28.72	A
ATOM	1977	N	LEU	217	74.269	1.202	78.798	1.00	23.42	A	ATOM	2026	N	PRO	223	75.220	0.325	72.143	1.00	28.52	A
ATOM	1979	CA	LEU	217	74.057	0.392	77.596	1.00	22.87	A	ATOM	2027	CD	PRO	223	76.446	-0.150	71.487	1.00	28.35	A
ATOM	1980	CB	LEU	217	72.849	0.897	76.823	1.00	22.11	A	ATOM	2028	CA	PRO	223	74.995	1.736	71.819	1.00	28.09	A
ATOM	1981	CG	LEU	217	71.472	0.526	77.365	1.00	21.11	A	ATOM	2029	CB	PRO	223	76.189	2.060	70.919	1.00	28.60	A
ATOM	1982	CD1	LEU	217	70.386	1.259	76.555	1.00	20.97	A	ATOM	2030	CG	PRO	223	77.228	1.115	71.397	1.00	28.26	A
ATOM	1983	CD2	LEU	217	71.307	-0.997	77.316	1.00	20.74	A	ATOM	2031	C	PRO	223	73.676	2.080	71.126	1.00	27.31	A
ATOM	1984	C	LEU	217	75.287	0.433	76.712	1.00	23.81	A	ATOM	2032	O	PRO	223	73.036	3.043	71.494	1.00	27.77	A
ATOM	1985	O	LEU	217	75.798	-0.624	76.310	1.00	24.16	A	ATOM	2033	N	ALA	224	73.265	1.300	70.133	1.00	27.01	A
ATOM	1986	N	GLU	218	75.789	1.645	76.459	1.00	24.36	A	ATOM	2035	CA	ALA	224	72.024	1.590	69.412	1.00	26.46	A
ATOM	1988	CA	GLU	218	76.968	1.853	75.626	1.00	24.94	A	ATOM	2036	CB	ALA	224	72.116	1.063	67.995	1.00	26.01	A
ATOM	1989	CB	GLU	218	77.307	3.323	75.530	1.00	26.88	A	ATOM	2037	C	ALA	224	70.711	1.115	70.089	1.00	26.30	A
ATOM	1990	CG	GLU	218	76.227	4.203	74.916	1.00	30.21	A	ATOM	2038	O	ALA	224	69.609	1.354	69.558	1.00	26.81	A
ATOM	1991	CD	GLU	218	76.802	5.520	74.397	1.00	31.61	A	ATOM	2039	N	VAL	225	70.827	0.461	71.249	1.00	25.14	A
ATOM	1992	OE1	GLU	218	76.528	6.587	75.004	1.00	31.91	A	ATOM	2041	CA	VAL	225	69.656	-0.029	71.991	1.00	23.46	A
ATOM	1993	OE2	GLU	218	77.555	5.470	73.389	1.00	33.26	A	ATOM	2042	CB	VAL	225	70.063	-1.033	73.122	1.00	22.23	A
ATOM	1994	C	GLU	218	78.174	1.109	76.145	1.00	24.50	A	ATOM	2043	CG1	VAL	225	68.869	-1.446	73.946	1.00	23.00	A
ATOM	1995	O	GLU	218	78.870	0.466	75.380	1.00	24.72	A	ATOM	2044	CG2	VAL	225	70.619	-2.275	72.509	1.00	21.82	A
ATOM	1996	N	LYS	219	78.423	1.177	77.444	1.00	24.80	A	ATOM	2045	C	VAL	225	68.816	1.132	72.552	1.00	22.53	A
ATOM	1998	CA	LYS	219	79.562	0.456	78.021	1.00	25.70	A	ATOM	2046	O	VAL	225	69.349	2.118	73.068	1.00	22.03	A
ATOM	1999	CB	LYS	219	79.748	0.758	79.506	1.00	24.07	A	ATOM	2047	N	LYS	226	67.503	1.036	72.356	1.00	21.34	A
ATOM	2000	CG	LYS	219	80.289	2.126	79.792	1.00	24.83	A	ATOM	2049	CA	LYS	226	66.568	2.031	72.831	1.00	19.72	A
ATOM	2001	CD	LYS	219	80.292	2.415	81.286	1.00	24.45	A	ATOM	2050	CB	LYS	226	65.405	2.169	71.854	1.00	20.36	A
ATOM	2002	CE	LYS	219	80.735	3.854	81.554	1.00	24.96	A	ATOM	2051	CG	LYS	226	65.680	3.124	70.691	1.00	23.30	A
ATOM	2003	NZ	LYS	219	79.566	4.868	81.313	1.00	24.55	A	ATOM	2052	CD	LYS	226	64.632	2.985	69.552	1.00	24.08	A
ATOM	2007	C	LYS	219	79.416	-1.050	77.852	1.00	25.84	A	ATOM	2053	CE	LYS	226	64.906	3.964	68.417	0.00	23.66	A
ATOM	2008	O	LYS	219	80.407	-1.744	77.702	1.00	26.77	A	ATOM	2054	NZ	LYS	226	66.237	3.737	67.789	0.00	23.78	A
ATOM	2009	N	ALA	220	78.182	-1.545	77.900	1.00	25.76	A	ATOM	2058	C	LYS	226	66.062	1.629	74.227	1.00	18.60	A
ATOM	2011	CA	ALA	220	77.896	-2.964	77.762	1.00	25.29	A	ATOM	2059	O	LYS	226	66.108	0.456	74.611	1.00	18.67	A
ATOM	2012	CB	ALA	220	76.460	-3.250	78.147	1.00	25.16	A	ATOM	2060	N	VAL	227	65.612	2.630	74.979	1.00	16.88	A
ATOM	2013	C	ALA	220	78.125	-3.400	76.344	1.00	25.83	A	ATOM	2062	CA	VAL	227	65.094	2.462	76.324	1.00	13.84	A

SUBSTITUTE SHEET (Rule 26)

ATOM	2063	CB	VAL	227	65.840	3.429	77.326	1.00	13.78	ATOM	2110	N	GLY	233	56.193	7.177	88.172	1.00	11.56	A
ATOM	2064	CG1	VAL	227	65.056	3.671	78.600	1.00	12.63	ATOM	2112	CA	GLY	233	54.983	7.665	88.843	1.00	11.71	A
ATOM	2065	CG2	VAL	227	67.164	2.875	77.674	1.00	14.84	ATOM	2113	C	GLY	233	55.289	8.356	90.168	1.00	12.14	A
ATOM	2066	C	VAL	227	63.614	2.822	76.278	1.00	12.09	ATOM	2114	O	GLY	233	56.430	8.350	90.623	1.00	10.94	A
ATOM	2067	O	VAL	227	63.240	3.791	75.604	1.00	11.41	ATOM	2115	N	TRP	234	54.280	8.932	90.817	1.00	12.27	A
ATOM	2068	N	VAL	228	62.794	1.962	76.878	1.00	9.74	ATOM	2117	CA	TRP	234	54.510	9.643	92.078	1.00	12.53	A
ATOM	2070	CA	VAL	228	61.354	2.157	77.053	1.00	9.40	ATOM	2118	CB	TRP	234	54.694	11.137	91.813	1.00	13.09	A
ATOM	2071	CB	VAL	228	60.565	0.957	76.453	1.00	9.77	ATOM	2119	CG	TRP	234	55.284	11.897	92.972	1.00	13.18	A
ATOM	2072	CG1	VAL	228	59.080	1.009	76.792	1.00	6.83	ATOM	2120	CD2	TRP	234	56.580	12.522	93.011	1.00	12.79	A
ATOM	2073	CG2	VAL	228	60.722	0.994	74.942	1.00	10.07	ATOM	2121	CE2	TRP	234	56.669	13.220	94.250	1.00	12.30	A
ATOM	2074	C	VAL	228	61.191	2.317	78.615	1.00	9.91	ATOM	2122	CE3	TRP	234	57.666	12.573	92.116	1.00	12.99	A
ATOM	2075	O	VAL	228	61.748	1.519	79.391	1.00	10.07	ATOM	2123	CD1	TRP	234	54.670	12.207	94.176	1.00	12.48	A
ATOM	2076	N	VAL	229	60.618	3.429	79.077	1.00	9.10	ATOM	2124	NE1	TRP	234	55.497	13.001	94.933	1.00	12.79	A
ATOM	2078	CA	VAL	229	60.467	3.662	80.517	1.00	8.19	ATOM	2126	CZ2	TRP	234	57.791	13.960	94.608	1.00	11.75	A
ATOM	2079	CB	VAL	229	60.336	5.206	80.849	1.00	9.18	ATOM	2127	CZ3	TRP	234	58.808	13.321	92.481	1.00	12.59	A
ATOM	2080	CG1	VAL	229	60.147	5.436	82.349	1.00	8.17	ATOM	2128	CH2	TRP	234	58.852	14.004	93.717	1.00	12.10	A
ATOM	2081	CG2	VAL	229	61.584	5.958	80.400	1.00	7.88	ATOM	2129	C	TRP	234	53.258	9.412	92.911	1.00	12.95	A
ATOM	2082	C	VAL	229	59.233	2.868	80.863	1.00	8.51	ATOM	2130	O	TRP	234	52.152	9.752	92.467	1.00	13.65	A
ATOM	2083	O	VAL	229	58.088	3.292	80.566	1.00	7.81	ATOM	2131	N	PRO	235	53.409	8.895	94.150	1.00	12.42	A
ATOM	2084	N	SER	230	59.472	1.651	81.363	1.00	8.29	ATOM	2132	CD	PRO	235	54.691	8.702	94.861	1.00	12.83	A
ATOM	2086	CA	SER	230	58.379	0.759	81.671	1.00	7.34	ATOM	2133	CA	PRO	235	52.284	8.599	95.047	1.00	12.01	A
ATOM	2087	CB	SER	230	58.812	-0.720	81.635	1.00	7.28	ATOM	2134	CB	PRO	235	52.944	7.713	96.106	1.00	11.48	A
ATOM	2088	OG	SER	230	59.945	-1.005	82.440	1.00	5.35	ATOM	2135	CG	PRO	235	54.252	8.348	96.274	1.00	11.18	A
ATOM	2090	C	SER	230	57.554	1.103	82.896	1.00	8.15	ATOM	2136	C	PRO	235	51.597	9.823	95.625	1.00	12.22	A
ATOM	2091	O	SER	230	56.485	0.507	83.105	1.00	7.17	ATOM	2137	O	PRO	235	52.221	10.849	95.852	1.00	12.45	A
ATOM	2092	N	GLU	231	58.038	2.060	83.702	1.00	8.85	ATOM	2138	N	SER	236	50.291	9.711	95.825	1.00	14.05	A
ATOM	2094	CA	GLU	231	57.311	2.550	84.883	1.00	8.05	ATOM	2140	CA	SER	236	49.457	10.794	96.344	1.00	14.41	A
ATOM	2095	CB	GLU	231	57.400	1.614	86.074	1.00	7.44	ATOM	2141	CB	SER	236	48.120	10.790	95.602	1.00	13.30	A
ATOM	2096	CG	GLU	231	56.489	0.389	86.062	1.00	8.56	ATOM	2142	OG	SER	236	47.451	9.565	95.835	1.00	10.82	A
ATOM	2097	CD	GLU	231	56.719	-0.501	87.279	1.00	9.35	ATOM	2144	C	SER	236	49.193	10.757	97.861	1.00	15.28	A
ATOM	2098	OE1	GLU	231	57.424	-0.099	88.228	1.00	10.10	ATOM	2145	O	SER	236	48.554	11.673	98.386	1.00	16.59	A
ATOM	2099	OE2	GLU	231	56.178	-1.601	87.311	1.00	10.72	ATOM	2146	N	ALA	237	49.718	9.744	98.560	1.00	16.42	A
ATOM	2100	C	GLU	231	57.915	3.830	85.362	1.00	10.46	ATOM	2148	CB	ALA	237	49.549	9.569	100.016	1.00	15.68	A
ATOM	2101	O	GLU	231	59.145	3.947	85.424	1.00	11.60	ATOM	2149	CA	ALA	237	48.075	9.262	100.332	1.00	14.71	A
ATOM	2102	N	SER	232	57.046	4.775	85.715	1.00	11.58	ATOM	2150	C	ALA	237	50.405	8.396	100.497	1.00	15.98	A
ATOM	2104	CA	SER	232	57.416	6.053	86.334	1.00	11.69	ATOM	2151	O	ALA	237	50.896	7.609	99.689	1.00	17.96	A
ATOM	2105	CB	SER	232	57.995	7.037	85.339	1.00	11.65	ATOM	2152	N	GLY	238	50.614	8.311	101.812	1.00	16.13	A
ATOM	2106	OG	SER	232	58.738	7.997	86.052	1.00	12.10	ATOM	2154	CA	GLY	238	51.353	7.215	102.429	1.00	15.08	A
ATOM	2108	C	SER	232	56.106	6.580	86.982	1.00	12.11	ATOM	2155	C	GLY	238	52.799	7.397	102.849	1.00	14.82	A
ATOM	2109	O	SER	232	55.012	6.344	86.440	1.00	12.15	ATOM	2156	O	GLY	238	53.454	6.426	103.276	1.00	14.22	A

SUBSTITUTE SHEET (RULE 26)

ATOM	2157	N	GLY	239	53.293	8.626	102.758	1.00	14.15	A	ATOM	2205	N	ASN	246	51.822	17.153	94.377	1.00	17.48	A
ATOM	2159	CA	GLY	239	54.665	8.879	103.118	1.00	14.07	A	ATOM	2207	CA	ASN	246	53.128	16.615	93.950	1.00	18.75	A
ATOM	2160	C	GLY	239	55.150	10.256	102.706	1.00	15.76	A	ATOM	2208	CB	ASN	246	53.936	16.083	95.144	1.00	18.85	A
ATOM	2161	O	GLY	239	54.338	11.109	102.279	1.00	14.93	A	ATOM	2209	CG	ASN	246	54.705	17.181	95.871	1.00	19.88	A
ATOM	2162	N	PHE	240	56.481	10.424	102.771	1.00	15.87	A	ATOM	2210	OD1	ASN	246	54.755	18.340	95.426	1.00	18.81	A
ATOM	2164	CA	PHE	240	57.173	11.664	102.481	1.00	16.31	A	ATOM	2211	ND2	ASN	246	55.347	16.809	96.979	1.00	20.86	A
ATOM	2165	CB	PHE	240	58.652	11.522	102.831	1.00	16.80	A	ATOM	2214	C	ASN	246	52.987	15.535	92.846	1.00	18.46	A
ATOM	2166	CG	PHE	240	59.497	12.646	102.337	1.00	16.87	A	ATOM	2215	O	ASN	246	53.740	15.540	91.865	1.00	18.02	A
ATOM	2167	CD1	PHE	240	59.490	13.883	102.988	1.00	17.38	A	ATOM	2216	N	ALA	247	52.013	14.638	93.016	1.00	18.28	A
ATOM	2168	CD2	PHE	240	60.305	12.483	101.212	1.00	16.14	A	ATOM	2218	CA	ALA	247	51.733	13.593	92.054	1.00	17.85	A
ATOM	2169	CE1	PHE	240	60.291	14.954	102.503	1.00	17.44	A	ATOM	2219	CB	ALA	247	50.816	12.592	92.658	1.00	16.03	A
ATOM	2170	CE2	PHE	240	61.107	13.536	100.723	1.00	15.27	A	ATOM	2220	C	ALA	247	51.120	14.175	90.742	1.00	19.40	A
ATOM	2171	CZ	PHE	240	61.102	14.761	101.357	1.00	16.98	A	ATOM	2221	O	ALA	247	51.466	13.708	89.635	1.00	20.05	A
ATOM	2172	C	PHE	240	57.018	12.164	101.066	1.00	17.12	A	ATOM	2222	N	ARG	248	50.221	15.173	90.852	1.00	18.87	A
ATOM	2173	O	PHE	240	57.345	11.464	100.119	1.00	18.95	A	ATOM	2224	CA	ARG	248	49.616	15.814	89.664	1.00	18.23	A
ATOM	2174	N	ALA	241	56.562	13.410	100.955	1.00	17.16	A	ATOM	2225	CB	ARG	248	48.583	16.891	90.031	1.00	18.11	A
ATOM	2176	CA	ALA	241	56.338	14.127	99.702	1.00	16.68	A	ATOM	2226	CG	ARG	248	47.714	17.371	88.844	1.00	20.02	A
ATOM	2177	CB	ALA	241	57.624	14.212	98.848	1.00	16.77	A	ATOM	2227	CD	ARG	248	47.699	18.900	88.586	1.00	21.03	A
ATOM	2178	C	ALA	241	55.189	13.592	98.864	1.00	17.06	A	ATOM	2228	NE	ARG	248	47.478	19.648	89.817	1.00	22.49	A
ATOM	2179	O	ALA	241	55.020	14.048	97.730	1.00	16.03	A	ATOM	2230	CZ	ARG	248	48.290	20.596	90.283	1.00	23.58	A
ATOM	2180	N	ALA	242	54.412	12.651	99.405	1.00	16.05	A	ATOM	2231	NH1	ARG	248	49.377	20.954	89.612	1.00	25.03	A
ATOM	2182	CA	ALA	242	53.286	12.080	98.685	1.00	16.75	A	ATOM	2234	NH2	ARG	248	48.095	21.099	91.495	1.00	24.58	A
ATOM	2183	CB	ALA	242	52.993	10.673	99.187	1.00	16.54	A	ATOM	2237	C	ARG	248	50.769	16.481	88.946	1.00	17.19	A
ATOM	2184	C	ALA	242	52.045	12.946	98.841	1.00	17.72	A	ATOM	2238	O	ARG	248	51.066	16.190	87.779	1.00	18.34	A
ATOM	2185	O	ALA	242	51.555	13.134	99.947	1.00	18.85	A	ATOM	2239	N	THR	249	51.462	17.335	89.672	1.00	15.98	A
ATOM	2186	N	SER	243	51.517	13.467	97.745	1.00	17.34	A	ATOM	2241	CA	THR	249	52.600	18.035	89.110	1.00	14.97	A
ATOM	2188	CA	SER	243	50.336	14.294	97.822	1.00	17.51	A	ATOM	2242	CB	THR	249	53.292	18.896	90.189	1.00	14.22	A
ATOM	2189	CB	SER	243	50.685	15.689	98.386	1.00	17.27	A	ATOM	2243	OG1	THR	249	52.338	19.807	90.739	1.00	16.44	A
ATOM	2190	OG	SER	243	51.690	16.373	97.650	1.00	17.81	A	ATOM	2245	CG2	THR	249	54.425	19.686	89.612	1.00	12.66	A
ATOM	2192	C	SER	243	49.776	14.396	96.419	1.00	18.35	A	ATOM	2246	C	THR	249	53.610	17.098	88.415	1.00	14.74	A
ATOM	2193	O	SER	243	50.436	14.007	95.452	1.00	19.78	A	ATOM	2247	O	THR	249	54.020	17.391	87.287	1.00	15.10	A
ATOM	2194	N	ALA	244	48.556	14.897	96.286	1.00	17.94	A	ATOM	2248	N	TYR	250	53.986	15.975	89.042	1.00	14.08	A
ATOM	2196	CA	ALA	244	47.968	15.027	94.963	1.00	17.72	A	ATOM	2250	CA	TYR	250	54.960	15.052	88.424	1.00	14.05	A
ATOM	2197	CB	ALA	244	46.446	15.299	95.057	1.00	18.92	A	ATOM	2251	CB	TYR	250	55.450	13.987	89.434	1.00	13.18	A
ATOM	2198	C	ALA	244	48.662	16.118	94.149	1.00	17.27	A	ATOM	2252	CG	TYR	250	56.468	13.028	88.839	1.00	16.56	A
ATOM	2199	O	ALA	244	48.858	15.969	92.955	1.00	17.40	A	ATOM	2253	CD1	TYR	250	57.841	13.362	88.755	1.00	17.73	A
ATOM	2200	N	GLY	245	49.035	17.214	94.798	1.00	17.11	A	ATOM	2254	CE1	TYR	250	58.752	12.550	88.001	1.00	17.62	A
ATOM	2202	CA	GLY	245	49.693	18.285	94.089	1.00	15.90	A	ATOM	2255	CD2	TYR	250	56.047	11.858	88.193	1.00	16.49	A
ATOM	2203	C	GLY	245	51.021	17.820	93.531	1.00	17.21	A	ATOM	2256	CE2	TYR	250	56.935	11.057	87.461	1.00	17.45	A
ATOM	2204	O	GLY	245	51.342	18.126	92.367	1.00	16.87	A	ATOM	2257	CZ	TYR	250	58.268	11.408	87.354	1.00	17.26	A

SUBSTITUTE SHEET (Rule 26)

ATOM	2258	OH	TYR	250	59.055	10.657	86.514	1.00	17.42	A	ATOM	2308	N	ASN	256	53.945	16.019	79.645	1.00	16.28	A
ATOM	2260	C	TYR	250	54.443	14.391	87.115	1.00	14.08	A	ATOM	2310	CA	ASN	256	54.270	17.122	78.760	1.00	15.34	A
ATOM	2261	O	TYR	250	55.053	14.505	86.048	1.00	14.77	A	ATOM	2311	CB	ASN	256	53.951	18.457	79.406	1.00	15.69	A
ATOM	2262	N	ASN	251	53.279	13.772	87.193	1.00	14.37	A	ATOM	2312	CG	ASN	256	52.494	18.626	79.679	1.00	17.19	A
ATOM	2264	CA	ASN	251	52.680	13.081	86.075	1.00	14.00	A	ATOM	2313	OD1	ASN	256	51.664	18.029	79.003	1.00	20.52	A
ATOM	2265	CB	ASN	251	51.495	12.244	86.574	1.00	13.83	A	ATOM	2314	ND2	ASN	256	52.154	19.445	80.663	1.00	18.03	A
ATOM	2266	CG	ASN	251	51.954	11.051	87.401	1.00	14.47	A	ATOM	2317	C	ASN	256	55.712	17.148	78.428	1.00	15.51	A
ATOM	2267	OD1	ASN	251	52.996	10.467	87.095	1.00	15.99	A	ATOM	2318	O	ASN	256	56.132	18.035	77.717	1.00	16.47	A
ATOM	2268	ND2	ASN	251	51.211	10.692	88.452	1.00	12.89	A	ATOM	2319	N	HIS	257	56.489	16.200	78.927	1.00	15.26	A
ATOM	2271	C	ASN	251	52.328	13.974	84.893	1.00	14.62	A	ATOM	2321	CA	HIS	257	57.935	16.219	78.708	1.00	15.75	A
ATOM	2272	O	ASN	251	52.626	13.612	83.765	1.00	13.92	A	ATOM	2322	CB	HIS	257	58.599	16.079	80.087	1.00	16.31	A
ATOM	2273	N	GLN	252	51.706	15.133	85.130	1.00	14.95	A	ATOM	2323	CG	HIS	257	60.076	15.855	80.052	1.00	17.27	A
ATOM	2275	CA	GLN	252	51.387	16.033	84.029	1.00	15.64	A	ATOM	2324	CD2	HIS	257	60.800	14.721	79.919	1.00	16.80	A
ATOM	2276	CB	GLN	252	50.604	17.255	84.498	1.00	15.86	A	ATOM	2325	ND1	HIS	257	60.991	16.869	80.277	1.00	19.25	A
ATOM	2277	CG	GLN	252	50.002	18.034	83.341	1.00	16.34	A	ATOM	2327	CE1	HIS	257	62.212	16.365	80.290	1.00	18.51	A
ATOM	2278	CD	GLN	252	49.020	17.199	82.489	1.00	16.51	A	ATOM	2328	NE2	HIS	257	62.121	15.063	80.073	1.00	18.56	A
ATOM	2279	OE1	GLN	252	47.897	16.876	82.906	1.00	14.06	A	ATOM	2330	C	HIS	257	58.608	15.257	77.742	1.00	16.48	A
ATOM	2280	NE2	GLN	252	49.436	16.891	81.275	1.00	17.87	A	ATOM	2331	O	HIS	257	59.507	15.669	76.992	1.00	15.74	A
ATOM	2283	C	GLN	252	52.703	16.498	83.463	1.00	16.29	A	ATOM	2332	N	VAL	258	58.240	13.970	77.852	1.00	18.08	A
ATOM	2284	O	GLN	252	52.909	16.572	82.237	1.00	18.37	A	ATOM	2334	CA	VAL	258	58.835	12.848	77.093	1.00	19.09	A
ATOM	2285	N	GLY	253	53.616	16.800	84.364	1.00	16.69	A	ATOM	2335	CB	VAL	258	58.220	11.431	77.527	1.00	18.57	A
ATOM	2287	CA	GLY	253	54.931	17.250	83.944	1.00	17.35	A	ATOM	2336	CG1	VAL	258	58.430	11.168	78.999	1.00	18.46	A
ATOM	2288	C	GLY	253	55.582	16.279	82.984	1.00	17.32	A	ATOM	2337	CG2	VAL	258	56.719	11.327	77.218	1.00	17.85	A
ATOM	2289	O	GLY	253	56.176	16.701	81.975	1.00	16.91	A	ATOM	2338	C	VAL	258	58.882	12.954	75.556	1.00	20.11	A
ATOM	2290	N	LEU	254	55.508	14.992	83.355	1.00	17.63	A	ATOM	2339	O	VAL	258	59.704	12.300	74.898	1.00	19.41	A
ATOM	2292	CA	LEU	254	56.078	13.862	82.616	1.00	16.93	A	ATOM	2340	N	GLY	259	58.022	13.799	74.997	1.00	21.72	A
ATOM	2293	CB	LEU	254	55.908	12.567	83.435	1.00	15.26	A	ATOM	2342	CA	GLY	259	57.987	13.979	73.559	1.00	23.84	A
ATOM	2294	CG	LEU	254	56.397	11.238	82.840	1.00	15.10	A	ATOM	2343	C	GLY	259	59.236	14.614	72.975	1.00	25.38	A
ATOM	2295	CD1	LEU	254	57.903	11.311	82.566	1.00	14.84	A	ATOM	2344	O	GLY	259	59.380	14.702	71.764	1.00	26.91	A
ATOM	2296	CD2	LEU	254	56.054	10.067	83.768	1.00	13.88	A	ATOM	2345	N	GLY	260	60.132	15.089	73.826	1.00	26.78	A
ATOM	2297	C	LEU	254	55.397	13.744	81.267	1.00	16.98	A	ATOM	2347	CA	GLY	260	61.349	15.710	73.344	1.00	26.73	A
ATOM	2298	O	LEU	254	56.062	13.681	80.236	1.00	17.83	A	ATOM	2348	C	GLY	260	62.595	14.964	73.778	1.00	27.40	A
ATOM	2299	N	ILE	255	54.076	13.788	81.277	1.00	16.27	A	ATOM	2349	O	GLY	260	63.706	15.477	73.662	1.00	27.51	A
ATOM	2301	CA	ILE	255	53.321	13.700	80.057	1.00	17.17	A	ATOM	2350	N	GLY	261	62.428	13.751	74.274	1.00	26.77	A
ATOM	2302	CB	ILE	255	51.803	13.788	80.298	1.00	18.07	A	ATOM	2352	CA	GLY	261	63.600	13.021	74.688	1.00	27.35	A
ATOM	2303	CG2	ILE	255	51.057	14.071	78.956	1.00	17.91	A	ATOM	2353	C	GLY	261	64.418	13.623	75.831	1.00	27.81	A
ATOM	2304	CG1	ILE	255	51.291	12.476	80.902	1.00	18.53	A	ATOM	2354	O	GLY	261	63.881	14.280	76.739	1.00	28.25	A
ATOM	2305	CD1	ILE	255	49.900	12.575	81.488	1.00	19.67	A	ATOM	2355	N	THR	262	65.734	13.405	75.752	1.00	27.11	A
ATOM	2306	C	ILE	255	53.701	14.825	79.112	1.00	17.71	A	ATOM	2357	CA	THR	262	66.704	13.824	76.747	1.00	25.99	A
ATOM	2307	O	ILE	255	53.807	14.599	77.889	1.00	18.73	A	ATOM	2358	CB	THR	262	67.218	12.568	77.544	1.00	26.78	A

SUBSTITUTE SHEET (Rule 26)

ATOM	2359	OG1 THR	262	68.002	11.721	76.680	1.00	26.18	A	ATOM	2414	N	GLU	267	64.809	12.157	70.687	1.00	26.23	A
ATOM	2361	CG2 THR	262	66.054	11.759	78.113	1.00	25.36	A	ATOM	2416	CA	GLU	267	63.659	11.485	70.045	1.00	23.78	A
ATOM	2362	C	262	67.908	14.420	76.027	1.00	25.47	A	ATOM	2417	CB	GLU	267	64.007	10.055	69.567	1.00	25.09	A
ATOM	2363	O	262	68.010	14.336	74.799	1.00	24.18	A	ATOM	2418	CG	GLU	267	65.306	9.854	68.763	1.00	26.34	A
ATOM	2364	N	263	68.849	15.016	76.782	1.00	25.74	A	ATOM	2419	CD	GLU	267	65.553	8.401	68.408	0.00	26.05	A
ATOM	2365	CD PRO	263	68.791	15.351	78.211	1.00	25.66	A	ATOM	2420	OE1 GLU	267	65.163	7.986	67.297	0.00	26.20	A	
ATOM	2366	CA PRO	263	70.049	15.609	76.183	1.00	26.05	A	ATOM	2421	OE2 GLU	267	66.139	7.674	69.239	0.00	26.20	A	
ATOM	2367	CB PRO	263	70.822	16.101	77.400	1.00	25.61	A	ATOM	2422	C	GLU	267	62.583	11.352	71.114	1.00	22.53	A
ATOM	2368	CG PRO	263	69.744	16.525	78.288	1.00	25.13	A	ATOM	2423	O	GLU	267	62.876	11.436	72.307	1.00	21.49	A
ATOM	2369	C	263	70.863	14.619	75.337	1.00	26.54	A	ATOM	2424	N	ALA	268	61.340	11.128	70.703	1.00	20.95	A
ATOM	2370	O	263	71.474	15.009	74.370	1.00	28.32	A	ATOM	2426	CA	ALA	268	60.294	10.956	71.686	1.00	20.63	A
ATOM	2371	N	264	70.929	13.353	75.722	1.00	27.12	A	ATOM	2427	CB	ALA	268	58.974	10.821	71.019	1.00	20.48	A
ATOM	2373	CA	264	71.647	12.357	74.922	1.00	27.39	A	ATOM	2428	C	ALA	268	60.637	9.677	72.455	1.00	20.74	A
ATOM	2374	CB	264	71.854	11.090	75.733	1.00	27.47	A	ATOM	2429	O	ALA	268	61.082	8.677	71.845	1.00	21.32	A
ATOM	2375	CG	264	73.087	11.128	76.504	1.00	28.09	A	ATOM	2430	N	LEU	269	60.426	9.700	73.775	1.00	19.33	A
ATOM	2376	CD	264	74.233	10.829	75.609	1.00	29.69	A	ATOM	2432	CA	LEU	269	60.727	8.550	74.656	1.00	18.46	A
ATOM	2377	CE	264	74.189	9.370	75.165	1.00	30.48	A	ATOM	2433	CB	LEU	269	61.412	9.064	75.931	1.00	17.90	A
ATOM	2378	NZ	264	75.515	8.997	74.558	1.00	32.24	A	ATOM	2434	CG	LEU	269	61.749	8.175	77.122	1.00	17.89	A
ATOM	2382	C	264	70.887	11.974	73.644	1.00	27.77	A	ATOM	2435	CD1 LEU	269	62.648	7.039	76.714	1.00	17.80	A	
ATOM	2383	O	264	71.493	11.745	72.594	1.00	28.18	A	ATOM	2436	CD2 LEU	269	62.426	9.029	78.191	1.00	17.81	A	
ATOM	2384	N	265	69.560	11.890	73.752	1.00	27.97	A	ATOM	2437	C	LEU	269	59.462	7.771	75.028	1.00	16.95	A
ATOM	2386	CA	265	68.691	11.509	72.645	1.00	27.48	A	ATOM	2438	O	LEU	269	58.557	8.362	75.592	1.00	17.52	A
ATOM	2387	CB	265	68.392	10.014	72.740	1.00	28.08	A	ATOM	2439	N	GLU	270	59.378	6.474	74.703	1.00	16.22	A
ATOM	2388	CG	265	69.563	9.110	72.386	0.00	27.71	A	ATOM	2441	CA	GLU	270	58.178	5.679	75.059	1.00	14.75	A
ATOM	2389	CD	265	69.147	7.650	72.368	0.00	27.75	A	ATOM	2442	CB	GLU	270	58.141	4.364	74.316	1.00	16.27	A
ATOM	2390	CE	265	70.309	6.752	71.976	0.00	27.73	A	ATOM	2443	CG	GLU	270	56.874	3.535	74.610	1.00	17.76	A
ATOM	2391	NZ	265	69.909	5.319	71.928	0.00	27.72	A	ATOM	2444	CD	GLU	270	56.698	2.389	73.625	1.00	18.60	A
ATOM	2395	C	265	67.380	12.311	72.604	1.00	27.42	A	ATOM	2445	OE1 GLU	270	57.638	2.132	72.821	1.00	18.80	A	
ATOM	2396	O	265	66.458	12.073	73.379	1.00	26.57	A	ATOM	2446	OE2 GLU	270	55.621	1.770	73.651	1.00	17.43	A	
ATOM	2397	N	266	67.284	13.215	71.641	1.00	27.71	A	ATOM	2447	C	GLU	270	58.157	5.446	76.559	1.00	13.25	A
ATOM	2399	CA	266	66.118	14.057	71.494	1.00	27.46	A	ATOM	2448	O	GLU	270	59.078	4.840	77.113	1.00	12.80	A
ATOM	2400	CB	266	66.526	15.380	70.863	1.00	28.34	A	ATOM	2449	N	THR	271	57.050	5.838	77.173	1.00	11.76	A
ATOM	2401	CG	266	67.426	16.177	71.782	1.00	30.05	A	ATOM	2451	CA	THR	271	56.896	5.857	78.634	1.00	10.94	A
ATOM	2402	CD	266	66.718	16.288	73.105	1.00	32.39	A	ATOM	2452	CB	THR	271	57.109	7.349	79.100	1.00	10.44	A
ATOM	2403	NE	266	67.406	17.070	74.123	1.00	34.98	A	ATOM	2453	OG1 THR	271	58.425	7.785	78.716	1.00	11.83	A	
ATOM	2405	CZ	266	66.958	17.188	75.372	1.00	36.36	A	ATOM	2455	CG2 THR	271	56.904	7.544	80.588	1.00	10.50	A	
ATOM	2406	NH1 ARG	266	65.843	16.577	75.744	1.00	37.42	A	ATOM	2456	C	THR	271	55.546	5.370	79.169	1.00	10.00	A
ATOM	2409	NH2 ARG	266	67.639	17.876	76.266	1.00	37.05	A	ATOM	2457	O	THR	271	54.521	5.627	78.567	1.00	10.46	A
ATOM	2412	C	266	64.900	13.488	70.796	1.00	27.14	A	ATOM	2458	N	TYR	272	55.566	4.620	80.271	1.00	10.31	A
ATOM	2413	O	266	64.033	14.257	70.379	1.00	28.74	A	ATOM	2460	CA	TYR	272	54.345	4.105	80.894	1.00	10.34	A

SUBSTITUTE SHEET (Rule 26)

ATOM	2461	CB	TYR	272	54.328	2.567	80.949	1.00	9.11	A	ATOM	2506	C	MET	276	45.056	3.628	87.819	1.00	12.18	A
ATOM	2462	CG	TYR	272	54.281	1.971	79.583	1.00	9.43	A	ATOM	2507	O	MET	276	44.449	4.667	87.954	1.00	11.71	A
ATOM	2463	CD1	TYR	272	55.374	2.078	78.720	1.00	8.37	A	ATOM	2508	N	PHE	277	44.990	2.657	88.725	1.00	13.50	A
ATOM	2464	CE1	TYR	272	55.292	1.657	77.364	1.00	9.61	A	ATOM	2510	CA	PHE	277	44.219	2.815	89.986	1.00	13.36	A
ATOM	2465	CD2	TYR	272	53.108	1.420	79.096	1.00	7.17	A	ATOM	2511	CB	PHE	277	43.096	1.791	90.095	1.00	13.08	A
ATOM	2466	CE2	TYR	272	53.012	1.000	77.764	1.00	9.16	A	ATOM	2512	CG	PHE	277	42.275	1.655	88.867	1.00	13.79	A
ATOM	2467	CZ	TYR	272	54.106	1.122	76.897	1.00	8.74	A	ATOM	2513	CD1	PHE	277	42.477	0.583	88.000	1.00	13.51	A
ATOM	2468	OH	TYR	272	53.984	0.710	75.581	1.00	7.21	A	ATOM	2514	CD2	PHE	277	41.322	2.616	88.552	1.00	13.96	A
ATOM	2470	C	TYR	272	54.232	4.651	82.293	1.00	9.78	A	ATOM	2515	CE1	PHE	277	41.740	0.480	86.840	1.00	15.30	A
ATOM	2471	O	TYR	272	55.130	4.468	83.071	1.00	8.92	A	ATOM	2516	CE2	PHE	277	40.575	2.535	87.389	1.00	14.80	A
ATOM	2472	N	ILE	273	53.128	5.313	82.601	1.00	10.73	A	ATOM	2517	CZ	PHE	277	40.775	1.473	86.528	1.00	15.41	A
ATOM	2474	CA	ILE	273	52.907	5.878	83.934	1.00	11.93	A	ATOM	2518	C	PHE	277	45.102	2.500	91.155	1.00	13.70	A
ATOM	2475	CB	ILE	273	51.874	7.035	83.901	1.00	12.73	A	ATOM	2519	O	PHE	277	46.061	1.764	91.012	1.00	14.30	A
ATOM	2476	CG2	ILE	273	51.511	7.466	85.340	1.00	12.18	A	ATOM	2520	N	ASN	278	44.742	3.004	92.332	1.00	15.44	A
ATOM	2477	CG1	ILE	273	52.389	8.228	83.085	1.00	12.89	A	ATOM	2522	CA	ASN	278	45.473	2.699	93.574	1.00	15.29	A
ATOM	2478	CD1	ILE	273	51.243	9.229	82.767	1.00	14.03	A	ATOM	2523	CB	ASN	278	44.934	3.519	94.758	1.00	16.02	A
ATOM	2479	C	ILE	273	52.350	4.774	84.852	1.00	12.74	A	ATOM	2524	CG	ASN	278	45.052	5.042	94.550	1.00	17.78	A
ATOM	2480	O	ILE	273	51.449	4.013	84.452	1.00	13.17	A	ATOM	2525	OD1	ASN	278	46.023	5.542	93.975	1.00	17.76	A
ATOM	2481	N	PHE	274	52.940	4.660	86.039	1.00	11.35	A	ATOM	2526	ND2	ASN	278	44.052	5.774	95.018	1.00	18.21	A
ATOM	2483	CA	PHE	274	52.560	3.690	87.052	1.00	10.45	A	ATOM	2529	C	ASN	278	45.157	1.215	93.853	1.00	15.74	A
ATOM	2484	CB	PHE	274	53.809	3.138	87.756	1.00	8.76	A	ATOM	2530	O	ASN	278	44.012	0.782	93.676	1.00	14.78	A
ATOM	2485	CG	PHE	274	53.492	2.062	88.734	1.00	10.47	A	ATOM	2531	N	GLU	279	46.148	0.444	94.290	1.00	16.15	A
ATOM	2486	CD1	PHE	274	53.265	0.753	88.293	1.00	10.83	A	ATOM	2533	CA	GLU	279	45.954	-0.978	94.575	1.00	16.95	A
ATOM	2487	CD2	PHE	274	53.285	2.357	90.079	1.00	9.86	A	ATOM	2534	CB	GLU	279	47.034	-1.803	93.872	1.00	17.00	A
ATOM	2488	CE1	PHE	274	52.820	-0.254	89.182	1.00	11.26	A	ATOM	2535	CG	GLU	279	46.925	-1.851	92.335	1.00	18.62	A
ATOM	2489	CE2	PHE	274	52.839	1.363	90.984	1.00	10.43	A	ATOM	2536	CD	GLU	279	48.212	-2.360	91.683	1.00	19.30	A
ATOM	2490	CZ	PHE	274	52.604	0.051	90.524	1.00	10.98	A	ATOM	2537	OE1	GLU	279	48.438	-3.581	91.577	1.00	18.83	A
ATOM	2491	O	PHE	274	52.377	5.236	88.807	1.00	10.35	A	ATOM	2538	OE2	GLU	279	49.033	-1.512	91.285	1.00	21.74	A
ATOM	2492	C	PHE	274	51.749	4.451	88.097	1.00	10.38	A	ATOM	2539	C	GLU	279	45.980	-1.211	96.097	1.00	17.20	A
ATOM	2494	CA	ALA	275	49.608	3.235	87.554	1.00	11.36	A	ATOM	2540	O	GLU	279	47.036	-1.453	96.679	1.00	15.59	A
ATOM	2495	CB	ALA	275	49.612	1.859	88.269	1.00	10.08	A	ATOM	2541	N	ASN	280	44.786	-1.223	96.708	1.00	18.32	A
ATOM	2496	C	ALA	275	48.182	3.762	87.425	1.00	11.58	A	ATOM	2543	CA	ASN	280	44.617	-1.380	98.168	1.00	18.88	A
ATOM	2497	O	ALA	275	47.893	4.825	87.919	1.00	11.18	A	ATOM	2544	CB	ASN	280	43.145	-1.167	98.605	1.00	18.05	A
ATOM	2498	N	ALA	275	50.445	4.208	88.267	1.00	10.23	A	ATOM	2545	CG	ASN	280	42.187	-2.276	98.157	1.00	18.13	A
ATOM	2499	N	MET	276	47.304	3.010	86.754	1.00	12.82	A	ATOM	2546	OD1	ASN	280	42.560	-3.274	97.557	1.00	16.77	A
ATOM	2501	CA	MET	276	45.899	3.405	86.545	1.00	13.10	A	ATOM	2547	ND2	ASN	280	40.928	-2.084	98.473	1.00	17.77	A
ATOM	2502	CB	MET	276	45.185	2.425	85.587	1.00	12.34	A	ATOM	2550	C	ASN	280	45.177	-2.608	98.872	1.00	19.76	A
ATOM	2503	CG	MET	276	43.903	3.000	84.935	1.00	12.46	A	ATOM	2551	O	ASN	280	45.121	-2.694	100.101	1.00	20.26	A
ATOM	2504	SD	MET	276	44.171	4.484	83.945	1.00	16.68	A	ATOM	2552	N	GLN	281	45.762	-3.522	98.107	1.00	19.58	A
ATOM	2505	CE	MET	276	42.624	4.787	83.235	1.00	17.04	A	ATOM	2554	CA	GLN	281	46.281	-4.743	98.652	1.00	18.18	A

SUBSTITUTE SHEET (Rule 26)

ATOM	2555	CB	GLN	281	45.530	-5.909	98.010	1.00	18.53	A	ATOM	2606	N	THR	287	53.080	3.942	100.517	1.00	18.82	A
ATOM	2556	CG	GLN	281	44.076	-6.005	98.459	1.00	18.79	A	ATOM	2608	CA	THR	287	52.980	4.661	99.252	1.00	17.44	A
ATOM	2557	CD	GLN	281	43.420	-7.312	98.071	1.00	18.84	A	ATOM	2609	CB	THR	287	54.319	5.314	98.867	1.00	17.45	A
ATOM	2558	OE1	GLN	281	42.258	-7.340	97.676	0.00	18.91	A	ATOM	2610	OG1	THR	287	55.348	4.320	98.794	1.00	16.57	A
ATOM	2559	NE2	GLN	281	44.158	-8.406	98.198	0.00	18.91	A	ATOM	2612	CG2	THR	287	54.700	6.392	99.864	1.00	17.91	A
ATOM	2562	C	GLN	281	47.774	-4.925	98.503	1.00	18.71	A	ATOM	2613	C	THR	287	52.552	3.756	98.112	1.00	17.08	A
ATOM	2563	O	GLN	281	48.301	-6.008	98.755	1.00	18.35	A	ATOM	2614	O	THR	287	51.902	4.214	97.166	1.00	17.40	A
ATOM	2564	N	LYS	282	48.474	-3.864	98.129	1.00	19.14	A	ATOM	2615	N	GLU	288	52.911	2.480	98.207	1.00	16.78	A
ATOM	2566	CA	LYS	282	49.906	-3.968	97.963	1.00	19.26	A	ATOM	2617	CA	GLU	288	52.571	1.493	97.194	1.00	16.24	A
ATOM	2567	CB	LYS	282	50.407	-2.798	97.128	1.00	20.36	A	ATOM	2618	CB	GLU	288	52.994	0.102	97.617	1.00	17.69	A
ATOM	2568	CG	LYS	282	49.789	-2.693	95.764	1.00	21.27	A	ATOM	2619	CG	GLU	288	54.438	-0.100	97.914	1.00	21.66	A
ATOM	2569	CD	LYS	282	50.507	-3.540	94.747	1.00	22.91	A	ATOM	2620	CD	GLU	288	55.308	0.337	96.780	1.00	25.71	A
ATOM	2570	CE	LYS	282	51.738	-2.855	94.132	1.00	24.49	A	ATOM	2621	OE1	GLU	288	56.282	1.097	97.051	1.00	29.65	A
ATOM	2571	NZ	LYS	282	52.160	-3.600	92.898	1.00	24.37	A	ATOM	2622	OE2	GLU	288	54.989	-0.013	95.618	1.00	26.24	A
ATOM	2575	C	LYS	282	50.591	-3.950	99.324	1.00	19.83	A	ATOM	2623	C	GLU	288	51.088	1.442	96.921	1.00	15.95	A
ATOM	2576	O	LYS	282	50.091	-3.356	100.272	1.00	19.12	A	ATOM	2624	O	GLU	288	50.694	1.098	95.816	1.00	16.08	A
ATOM	2577	N	THR	283	51.744	-4.610	99.416	1.00	20.15	A	ATOM	2625	N	ARG	289	50.264	1.760	97.923	1.00	14.99	A
ATOM	2579	CA	THR	283	52.501	-4.629	100.652	1.00	19.67	A	ATOM	2627	CA	ARG	289	48.804	1.725	97.767	1.00	14.66	A
ATOM	2580	CB	THR	283	52.951	-6.050	101.053	1.00	20.41	A	ATOM	2628	CB	ARG	289	48.101	1.395	99.102	1.00	15.99	A
ATOM	2581	OG1	THR	283	53.887	-6.576	100.113	1.00	20.28	A	ATOM	2629	CG	ARG	289	48.700	0.204	99.871	1.00	18.78	A
ATOM	2583	CG2	THR	283	51.765	-6.978	101.119	1.00	21.40	A	ATOM	2630	CD	ARG	289	47.892	-0.208	101.092	1.00	19.92	A
ATOM	2584	C	THR	283	53.672	-3.653	100.487	1.00	19.78	A	ATOM	2631	NE	ARG	289	47.962	-1.663	101.193	1.00	24.80	A
ATOM	2585	O	THR	283	53.662	-2.828	99.562	1.00	20.32	A	ATOM	2633	CA	ARG	289	47.865	-2.390	102.315	1.00	26.95	A
ATOM	2586	N	GLY	284	54.659	-3.705	101.375	1.00	19.24	A	ATOM	2634	NH1	ARG	289	47.683	-1.816	103.513	1.00	28.17	A
ATOM	2588	CA	GLY	284	55.751	-2.757	101.259	1.00	18.89	A	ATOM	2637	NH2	ARG	289	47.994	-3.716	102.240	1.00	27.22	A
ATOM	2589	C	GLY	284	55.333	-1.398	101.820	1.00	20.08	A	ATOM	2640	C	ARG	289	48.232	3.030	97.221	1.00	13.80	A
ATOM	2590	O	GLY	284	54.368	-1.309	102.598	1.00	19.67	A	ATOM	2641	O	ARG	289	47.036	3.161	97.076	1.00	14.64	A
ATOM	2591	N	ASP	285	56.041	-0.331	101.435	1.00	20.42	A	ATOM	2642	N	SER	290	49.084	3.964	96.855	1.00	12.80	A
ATOM	2593	CA	ASP	285	55.722	1.002	101.955	1.00	20.52	A	ATOM	2644	CA	SER	290	48.616	5.233	96.353	1.00	12.50	A
ATOM	2594	CB	ASP	285	56.710	2.056	101.485	1.00	19.71	A	ATOM	2645	CB	SER	290	48.762	6.256	97.472	1.00	12.70	A
ATOM	2595	CG	ASP	285	56.526	3.364	102.208	1.00	19.03	A	ATOM	2646	OG	SER	290	47.983	5.818	98.548	1.00	13.97	A
ATOM	2596	OD1	ASP	285	56.056	4.333	101.594	1.00	21.01	A	ATOM	2648	C	SER	290	49.300	5.763	95.092	1.00	11.60	A
ATOM	2597	OD2	ASP	285	56.832	3.436	103.401	1.00	19.09	A	ATOM	2649	O	SER	290	49.499	6.959	94.963	1.00	11.23	A
ATOM	2598	C	ASP	285	54.302	1.455	101.645	1.00	20.19	A	ATOM	2650	N	PHE	291	49.594	4.905	94.125	1.00	11.65	A
ATOM	2599	O	ASP	285	53.783	1.188	100.571	1.00	20.13	A	ATOM	2652	CA	PHE	291	50.247	5.387	92.905	1.00	10.79	A
ATOM	2600	N	ALA	286	53.706	2.167	102.594	1.00	19.77	A	ATOM	2653	CB	PHE	291	51.283	4.347	92.443	1.00	10.71	A
ATOM	2602	CA	ALA	286	52.334	2.667	102.472	1.00	20.14	A	ATOM	2654	CG	PHE	291	52.674	4.596	92.957	1.00	10.18	A
ATOM	2603	CB	ALA	286	52.001	3.594	103.671	1.00	18.24	A	ATOM	2655	CD1	PHE	291	53.130	3.987	94.115	1.00	10.27	A
ATOM	2604	C	ALA	286	52.034	3.381	101.131	1.00	19.38	A	ATOM	2656	CD2	PHE	291	53.537	5.439	92.275	1.00	9.13	A
ATOM	2605	O	ALA	286	50.871	3.433	100.690	1.00	19.32	A	ATOM	2657	CE1	PHE	291	54.419	4.219	94.574	1.00	9.33	A

SUBSTITUTE SHEET (Rule 26)

ATOM	2658	CE2	PHE	291	54.827	5.668	92.734	1.00	7.83	A	ATOM	2704	C	PRO	296	37.551	2.598	91.489	1.00	26.99	A
ATOM	2659	C2	PHE	291	55.263	5.059	93.879	1.00	9.61	A	ATOM	2705	O	PRO	296	37.289	1.905	90.491	1.00	27.23	A
ATOM	2660	O	PHE	291	49.237	5.703	91.776	1.00	10.08	A	ATOM	2706	N	ASP	297	36.745	3.554	91.952	1.00	28.25	A
ATOM	2661	C	PHE	291	49.607	6.249	90.732	1.00	11.66	A	ATOM	2708	CA	ASP	297	35.438	3.819	91.342	1.00	29.49	A
ATOM	2662	N	GLY	292	47.962	5.447	92.024	1.00	10.48	A	ATOM	2709	CB	ASP	297	34.548	4.601	92.296	1.00	31.54	A
ATOM	2664	CA	GLY	292	46.928	5.642	91.018	1.00	11.42	A	ATOM	2710	CG	ASP	297	34.941	6.057	92.380	1.00	33.44	A
ATOM	2665	C	GLY	292	46.523	7.006	90.474	1.00	13.19	A	ATOM	2711	OD1	ASP	297	34.224	6.897	91.789	1.00	35.57	A
ATOM	2666	O	GLY	292	46.460	7.998	91.222	1.00	13.60	A	ATOM	2712	OD2	ASP	297	35.985	6.358	92.999	1.00	34.99	A
ATOM	2667	N	LEU	293	46.266	7.066	89.164	1.00	12.67	A	ATOM	2713	C	ASP	297	35.529	4.611	90.032	1.00	29.71	A
ATOM	2669	CA	LEU	293	45.800	8.303	88.541	1.00	14.11	A	ATOM	2714	O	ASP	297	34.564	5.257	89.629	1.00	30.38	A
ATOM	2670	CB	LEU	293	46.090	8.280	87.058	1.00	14.75	A	ATOM	2715	N	LYS	298	36.688	4.598	89.389	1.00	29.42	A
ATOM	2671	CG	LEU	293	47.528	8.104	86.590	1.00	15.84	A	ATOM	2717	CA	LYS	298	36.898	5.309	88.132	1.00	29.17	A
ATOM	2672	CD1	LEU	293	47.469	7.694	85.090	1.00	13.85	A	ATOM	2718	CB	LYS	298	35.869	4.873	87.082	1.00	28.48	A
ATOM	2673	CD2	LEU	293	48.305	9.418	86.797	1.00	14.59	A	ATOM	2719	CG	LYS	298	35.491	3.402	87.098	1.00	27.05	A
ATOM	2674	C	LEU	293	44.270	8.411	88.742	1.00	13.87	A	ATOM	2720	CD	LYS	298	34.796	3.031	85.798	1.00	27.17	A
ATOM	2675	O	LEU	293	43.695	9.492	88.767	1.00	13.38	A	ATOM	2721	CE	LYS	298	33.600	2.126	86.028	1.00	27.24	A
ATOM	2676	N	PHE	294	43.634	7.260	88.897	1.00	15.68	A	ATOM	2722	N2	LYS	298	33.960	0.874	86.748	0.00	27.20	A
ATOM	2678	CA	PHE	294	42.196	7.142	89.093	1.00	16.52	A	ATOM	2726	C	LYS	298	36.954	6.853	88.207	1.00	29.35	A
ATOM	2679	CB	PHE	294	41.588	6.373	87.914	1.00	14.89	A	ATOM	2727	O	LYS	298	37.026	7.518	87.180	1.00	30.25	A
ATOM	2680	CG	PHE	294	42.814	7.003	85.814	1.00	15.83	A	ATOM	2728	N	SER	299	36.885	7.437	89.396	1.00	29.34	A
ATOM	2681	CD1	PHE	294	40.673	7.983	86.220	1.00	15.16	A	ATOM	2730	CA	SER	299	36.977	8.891	89.501	1.00	28.37	A
ATOM	2682	CD2	PHE	294	42.940	7.759	84.666	1.00	14.51	A	ATOM	2731	CB	SER	299	36.204	9.421	90.737	1.00	28.59	A
ATOM	2683	CE1	PHE	294	40.785	8.734	85.095	1.00	14.01	A	ATOM	2732	OG	SER	299	36.621	8.820	91.960	1.00	29.22	A
ATOM	2684	CE2	PHE	294	41.924	8.629	84.307	1.00	14.90	A	ATOM	2734	C	SER	299	38.459	9.336	89.524	1.00	27.11	A
ATOM	2685	C2	PHE	294	41.878	6.416	90.398	1.00	17.80	A	ATOM	2735	O	SER	299	39.326	8.686	90.124	1.00	27.49	A
ATOM	2686	C	PHE	294	42.690	5.650	90.926	1.00	18.49	A	ATOM	2736	N	PRO	300	38.756	10.495	88.937	1.00	24.85	A
ATOM	2687	O	PHE	294	40.708	6.694	90.945	1.00	19.05	A	ATOM	2737	CD	PRO	300	37.844	11.468	88.333	1.00	24.58	A
ATOM	2688	N	ASN	295	40.272	6.044	92.164	1.00	21.16	A	ATOM	2738	CA	PRO	300	40.138	10.988	88.905	1.00	23.87	A
ATOM	2690	CA	ASN	295	39.382	6.995	92.965	1.00	20.64	A	ATOM	2739	CB	PRO	300	40.014	12.291	88.124	1.00	23.40	A
ATOM	2691	CB	ASN	295	40.202	7.959	93.816	1.00	21.27	A	ATOM	2740	CG	PRO	300	38.746	12.090	87.310	1.00	24.87	A
ATOM	2692	CG	ASN	295	41.007	7.525	94.661	1.00	21.46	A	ATOM	2741	C	PRO	300	40.724	11.245	90.280	1.00	22.07	A
ATOM	2693	OD1	ASN	295	40.026	9.261	93.593	1.00	19.89	A	ATOM	2742	O	PRO	300	40.089	11.890	91.094	1.00	22.82	A
ATOM	2694	ND2	ASN	295	39.544	4.761	91.714	1.00	22.82	A	ATOM	2743	N	ALA	301	41.902	10.697	90.560	1.00	20.27	A
ATOM	2697	C	ASN	295	38.978	4.737	90.617	1.00	22.88	A	ATOM	2745	CA	ALA	301	42.549	10.949	91.848	1.00	17.94	A
ATOM	2698	O	ASN	295	39.538	3.698	92.546	1.00	23.05	A	ATOM	2746	CB	ALA	301	43.796	10.112	92.004	1.00	16.28	A
ATOM	2699	N	PRO	296	40.143	3.573	93.882	1.00	24.44	A	ATOM	2747	C	ALA	301	42.877	12.447	91.892	1.00	16.75	A
ATOM	2700	CD	PRO	296	38.882	2.443	92.176	1.00	25.16	A	ATOM	2748	O	ALA	301	42.681	13.091	92.925	1.00	17.56	A
ATOM	2701	CA	PRO	296	38.796	1.699	93.499	1.00	25.16	A	ATOM	2749	N	TYR	302	43.344	12.984	90.759	1.00	15.47	A
ATOM	2702	CB	PRO	296	40.079	2.044	94.120	1.00	24.51	A	ATOM	2751	CA	TYR	302	43.659	14.405	90.565	1.00	15.30	A
ATOM	2703	CG	PRO	296						A	ATOM	2752	CB	TYR	302	45.072	14.739	91.030	1.00	13.00	A

SUBSTITUTE SHEET (Rule 26)

ATOM	2753	CG TYR	302	46.075	13.656	90.786	1.00	12.78	A	ATOM	2802	CE1 PHE	306	44.494	10.523	81.795	1.00	19.41	A
ATOM	2754	CD1 TYR	302	46.743	13.551	89.571	1.00	12.93	A	ATOM	2803	CE2 PHE	306	46.798	9.764	81.771	1.00	19.19	A
ATOM	2755	CE1 TYR	302	47.668	12.554	89.342	1.00	13.42	A	ATOM	2804	CZ PHE	306	45.572	9.873	82.437	1.00	18.76	A
ATOM	2756	CD2 TYR	302	46.358	12.735	91.774	1.00	12.97	A	ATOM	2805	C PHE	306	46.922	13.399	77.034	1.00	22.11	A
ATOM	2757	CE2 TYR	302	47.284	11.708	91.567	1.00	14.98	A	ATOM	2806	O PHE	306	46.268	14.369	76.559	1.00	23.52	A
ATOM	2758	CZ TYR	302	47.936	11.614	90.340	1.00	14.76	A	ATOM	2807	OT PHE	306	47.870	12.835	76.415	1.00	21.57	A
ATOM	2759	OH TYR	302	48.762	10.524	90.101	1.00	13.49	A	ATOM	2808	CB ILE	1	38.175	-1.386	38.763	1.00	13.54	B
ATOM	2761	C TYR	302	43.489	14.652	89.056	1.00	16.62	A	ATOM	2809	CG2 ILE	1	37.653	-2.594	39.609	1.00	16.58	B
ATOM	2762	O TYR	302	43.323	13.681	88.327	1.00	17.05	A	ATOM	2810	CG1 ILE	1	38.864	-0.400	39.727	1.00	13.44	B
ATOM	2763	N ASN	303	43.545	15.902	88.569	1.00	15.69	A	ATOM	2811	CD1 ILE	1	38.952	0.997	39.250	1.00	12.71	B
ATOM	2765	CA ASN	303	43.352	16.147	87.139	1.00	16.31	A	ATOM	2812	C ILE	1	40.077	-3.002	38.188	1.00	11.25	B
ATOM	2766	CB ASN	303	42.675	17.490	86.862	1.00	17.34	A	ATOM	2813	O ILE	1	39.788	-4.180	37.991	1.00	11.10	B
ATOM	2767	CG ASN	303	41.288	17.578	87.463	0.00	17.08	A	ATOM	2816	N ILE	1	38.446	-2.497	36.486	1.00	9.64	B
ATOM	2768	OD1 ASN	303	40.289	17.578	86.748	0.00	17.20	A	ATOM	2818	CA ILE	1	39.182	-1.896	37.640	1.00	12.26	B
ATOM	2769	ND2 ASN	303	41.219	17.660	88.786	0.00	17.20	A	ATOM	2819	N GLY	2	41.203	-2.627	38.776	1.00	10.44	B
ATOM	2772	C ASN	303	44.585	16.020	86.269	1.00	16.91	A	ATOM	2821	CA GLY	2	42.094	-3.617	39.347	1.00	10.03	B
ATOM	2773	O ASN	303	45.643	16.605	86.544	1.00	17.72	A	ATOM	2822	C GLY	2	41.770	-3.799	40.816	1.00	9.74	B
ATOM	2774	N ILE	304	44.471	15.179	85.249	1.00	17.29	A	ATOM	2823	O GLY	2	40.965	-3.052	41.363	1.00	8.14	B
ATOM	2776	CA ILE	304	45.566	14.954	84.302	1.00	17.53	A	ATOM	2824	N VAL	3	42.313	-4.842	41.436	1.00	10.15	B
ATOM	2777	CB ILE	304	46.331	13.616	84.557	1.00	17.04	A	ATOM	2826	CA VAL	3	42.095	-5.116	42.869	1.00	10.12	B
ATOM	2778	CG2 ILE	304	47.208	13.251	83.306	1.00	13.45	A	ATOM	2827	CB VAL	3	40.828	-5.999	43.154	1.00	9.72	B
ATOM	2779	CG1 ILE	304	47.187	13.709	85.847	1.00	15.98	A	ATOM	2828	CG1 VAL	3	40.731	-6.302	44.605	1.00	10.50	B
ATOM	2780	CD1 ILE	304	48.330	14.689	85.780	1.00	14.40	A	ATOM	2829	CG2 VAL	3	39.552	-5.274	42.808	1.00	9.30	B
ATOM	2781	C ILE	304	45.035	14.908	82.887	1.00	17.00	A	ATOM	2830	C VAL	3	43.332	-5.852	43.385	1.00	10.18	B
ATOM	2782	O ILE	304	44.096	14.188	82.629	1.00	16.50	A	ATOM	2831	O VAL	3	43.755	-6.874	42.821	1.00	10.65	B
ATOM	2783	N GLN	305	45.577	15.737	82.005	1.00	17.94	A	ATOM	2832	N CYS	4	43.930	-5.293	44.421	1.00	9.76	B
ATOM	2785	CA GLN	305	45.162	15.713	80.603	1.00	19.57	A	ATOM	2834	CA CYS	4	45.102	-5.863	45.055	1.00	9.82	B
ATOM	2786	CB GLN	305	44.956	17.124	80.042	1.00	21.24	A	ATOM	2835	CB CYS	4	45.698	-4.860	46.014	1.00	9.66	B
ATOM	2787	CG GLN	305	46.136	18.055	80.144	1.00	22.49	A	ATOM	2836	SG CYS	4	46.047	-3.327	45.213	1.00	10.43	B
ATOM	2788	CD GLN	305	45.919	19.358	79.402	0.00	22.13	A	ATOM	2837	C CYS	4	44.700	-7.140	45.796	1.00	9.04	B
ATOM	2789	OE1 GLN	305	45.134	20.203	79.825	0.00	22.25	A	ATOM	2838	O CYS	4	43.657	-7.197	46.451	1.00	8.84	B
ATOM	2790	NE2 GLN	305	46.619	19.527	78.289	0.00	22.25	A	ATOM	2839	N TYR	5	45.512	-8.174	45.630	1.00	7.99	B
ATOM	2793	C GLN	305	46.188	14.914	79.793	1.00	18.95	A	ATOM	2841	CA TYR	5	45.236	-9.481	46.224	1.00	8.62	B
ATOM	2794	O GLN	305	47.360	15.259	79.730	1.00	18.89	A	ATOM	2842	CB TYR	5	45.293	-10.538	45.127	1.00	5.92	B
ATOM	2795	N PHE	306	45.743	13.808	79.231	1.00	19.25	A	ATOM	2843	CG TYR	5	45.255	-11.944	45.570	1.00	6.23	B
ATOM	2797	CA PHE	306	46.624	12.936	78.481	1.00	20.35	A	ATOM	2844	CD1 TYR	5	45.899	-12.923	44.816	1.00	7.48	B
ATOM	2798	CB PHE	306	46.052	11.522	78.481	1.00	20.05	A	ATOM	2845	CE1 TYR	5	45.910	-14.273	45.208	1.00	7.37	B
ATOM	2799	CG PHE	306	45.875	10.940	79.858	1.00	18.54	A	ATOM	2846	CD2 TYR	5	44.602	-12.325	46.748	1.00	5.97	B
ATOM	2800	CD1 PHE	306	44.661	11.047	80.508	1.00	17.57	A	ATOM	2847	CE2 TYR	5	44.596	-13.676	47.167	1.00	7.07	B
ATOM	2801	CD2 PHE	306	46.939	10.297	80.497	1.00	18.51	A	ATOM	2848	CZ TYR	5	45.263	-14.648	46.380	1.00	8.16	B

SUBSTITUTE SHEET (Rule 26)

ATOM	2849	OH	TYR	5	45.308	-15.973	46.759	1.00	7.87	B	ATOM	2900	C	ASN	11	40.761	-17.987	55.055	1.00	10.15	B
ATOM	2851	C	TYR	5	46.232	-9.778	47.329	1.00	8.76	B	ATOM	2901	O	ASN	11	39.556	-17.984	54.821	1.00	9.48	B
ATOM	2852	O	TYR	5	47.394	-10.108	47.068	1.00	9.27	B	ATOM	2902	N	LEU	12	41.654	-17.631	54.135	1.00	10.88	B
ATOM	2853	N	GLY	6	45.779	-9.588	48.562	1.00	9.53	B	ATOM	2904	CA	LEU	12	41.298	-17.187	52.742	1.00	10.72	B
ATOM	2855	CA	GLY	6	46.607	-9.850	49.710	1.00	9.50	B	ATOM	2905	CB	LEU	12	42.354	-16.177	52.227	1.00	8.68	B
ATOM	2856	C	GLY	6	46.198	-11.159	50.355	1.00	9.69	B	ATOM	2906	CG	LEU	12	42.520	-14.892	53.070	1.00	6.86	B
ATOM	2857	O	GLY	6	45.027	-11.399	50.613	1.00	11.49	B	ATOM	2907	CD1	LEU	12	43.674	-14.014	52.643	1.00	4.67	B
ATOM	2858	N	VAL	7	47.192	-11.914	50.776	1.00	9.36	B	ATOM	2908	CD2	LEU	12	41.217	-14.133	52.962	1.00	5.97	B
ATOM	2860	CA	VAL	7	46.998	-13.209	51.363	1.00	8.20	B	ATOM	2909	C	LEU	12	41.158	-18.348	51.742	1.00	10.88	B
ATOM	2861	CB	VAL	7	47.746	-14.241	50.470	1.00	8.97	B	ATOM	2910	O	LEU	12	41.672	-19.443	51.993	1.00	11.33	B
ATOM	2862	CG1	VAL	7	47.289	-14.100	49.062	1.00	8.78	B	ATOM	2911	N	PRO	13	40.463	-18.136	50.598	1.00	10.64	B
ATOM	2863	CG2	VAL	7	49.267	-14.007	50.495	1.00	9.76	B	ATOM	2912	CD	PRO	13	39.851	-16.879	50.138	1.00	10.66	B
ATOM	2864	C	VAL	7	47.461	-13.307	52.827	1.00	7.94	B	ATOM	2913	CA	PRO	13	40.289	-19.216	49.593	1.00	10.66	B
ATOM	2865	O	VAL	7	47.780	-14.379	53.300	1.00	6.74	B	ATOM	2914	CB	PRO	13	39.355	-18.588	48.531	1.00	8.94	B
ATOM	2866	N	ILE	8	47.480	-12.195	53.553	1.00	8.27	B	ATOM	2915	CG	PRO	13	38.787	-17.373	49.162	1.00	8.94	B
ATOM	2868	CA	ILE	8	47.897	-12.216	54.952	1.00	7.52	B	ATOM	2916	C	PRO	13	41.608	-19.672	48.931	1.00	10.89	B
ATOM	2869	CB	ILE	8	48.671	-10.937	55.311	1.00	9.28	B	ATOM	2917	O	PRO	13	42.674	-19.170	49.219	1.00	10.71	B
ATOM	2870	CG1	ILE	8	49.226	-10.985	56.769	1.00	9.47	B	ATOM	2918	N	SER	14	41.532	-20.648	48.049	1.00	12.27	B
ATOM	2871	CG2	ILE	8	49.896	-10.820	54.419	1.00	9.26	B	ATOM	2920	CA	SER	14	42.726	-21.116	47.367	1.00	12.59	B
ATOM	2872	CD1	ILE	8	50.457	-9.420	54.468	1.00	12.59	B	ATOM	2921	CB	SER	14	42.437	-22.476	46.733	1.00	13.21	B
ATOM	2873	C	ILE	8	46.718	-12.484	55.906	1.00	7.67	B	ATOM	2922	OG	SER	14	41.254	-22.375	45.935	1.00	13.27	B
ATOM	2874	O	ILE	8	46.310	-11.644	56.716	1.00	7.33	B	ATOM	2924	C	SER	14	42.976	-20.089	46.261	1.00	11.94	B
ATOM	2875	N	GLY	9	46.167	-13.684	55.783	1.00	8.20	B	ATOM	2925	O	SER	14	42.092	-19.344	45.886	1.00	10.23	B
ATOM	2877	CA	GLY	9	45.060	-14.120	56.625	1.00	9.96	B	ATOM	2926	N	ARG	15	44.180	-20.072	45.730	1.00	12.97	B
ATOM	2878	C	GLY	9	45.220	-15.605	56.910	1.00	9.90	B	ATOM	2928	CA	ARG	15	44.504	-19.139	44.667	1.00	14.06	B
ATOM	2879	O	GLY	9	46.018	-16.269	56.250	1.00	10.44	B	ATOM	2929	CB	ARG	15	45.986	-19.201	44.276	1.00	12.07	B
ATOM	2880	N	ASN	10	44.445	-16.163	57.823	1.00	9.93	B	ATOM	2930	CG	ARG	15	46.852	-18.231	45.029	1.00	9.93	B
ATOM	2882	CA	ASN	10	44.627	-17.577	58.111	1.00	10.02	B	ATOM	2931	CD	ARG	15	46.979	-18.604	46.480	1.00	10.47	B
ATOM	2883	CB	ASN	10	44.915	-17.818	59.592	1.00	9.07	B	ATOM	2932	NE	ARG	15	48.199	-18.029	47.005	1.00	8.54	B
ATOM	2884	CG	ASN	10	43.803	-17.333	60.491	1.00	9.75	B	ATOM	2934	CZ	ARG	15	48.581	-18.130	48.262	1.00	9.20	B
ATOM	2885	OD1	ASN	10	42.706	-17.026	60.029	1.00	10.48	B	ATOM	2935	NH1	ARG	15	47.827	-18.787	49.123	1.00	9.86	B
ATOM	2886	ND2	ASN	10	44.075	-17.267	61.800	1.00	10.67	B	ATOM	2938	NH2	ARG	15	49.740	-17.623	48.635	1.00	7.50	B
ATOM	2889	C	ASN	10	43.424	-18.353	57.730	1.00	10.51	B	ATOM	2941	C	ARG	15	43.624	-19.384	43.468	1.00	14.29	B
ATOM	2890	O	ASN	10	43.319	-19.510	58.127	1.00	11.76	B	ATOM	2942	O	ARG	15	43.221	-18.439	42.766	1.00	16.06	B
ATOM	2891	N	ASN	11	42.582	-17.766	56.883	1.00	10.26	B	ATOM	2943	N	SER	16	43.269	-20.629	42.222	1.00	15.87	B
ATOM	2893	CA	ASN	11	41.307	-18.389	56.486	1.00	11.04	B	ATOM	2945	CA	SER	16	42.411	-20.886	42.086	1.00	17.46	B
ATOM	2894	CB	ASN	11	40.282	-17.981	57.560	1.00	9.17	B	ATOM	2946	CB	SER	16	42.399	-22.374	41.740	1.00	19.56	B
ATOM	2895	CG	ASN	11	40.060	-16.467	57.578	1.00	10.15	B	ATOM	2947	OG	SER	16	41.467	-23.093	42.547	1.00	24.48	B
ATOM	2896	OD1	ASN	11	40.850	-15.733	57.028	1.00	11.78	B	ATOM	2949	C	SER	16	41.003	-20.326	42.374	1.00	17.47	B
ATOM	2897	ND2	ASN	11	38.971	-16.010	58.157	1.00	12.02	B	ATOM	2950	O	SER	16	40.406	-19.679	41.501	1.00	18.62	B

SUBSTITUTE SHEET (Rule 26)

ATOM	2951	N	ASP	17	40.495	-20.516	43.603	1.00	16.78	B	ATOM	2999	CA	TYR	22	37.846	-12.365	40.086	1.00	10.88	B
ATOM	2953	CA	ASP	17	39.171	-19.991	43.974	1.00	15.77	B	ATOM	3000	CB	TYR	22	39.353	-12.206	39.823	1.00	8.16	B
ATOM	2954	CB	ASP	17	38.766	-20.397	45.368	1.00	16.99	B	ATOM	3001	CG	TYR	22	40.142	-11.441	40.894	1.00	5.04	B
ATOM	2955	CG	ASP	17	37.940	-21.665	45.387	1.00	20.01	B	ATOM	3002	CD1	TYR	22	40.342	-11.962	42.184	1.00	3.19	B
ATOM	2956	OD1	ASP	17	38.374	-22.561	44.761	1.00	20.73	B	ATOM	3003	CE1	TYR	22	41.161	-11.299	43.097	1.00	2.63	B
ATOM	2957	OD2	ASP	17	36.868	-21.672	46.054	1.00	21.86	B	ATOM	3004	CD2	TYR	22	40.761	-10.241	40.580	1.00	2.75	B
ATOM	2958	C	ASP	17	39.156	-18.487	43.899	1.00	15.16	B	ATOM	3005	CE2	TYR	22	41.551	-9.582	41.469	1.00	2.35	B
ATOM	2959	O	ASP	17	38.109	-17.894	43.591	1.00	15.42	B	ATOM	3006	CZ	TYR	22	41.758	-10.102	42.724	1.00	2.00	B
ATOM	2960	N	VAL	18	40.297	-17.870	44.216	1.00	12.79	B	ATOM	3007	OH	TYR	22	42.599	-9.415	43.555	1.00	3.27	B
ATOM	2962	CA	VAL	18	40.426	-16.433	44.144	1.00	12.20	B	ATOM	3009	C	TYR	22	37.126	-12.433	38.757	1.00	12.10	B
ATOM	2963	CB	VAL	18	41.732	-15.951	44.859	1.00	12.27	B	ATOM	3010	O	TYR	22	36.503	-11.437	38.334	1.00	14.26	B
ATOM	2964	CG1	VAL	18	41.922	-14.467	44.653	1.00	11.31	B	ATOM	3011	N	ARG	23	37.143	-13.609	38.124	1.00	12.11	B
ATOM	2965	CG2	VAL	18	41.661	-16.197	46.351	1.00	12.74	B	ATOM	3013	CA	ARG	23	36.470	-13.764	36.827	1.00	12.44	B
ATOM	2966	C	VAL	18	40.392	-15.922	42.659	1.00	12.18	B	ATOM	3014	CB	ARG	23	36.903	-15.037	36.082	1.00	12.67	B
ATOM	2967	O	VAL	18	39.772	-14.882	42.334	1.00	10.03	B	ATOM	3015	CG	ARG	23	38.237	-14.875	35.372	1.00	13.48	B
ATOM	2968	N	VAL	19	41.099	-16.623	41.771	1.00	12.73	B	ATOM	3016	CD	ARG	23	38.848	-16.204	34.959	1.00	15.43	B
ATOM	2970	CA	VAL	19	41.133	-16.213	40.354	1.00	11.76	B	ATOM	3017	NE	ARG	23	38.779	-16.420	33.518	1.00	16.66	B
ATOM	2971	CB	VAL	19	42.087	-17.094	39.529	1.00	12.00	B	ATOM	3019	CZ	ARG	23	37.665	-16.638	32.851	1.00	16.46	B
ATOM	2972	CG1	VAL	19	41.883	-16.826	38.053	1.00	11.87	B	ATOM	3020	NH1	ARG	23	36.491	-16.669	33.481	1.00	20.10	B
ATOM	2973	CG2	VAL	19	43.536	-16.862	39.939	1.00	11.60	B	ATOM	3023	NH2	ARG	23	37.723	-16.805	31.558	1.00	15.54	B
ATOM	2974	C	VAL	19	39.708	-16.368	39.814	1.00	11.45	B	ATOM	3026	C	ARG	23	34.968	-13.673	36.903	1.00	12.44	B
ATOM	2975	O	VAL	19	39.161	-15.485	39.122	1.00	10.17	B	ATOM	3027	O	ARG	23	34.350	-13.061	36.030	1.00	12.70	B
ATOM	2976	N	GLN	20	39.114	-17.505	40.155	1.00	10.10	B	ATOM	3028	N	SER	24	34.367	-14.188	37.973	1.00	12.65	B
ATOM	2978	CA	GLN	20	37.767	-17.759	39.749	1.00	10.42	B	ATOM	3030	CA	SER	24	32.908	-14.111	38.084	1.00	13.44	B
ATOM	2979	CB	GLN	20	37.309	-19.112	40.222	1.00	9.52	B	ATOM	3031	CB	SER	24	32.366	-14.967	39.216	1.00	12.51	B
ATOM	2980	CG	GLN	20	35.850	-19.359	39.874	1.00	11.69	B	ATOM	3032	OG	SER	24	33.438	-15.663	39.786	1.00	16.72	B
ATOM	2981	CD	GLN	20	35.356	-20.716	40.344	0.00	11.14	B	ATOM	3034	C	SER	24	32.432	-12.696	38.311	1.00	13.05	B
ATOM	2982	OE1	GLN	20	35.954	-21.342	41.217	0.00	11.34	B	ATOM	3035	O	SER	24	31.284	-12.365	37.978	1.00	12.66	B
ATOM	2983	NE2	GLN	20	34.256	-21.176	39.763	0.00	11.34	B	ATOM	3036	N	LYS	25	33.294	-11.874	38.890	1.00	12.70	B
ATOM	2986	C	GLN	20	36.780	-16.697	40.208	1.00	10.71	B	ATOM	3038	CA	LYS	25	32.915	-10.497	39.189	1.00	13.46	B
ATOM	2987	O	GLN	20	35.844	-16.392	39.451	1.00	10.82	B	ATOM	3039	CB	LYS	25	33.628	-10.045	40.458	1.00	13.41	B
ATOM	2988	N	LEU	21	36.938	-16.195	41.447	1.00	10.02	B	ATOM	3040	CG	LYS	25	33.208	-10.842	41.655	1.00	11.66	B
ATOM	2990	CA	LEU	21	36.052	-15.158	41.993	1.00	10.95	B	ATOM	3041	CD	LYS	25	31.720	-10.670	41.888	1.00	12.50	B
ATOM	2991	CB	LEU	21	36.343	-14.862	43.470	1.00	11.68	B	ATOM	3042	CE	LYS	25	31.245	-11.439	43.101	1.00	13.84	B
ATOM	2992	CG	LEU	21	35.320	-14.657	44.609	1.00	12.97	B	ATOM	3043	NZ	LYS	25	30.049	-10.740	43.679	1.00	16.81	B
ATOM	2993	CD1	LEU	21	35.994	-13.822	45.697	1.00	11.75	B	ATOM	3047	C	LYS	25	33.200	-9.522	38.079	1.00	14.04	B
ATOM	2994	CD2	LEU	21	34.027	-13.975	44.173	1.00	12.72	B	ATOM	3048	O	LYS	25	32.628	-8.427	38.048	1.00	16.72	B
ATOM	2995	C	LEU	21	36.281	-13.880	41.191	1.00	11.72	B	ATOM	3049	N	GLY	26	34.046	-9.924	37.141	1.00	13.87	B
ATOM	2996	O	LEU	21	35.329	-13.161	40.886	1.00	13.47	B	ATOM	3051	CA	GLY	26	34.418	-9.040	36.058	1.00	12.12	B
ATOM	2997	N	TYR	22	37.540	-13.559	40.893	1.00	11.75	B	ATOM	3052	C	GLY	26	35.563	-8.104	36.463	1.00	12.09	B

SUBSTITUTE SHEET (Rule 26)

ATOM	3053	O	GLY	26	35.659	-6.971	35.943	1.00	12.80	B	ATOM	3105	N	IIE	32	49.822	-8.621	42.925	1.00	6.01	B
ATOM	3054	N	IIE	27	36.404	-8.546	37.415	1.00	10.40	B	ATOM	3107	CA	IIE	32	50.320	-9.558	43.901	1.00	7.02	B
ATOM	3056	CA	IIE	27	37.550	-7.765	37.860	1.00	8.56	B	ATOM	3108	CB	IIE	32	50.412	-11.031	43.363	1.00	7.32	B
ATOM	3057	CB	IIE	27	37.940	-8.122	39.298	1.00	8.53	B	ATOM	3109	CG2	IIE	32	49.027	-11.590	43.122	1.00	2.00	B
ATOM	3058	CG2	IIE	27	39.258	-7.435	39.642	1.00	8.54	B	ATOM	3110	CG1	IIE	32	51.362	-11.178	42.158	1.00	4.08	B
ATOM	3059	CG1	IIE	27	36.854	-7.624	40.255	1.00	7.44	B	ATOM	3111	CD1	IIE	32	51.401	-12.592	41.680	1.00	2.00	B
ATOM	3060	CD1	IIE	27	36.793	-8.378	41.631	1.00	6.12	B	ATOM	3112	C	IIE	32	51.649	-8.968	44.417	1.00	7.82	B
ATOM	3061	C	IIE	27	38.622	-8.148	36.861	1.00	8.32	B	ATOM	3113	O	IIE	32	52.368	-8.290	43.678	1.00	9.39	B
ATOM	3062	O	IIE	27	39.018	-9.313	36.766	1.00	6.48	B	ATOM	3114	N	TYR	33	51.942	-9.177	45.701	1.00	8.86	B
ATOM	3063	N	ASN	28	39.026	-7.165	36.056	1.00	9.43	B	ATOM	3116	CA	TYR	33	53.119	-8.569	46.336	1.00	7.84	B
ATOM	3065	CA	ASN	28	39.977	-7.391	34.975	1.00	10.41	B	ATOM	3117	CB	TYR	33	52.733	-8.100	47.718	1.00	5.73	B
ATOM	3066	CB	ASN	28	39.579	-6.558	33.723	1.00	14.33	B	ATOM	3118	CG	TYR	33	51.615	-7.068	47.674	1.00	4.30	B
ATOM	3067	CG	ASN	28	40.240	-7.100	32.418	1.00	20.98	B	ATOM	3119	CD1	TYR	33	50.275	-7.442	47.554	1.00	4.17	B
ATOM	3068	OD1	ASN	28	40.135	-6.481	31.318	1.00	24.59	B	ATOM	3120	CE1	TYR	33	49.253	-6.483	47.456	1.00	3.72	B
ATOM	3069	ND2	ASN	28	40.929	-8.269	32.528	1.00	23.39	B	ATOM	3121	CD2	TYR	33	51.906	-5.730	47.702	1.00	3.35	B
ATOM	3072	C	ASN	28	41.433	-7.187	35.269	1.00	9.04	B	ATOM	3122	CE2	TYR	33	50.892	-4.774	47.609	1.00	4.17	B
ATOM	3073	O	ASN	28	42.246	-7.280	34.381	1.00	10.32	B	ATOM	3123	CZ	TYR	33	49.583	-5.153	47.480	1.00	3.77	B
ATOM	3074	N	GLY	29	41.783	-6.907	36.509	1.00	8.34	B	ATOM	3124	OH	TYR	33	48.625	-4.150	47.318	1.00	7.85	B
ATOM	3076	CA	GLY	29	43.177	-6.671	36.822	1.00	6.95	B	ATOM	3126	C	TYR	33	54.480	-9.246	46.358	1.00	8.46	B
ATOM	3077	C	GLY	29	43.450	-7.033	38.277	1.00	7.30	B	ATOM	3127	O	TYR	33	55.435	-8.706	46.924	1.00	9.38	B
ATOM	3078	O	GLY	29	42.570	-6.826	39.154	1.00	5.67	B	ATOM	3128	N	PHE	34	54.535	-10.447	45.806	1.00	7.89	B
ATOM	3079	N	MET	30	44.725	-7.346	38.527	1.00	5.61	B	ATOM	3130	CA	PHE	34	55.750	-11.221	45.662	1.00	5.92	B
ATOM	3081	CA	MET	30	45.210	-7.800	39.805	1.00	5.24	B	ATOM	3131	CB	PHE	34	56.119	-11.925	46.991	1.00	5.57	B
ATOM	3082	CB	MET	30	45.166	-9.344	39.797	1.00	5.13	B	ATOM	3132	CG	PHE	34	55.150	-12.985	47.450	1.00	2.47	B
ATOM	3083	CG	MET	30	45.418	-10.012	41.151	1.00	8.30	B	ATOM	3133	CD1	PHE	34	55.442	-14.318	47.274	1.00	2.01	B
ATOM	3084	SD	MET	30	45.697	-11.802	41.144	1.00	8.16	B	ATOM	3134	CD2	PHE	34	53.980	-12.647	48.088	1.00	3.40	B
ATOM	3085	CE	MET	30	44.022	-12.462	41.029	1.00	5.53	B	ATOM	3135	CE1	PHE	34	54.604	-15.288	47.710	1.00	2.00	B
ATOM	3086	C	MET	30	46.643	-7.403	40.154	1.00	4.90	B	ATOM	3136	CE2	PHE	34	53.104	-13.630	48.548	1.00	3.10	B
ATOM	3087	O	MET	30	47.487	-7.236	39.298	1.00	4.95	B	ATOM	3137	CZ	PHE	34	53.422	-14.966	48.353	1.00	2.00	B
ATOM	3088	N	ARG	31	46.903	-7.310	41.451	1.00	5.71	B	ATOM	3138	C	PHE	34	55.392	-12.227	44.580	1.00	7.99	B
ATOM	3090	CA	ARG	31	48.237	-7.050	41.967	1.00	5.91	B	ATOM	3139	O	PHE	34	54.202	-12.415	44.280	1.00	7.18	B
ATOM	3091	CB	ARG	31	48.405	-5.633	42.522	1.00	5.95	B	ATOM	3140	N	ALA	35	56.385	-12.881	43.992	1.00	8.68	B
ATOM	3092	CD	ARG	31	49.761	-5.428	43.165	1.00	6.01	B	ATOM	3142	CA	ALA	35	56.105	-13.894	42.988	1.00	9.11	B
ATOM	3093	CG	ARG	31	50.028	-3.984	43.440	1.00	4.72	B	ATOM	3143	CB	ALA	35	57.357	-14.269	42.333	1.00	10.87	B
ATOM	3094	NE	ARG	31	51.366	-3.828	43.999	1.00	5.22	B	ATOM	3144	C	ALA	35	55.488	-15.127	43.663	1.00	10.61	B
ATOM	3096	CZ	ARG	31	51.767	-2.770	44.707	1.00	4.78	B	ATOM	3145	O	ALA	35	56.178	-16.100	43.969	1.00	11.66	B
ATOM	3097	NH1	ARG	31	50.905	-1.787	44.929	1.00	3.60	B	ATOM	3146	N	ASP	36	54.205	-15.044	43.998	1.00	11.43	B
ATOM	3100	NH2	ARG	31	53.043	-2.652	45.108	1.00	3.55	B	ATOM	3148	CA	ASP	36	53.483	-16.140	44.634	1.00	10.17	B
ATOM	3103	C	ARG	31	48.612	-8.093	43.049	1.00	6.34	B	ATOM	3149	CB	ASP	36	52.150	-15.572	45.194	1.00	9.93	B
ATOM	3104	O	ARG	31	47.774	-8.519	43.876	1.00	5.03	B	ATOM	3150	CG	ASP	36	51.159	-16.635	45.644	1.00	9.80	B

SUBSTITUTE SHEET (Rule 26)

ATOM	3151	OD1 ASP	36	51.361	-17.842	45.438	1.00	12.22	B	ATOM	3200	O ALA	42	44.779	-19.233	37.129	1.00	14.04	B
ATOM	3152	OD2 ASP	36	50.113	-16.258	46.185	1.00	10.86	B	ATOM	3201	N LEU	43	46.645	-18.034	37.518	1.00	12.75	B
ATOM	3153	C ASP	36	53.272	-17.105	43.475	1.00	10.17	B	ATOM	3203	CA LEU	43	46.321	-16.994	36.561	1.00	12.85	B
ATOM	3154	O ASP	36	52.506	-16.799	42.578	1.00	10.43	B	ATOM	3204	CB LEU	43	47.177	-15.770	36.812	1.00	11.99	B
ATOM	3155	N GLY	37	53.976	-18.243	43.489	1.00	10.29	B	ATOM	3205	CG LEU	43	46.724	-14.950	38.012	1.00	11.84	B
ATOM	3157	CA GLY	37	53.881	-19.254	42.439	1.00	9.75	B	ATOM	3206	CD1 LEU	43	47.862	-13.968	38.454	1.00	9.69	B
ATOM	3158	C GLY	37	52.540	-19.966	42.311	1.00	11.24	B	ATOM	3207	CD2 LEU	43	45.418	-14.247	37.611	1.00	10.65	B
ATOM	3159	O GLY	37	52.193	-20.544	41.255	1.00	11.77	B	ATOM	3208	C LEU	43	46.462	-17.358	35.088	1.00	14.02	B
ATOM	3160	N GLN	38	51.781	-19.934	43.399	1.00	11.79	B	ATOM	3209	O LEU	43	46.021	-16.584	34.240	1.00	12.51	B
ATOM	3162	CA GLN	38	50.458	-20.542	43.456	1.00	11.84	B	ATOM	3210	N ARG	44	47.089	-18.490	34.763	1.00	14.50	B
ATOM	3163	CB GLN	38	49.981	-20.574	44.914	1.00	10.83	B	ATOM	3212	CA ARG	44	47.254	-18.847	33.350	1.00	16.85	B
ATOM	3164	CG GLN	38	50.726	-21.486	45.863	1.00	8.78	B	ATOM	3213	CB ARG	44	47.851	-20.242	33.212	1.00	17.28	B
ATOM	3165	CD GLN	38	50.009	-21.542	47.220	1.00	7.29	B	ATOM	3214	CG ARG	44	49.274	-20.288	33.623	1.00	21.78	B
ATOM	3166	OE1 GLN	38	48.876	-21.991	47.305	1.00	6.06	B	ATOM	3215	CD ARG	44	49.846	-21.616	33.301	1.00	25.54	B
ATOM	3167	NE2 GLN	38	50.650	-21.036	48.269	1.00	7.03	B	ATOM	3216	NE ARG	44	51.288	-21.630	33.500	1.00	29.00	B
ATOM	3170	C GLN	38	49.465	-19.687	42.641	1.00	11.58	B	ATOM	3218	C2 ARG	44	51.880	-22.357	34.439	1.00	30.89	B
ATOM	3171	O GLN	38	48.525	-20.178	42.027	1.00	13.11	B	ATOM	3219	NH1 ARG	44	51.122	-23.113	35.248	1.00	30.60	B
ATOM	3172	N ALA	39	49.659	-18.383	42.677	1.00	11.36	B	ATOM	3222	NH2 ARG	44	53.216	-22.357	34.548	1.00	31.90	B
ATOM	3174	CA ALA	39	48.767	-17.475	41.982	1.00	10.35	B	ATOM	3225	C ARG	44	45.984	-18.785	32.515	1.00	16.48	B
ATOM	3175	CB ALA	39	48.795	-16.110	42.617	1.00	7.92	B	ATOM	3226	O ARG	44	44.990	-19.386	32.872	1.00	19.04	B
ATOM	3176	C ALA	39	49.136	-17.373	40.536	1.00	9.82	B	ATOM	3227	N ASN	45	46.005	-18.035	31.425	1.00	16.70	B
ATOM	3177	O ALA	39	48.234	-17.251	39.709	1.00	10.78	B	ATOM	3229	CA ASN	45	44.859	-17.946	30.509	1.00	16.64	B
ATOM	3180	CA LEU	40	50.444	-17.340	40.245	1.00	10.05	B	ATOM	3230	CB ASN	45	44.511	-19.332	29.928	1.00	15.80	B
ATOM	3181	CB LEU	40	50.944	-17.236	38.873	1.00	10.96	B	ATOM	3231	CG ASN	45	45.712	-20.044	29.294	1.00	16.14	B
ATOM	3182	CG LEU	40	52.448	-17.069	38.828	1.00	9.92	B	ATOM	3232	OD1 ASN	45	46.420	-19.478	28.464	1.00	18.73	B
ATOM	3183	CD1 LEU	40	52.996	-15.717	39.319	1.00	11.19	B	ATOM	3233	ND2 ASN	45	45.935	-21.292	29.679	1.00	15.41	B
ATOM	3184	CD2 LEU	40	54.488	-15.874	39.608	1.00	9.34	B	ATOM	3236	C ASN	45	43.580	-17.344	31.088	1.00	16.57	B
ATOM	3185	C LEU	40	52.729	-14.575	38.343	1.00	7.89	B	ATOM	3237	O ASN	45	42.481	-17.567	30.543	1.00	16.84	B
ATOM	3186	O LEU	40	50.504	-18.431	38.037	1.00	11.99	B	ATOM	3238	N SER	46	43.710	-16.529	32.132	1.00	15.93	B
ATOM	3187	N SER	41	50.167	-18.282	36.862	1.00	13.73	B	ATOM	3240	CA SER	46	42.530	-15.928	32.787	1.00	14.64	B
ATOM	3189	CA SER	41	50.466	-19.612	38.645	1.00	13.40	B	ATOM	3241	CB SER	46	42.767	-15.806	34.290	1.00	14.43	B
ATOM	3190	CB SER	41	50.008	-20.794	37.926	1.00	14.62	B	ATOM	3242	OG SER	46	43.968	-15.092	34.520	1.00	11.46	B
ATOM	3191	OG SER	41	50.365	-22.052	38.698	1.00	14.74	B	ATOM	3244	C SER	46	42.189	-14.565	32.238	1.00	13.93	B
ATOM	3193	C SER	41	49.575	-22.142	39.855	1.00	20.68	B	ATOM	3245	O SER	46	41.115	-14.010	32.549	1.00	14.32	B
ATOM	3194	O SER	41	48.956	-20.727	37.713	1.00	13.75	B	ATOM	3246	N GLY	47	43.136	-13.999	31.489	1.00	12.11	B
ATOM	3195	N ALA	42	48.001	-21.118	36.668	1.00	13.62	B	ATOM	3248	CA GLY	47	42.942	-12.691	30.896	1.00	11.37	B
ATOM	3197	CA ALA	42	47.786	-20.265	38.745	1.00	14.02	B	ATOM	3249	C GLY	47	43.046	-11.562	31.892	1.00	11.42	B
ATOM	3198	CB ALA	42	46.330	-20.106	38.767	1.00	13.16	B	ATOM	3250	O GLY	47	42.738	-10.405	31.557	1.00	13.44	B
ATOM	3199	C ALA	42	45.894	-19.681	40.141	1.00	12.54	B	ATOM	3251	N ILE	48	43.476	-11.871	33.119	1.00	10.17	B
ATOM	3199	C ALA	42	45.850	-19.078	37.727	1.00	13.59	B	ATOM	3253	CA ILE	48	43.619	-10.840	34.155	1.00	8.96	B

SUBSTITUTE SHEET (Rule 26)

ATOM	3254	CB	ILE	48	43.414	-11.439	35.579	1.00	6.73	B	ATOM	3299	C	ASP	53	56.990	-8.044	42.944	1.00	9.02	B
ATOM	3255	CG2	ILE	48	43.880	-10.482	36.657	1.00	5.89	B	ATOM	3300	O	ASP	53	56.648	-9.238	42.930	1.00	8.52	B
ATOM	3256	CG1	ILE	48	41.942	-11.783	35.801	1.00	5.39	B	ATOM	3301	N	ILE	54	58.254	-7.647	43.057	1.00	10.25	B
ATOM	3257	CD1	ILE	48	41.698	-13.069	36.675	1.00	4.19	B	ATOM	3303	CA	ILE	54	59.336	-8.619	43.198	1.00	10.83	B
ATOM	3258	C	ILE	48	44.974	-10.126	34.020	1.00	8.84	B	ATOM	3304	CB	ILE	54	60.740	-8.054	42.723	1.00	8.63	B
ATOM	3259	O	ILE	48	45.991	-10.769	33.869	1.00	9.78	B	ATOM	3305	CG2	ILE	54	60.688	-7.648	41.259	1.00	7.24	B
ATOM	3260	N	GLY	49	44.958	-8.801	33.949	1.00	8.63	B	ATOM	3306	CG1	ILE	54	61.181	-6.889	43.617	1.00	8.84	B
ATOM	3262	CA	GLY	49	46.203	-8.059	33.855	1.00	9.38	B	ATOM	3307	CD1	ILE	54	62.599	-6.372	43.359	1.00	6.67	B
ATOM	3263	C	GLY	49	46.846	-8.034	35.235	1.00	9.87	B	ATOM	3308	C	ILE	54	59.413	-9.050	44.686	1.00	12.50	B
ATOM	3264	O	GLY	49	46.164	-7.760	36.224	1.00	10.69	B	ATOM	3309	O	ILE	54	59.756	-10.216	45.013	1.00	13.70	B
ATOM	3265	N	LEU	50	48.171	-8.159	35.290	1.00	10.20	B	ATOM	3310	N	GLY	55	58.952	-8.176	45.571	1.00	13.24	B
ATOM	3267	CA	LEU	50	48.867	-8.242	36.556	1.00	8.44	B	ATOM	3312	CA	GLY	55	59.061	-8.473	46.992	1.00	14.86	B
ATOM	3268	CB	LEU	50	49.383	-9.685	36.689	1.00	8.64	B	ATOM	3313	C	GLY	55	60.231	-7.663	47.530	1.00	15.48	B
ATOM	3269	CG	LEU	50	49.996	-10.090	38.054	1.00	9.53	B	ATOM	3314	O	GLY	55	61.359	-7.767	47.043	1.00	15.27	B
ATOM	3270	CD1	LEU	50	48.830	-10.276	39.053	1.00	8.07	B	ATOM	3315	N	ASN	56	59.972	-6.853	48.551	1.00	17.50	B
ATOM	3271	CD2	LEU	50	50.879	-11.383	37.969	1.00	6.05	B	ATOM	3317	CA	ASN	56	61.004	-5.995	49.126	1.00	18.32	B
ATOM	3272	C	LEU	50	50.053	-7.303	36.771	1.00	7.94	B	ATOM	3318	CB	ASN	56	60.406	-5.084	50.191	1.00	18.70	B
ATOM	3273	O	LEU	50	50.797	-7.027	35.819	1.00	6.49	B	ATOM	3319	CG	ASN	56	59.807	-3.819	49.596	1.00	19.26	B
ATOM	3274	N	ILE	51	50.155	-6.754	37.996	1.00	7.87	B	ATOM	3320	OD1	ASN	56	59.956	-3.553	48.399	1.00	21.16	B
ATOM	3276	CA	ILE	51	51.303	-5.935	38.455	1.00	6.50	B	ATOM	3321	ND2	ASN	56	59.149	-3.024	50.426	1.00	19.33	B
ATOM	3277	CB	ILE	51	50.914	-4.762	39.416	1.00	7.80	B	ATOM	3324	C	ASN	56	62.241	-6.719	49.625	1.00	19.00	B
ATOM	3278	CG2	ILE	51	52.183	-4.086	40.021	1.00	5.14	B	ATOM	3325	O	ASN	56	63.334	-6.157	49.682	1.00	18.91	B
ATOM	3279	CG1	ILE	51	50.066	-3.713	38.702	1.00	6.84	B	ATOM	3326	N	ASP	57	62.074	-7.993	49.923	1.00	20.46	B
ATOM	3280	CD1	ILE	51	49.998	-2.362	39.488	1.00	8.73	B	ATOM	3328	CA	ASP	57	63.174	-8.837	50.379	1.00	22.71	B
ATOM	3281	C	ILE	51	51.969	-6.996	39.330	1.00	6.36	B	ATOM	3329	CB	ASP	57	62.614	-10.039	51.111	1.00	24.28	B
ATOM	3282	O	ILE	51	51.295	-7.692	40.086	1.00	5.20	B	ATOM	3330	CG	ASP	57	61.567	-10.758	50.288	1.00	27.98	B
ATOM	3283	N	LEU	52	53.260	-7.211	39.144	1.00	7.27	B	ATOM	3331	OD1	ASP	57	61.928	-11.778	49.642	1.00	30.33	B
ATOM	3285	CA	LEU	52	53.983	-8.219	39.984	1.00	6.47	B	ATOM	3332	OD2	ASP	57	60.390	-10.281	50.250	1.00	29.71	B
ATOM	3286	CB	LEU	52	54.599	-9.232	38.904	1.00	7.84	B	ATOM	3333	C	ASP	57	64.053	-9.302	49.205	1.00	23.03	B
ATOM	3287	CG	LEU	52	55.531	-10.335	39.428	1.00	6.22	B	ATOM	3334	O	ASP	57	65.143	-9.827	49.434	1.00	24.26	B
ATOM	3288	CD1	LEU	52	54.810	-11.250	40.397	1.00	5.73	B	ATOM	3335	N	GLN	58	63.581	-9.135	47.960	1.00	22.32	B
ATOM	3289	CD2	LEU	52	56.066	-11.133	38.285	1.00	8.78	B	ATOM	3337	CA	GLN	58	64.348	-9.520	46.765	1.00	21.28	B
ATOM	3290	C	LEU	52	55.096	-7.613	40.695	1.00	8.09	B	ATOM	3338	CB	GLN	58	63.417	-10.033	45.687	1.00	22.08	B
ATOM	3291	O	LEU	52	56.127	-7.246	40.130	1.00	7.38	B	ATOM	3339	CG	GLN	58	62.758	-11.310	46.034	1.00	23.53	B
ATOM	3292	N	ASP	53	54.886	-7.453	42.008	1.00	8.71	B	ATOM	3340	CD	GLN	58	63.789	-12.380	46.212	1.00	25.25	B
ATOM	3294	CA	ASP	53	55.952	-6.940	42.853	1.00	8.87	B	ATOM	3341	OE1	GLN	58	64.457	-12.757	45.255	1.00	25.84	B
ATOM	3295	CB	ASP	53	55.478	-6.666	44.297	1.00	10.63	B	ATOM	3342	NE2	GLN	58	63.991	-12.829	47.460	1.00	26.02	B
ATOM	3296	CG	ASP	53	54.514	-5.501	44.409	1.00	9.92	B	ATOM	3345	C	GLN	58	65.140	-8.340	46.196	1.00	20.89	B
ATOM	3297	OD1	ASP	53	54.633	-4.756	45.403	1.00	9.71	B	ATOM	3346	O	GLN	58	66.114	-8.506	45.434	1.00	19.85	B
ATOM	3298	OD2	ASP	53	53.636	-5.363	43.534	1.00	8.87	B	ATOM	3347	N	LEU	59	64.727	-7.140	46.594	1.00	20.15	B

SUBSTITUTE SHEET (Rule 26)

ATOM	3349	CA	LEU	59	65.330	-5.901	46.118	1.00	18.59	B	ATOM	3397	CB	SER	65	74.897	-9.404	39.459	1.00	23.00	B
ATOM	3350	CB	LEU	59	64.787	-4.718	46.919	1.00	17.50	B	ATOM	3398	OG	SER	65	74.132	-10.570	39.721	1.00	24.31	B
ATOM	3351	CG	LEU	59	65.157	-3.378	46.303	1.00	16.04	B	ATOM	3400	C	SER	65	72.879	-8.539	38.370	1.00	22.11	B
ATOM	3352	CD1	LEU	59	64.519	-3.289	44.916	1.00	16.57	B	ATOM	3401	O	SER	65	71.834	-9.058	38.747	1.00	22.36	B
ATOM	3353	CD2	LEU	59	64.707	-2.285	47.203	1.00	14.82	B	ATOM	3402	N	THR	66	73.182	-8.364	37.085	1.00	22.76	B
ATOM	3354	C	LEU	59	66.860	-5.836	46.010	1.00	17.96	B	ATOM	3403	CA	THR	66	72.243	-8.661	35.994	1.00	22.56	B
ATOM	3355	O	LEU	59	67.390	-5.593	44.930	1.00	18.10	B	ATOM	3404	CB	THR	66	72.819	-8.238	34.629	1.00	22.54	B
ATOM	3356	N	ALA	60	67.562	-6.112	47.106	1.00	17.17	B	ATOM	3405	OG1	THR	66	72.707	-6.823	34.502	1.00	24.33	B
ATOM	3358	CA	ALA	60	69.025	-6.065	47.118	1.00	16.64	B	ATOM	3408	CG2	THR	66	72.053	-8.865	33.496	1.00	23.49	B
ATOM	3359	CB	ALA	60	69.555	-6.198	48.539	1.00	15.51	B	ATOM	3409	C	THR	66	71.859	-10.129	35.939	1.00	22.11	B
ATOM	3360	C	ALA	60	69.731	-7.062	46.201	1.00	16.68	B	ATOM	3410	O	THR	66	70.767	-10.487	35.483	1.00	21.99	B
ATOM	3361	O	ALA	60	70.762	-6.728	45.585	1.00	17.65	B	ATOM	3411	N	SER	67	72.785	-10.983	36.336	1.00	21.71	B
ATOM	3362	N	ASN	61	69.175	-8.261	46.097	1.00	16.07	B	ATOM	3413	CA	SER	67	72.524	-12.406	36.344	1.00	22.51	B
ATOM	3364	CA	ASN	61	69.739	-9.348	45.289	1.00	15.84	B	ATOM	3414	CB	SER	67	73.803	-13.164	36.636	1.00	23.71	B
ATOM	3365	CB	ASN	61	68.945	-10.612	45.593	1.00	18.46	B	ATOM	3415	OG	SER	67	74.544	-12.493	37.646	1.00	26.41	B
ATOM	3366	CG	ASN	61	69.535	-11.835	44.954	1.00	20.94	B	ATOM	3417	C	SER	67	71.498	-12.729	37.397	1.00	22.42	B
ATOM	3367	OD1	ASN	61	70.749	-11.990	44.902	1.00	23.75	B	ATOM	3418	O	SER	67	70.604	-13.519	37.151	1.00	24.31	B
ATOM	3368	ND2	ASN	61	68.682	-12.729	44.479	1.00	22.34	B	ATOM	3419	N	ASN	68	71.611	-12.141	38.581	1.00	22.34	B
ATOM	3371	C	ASN	61	69.670	-9.044	43.801	1.00	15.69	B	ATOM	3421	CA	ASN	68	70.618	-12.429	39.615	1.00	21.28	B
ATOM	3372	O	ASN	61	70.614	-9.267	43.043	1.00	16.11	B	ATOM	3422	CB	ASN	68	70.833	-11.579	40.856	1.00	22.88	B
ATOM	3373	N	ILE	62	68.517	-8.553	43.385	1.00	15.40	B	ATOM	3423	CG	ASN	68	72.098	-11.937	41.610	1.00	24.59	B
ATOM	3375	CA	ILE	62	68.277	-8.177	42.009	1.00	15.24	B	ATOM	3424	OD1	ASN	68	73.008	-12.572	41.076	1.00	26.18	B
ATOM	3376	CB	ILE	62	66.738	-8.012	41.759	1.00	13.43	B	ATOM	3425	ND2	ASN	68	72.190	-11.465	42.845	1.00	25.10	B
ATOM	3377	CG2	ILE	62	66.464	-7.388	40.420	1.00	13.45	B	ATOM	3428	C	ASN	68	69.246	-12.113	39.039	1.00	19.69	B
ATOM	3378	CG1	ILE	62	66.105	-9.404	41.805	1.00	14.16	B	ATOM	3429	O	ASN	68	68.328	-12.936	39.112	1.00	18.35	B
ATOM	3379	CD1	ILE	62	64.587	-9.455	41.862	1.00	16.10	B	ATOM	3430	N	ALA	69	69.168	-10.951	38.381	1.00	18.39	B
ATOM	3380	C	ILE	62	69.120	-6.946	41.625	1.00	15.96	B	ATOM	3432	CA	ALA	69	67.942	-10.440	37.761	1.00	16.66	B
ATOM	3381	O	ILE	62	69.570	-6.825	40.489	1.00	15.75	B	ATOM	3433	CB	ALA	69	68.198	-9.021	37.233	1.00	15.09	B
ATOM	3382	N	ALA	63	69.390	-6.058	42.572	1.00	16.79	B	ATOM	3434	C	ALA	69	67.489	-11.393	36.635	1.00	16.73	B
ATOM	3384	CA	ALA	63	70.209	-4.886	42.261	1.00	17.70	B	ATOM	3435	O	ALA	69	66.321	-11.810	36.567	1.00	16.33	B
ATOM	3385	CB	ALA	63	69.990	-3.821	43.313	1.00	16.82	B	ATOM	3436	N	ALA	70	68.435	-11.771	35.784	1.00	15.80	B
ATOM	3386	C	ALA	63	71.697	-5.280	42.188	1.00	19.18	B	ATOM	3438	CA	ALA	70	68.185	-12.720	34.707	1.00	16.03	B
ATOM	3387	O	ALA	64	72.014	-4.646	41.488	1.00	19.77	B	ATOM	3439	CB	ALA	70	69.508	-12.977	33.947	1.00	15.69	B
ATOM	3388	N	ALA	64	72.515	-6.382	42.851	1.00	19.54	B	ATOM	3440	C	ALA	70	67.621	-14.031	35.323	1.00	16.55	B
ATOM	3390	CA	ALA	64	73.362	-6.912	42.918	1.00	21.19	B	ATOM	3441	O	ALA	70	66.583	-14.584	34.901	1.00	15.23	B
ATOM	3391	CB	ALA	64	73.379	-8.194	43.729	1.00	20.90	B	ATOM	3442	N	SER	71	68.278	-14.481	36.386	1.00	17.32	B
ATOM	3392	C	ALA	64	74.017	-7.136	41.565	1.00	22.88	B	ATOM	3444	CA	SER	71	67.849	-15.665	37.100	1.00	17.64	B
ATOM	3393	O	ALA	64	75.094	-6.576	41.319	1.00	25.17	B	ATOM	3445	CB	SER	71	68.805	-15.940	38.228	1.00	19.67	B
ATOM	3394	N	SER	65	73.398	-7.931	40.592	1.00	22.31	B	ATOM	3446	OG	SER	71	68.634	-17.276	38.663	1.00	22.69	B
ATOM	3396	CA	SER	65	73.969	-8.200	39.373	1.00	22.59	B	ATOM	3448	C	SER	71	66.455	-15.519	37.688	1.00	16.69	B

SUBSTITUTE SHEET (Rule 26)

ATOM	3449	O	SER	71	65.651	-16.461	37.626	1.00	16.90	B	ATOM	3499	CA	ASN	76	59.379	-16.260	37.948	1.00	19.42	B
ATOM	3450	N	TRP	72	66.142	-14.351	38.251	1.00	16.40	B	ATOM	3500	CB	ASN	76	59.478	-15.332	39.169	1.00	20.12	B
ATOM	3452	CA	TRP	72	64.810	-14.151	38.844	1.00	15.69	B	ATOM	3501	CG	ASN	76	60.108	-16.010	40.361	1.00	20.76	B
ATOM	3453	CB	TRP	72	64.701	-12.787	39.525	1.00	16.44	B	ATOM	3502	OD1	ASN	76	59.522	-16.899	40.966	1.00	22.08	B
ATOM	3454	CG	TRP	72	63.419	-12.591	40.342	1.00	16.38	B	ATOM	3503	ND2	ASN	76	61.332	-15.623	40.680	1.00	22.62	B
ATOM	3455	CD2	TRP	72	62.178	-11.972	39.901	1.00	16.03	B	ATOM	3506	C	ASN	76	58.585	-15.532	36.891	1.00	18.37	B
ATOM	3456	CE2	TRP	72	61.281	-12.008	40.993	1.00	14.91	B	ATOM	3507	O	ASN	76	57.537	-14.973	37.202	1.00	17.39	B
ATOM	3457	CE3	TRP	72	61.749	-11.387	38.699	1.00	14.62	B	ATOM	3508	N	VAL	77	59.082	-15.484	35.664	1.00	17.40	B
ATOM	3458	CD1	TRP	72	63.218	-12.954	41.638	1.00	16.13	B	ATOM	3510	CA	VAL	77	58.356	-14.782	34.617	1.00	16.79	B
ATOM	3459	NE1	TRP	72	61.937	-12.609	42.032	1.00	15.80	B	ATOM	3511	CB	VAL	77	59.038	-13.406	34.258	1.00	16.86	B
ATOM	3461	C22	TRP	72	59.973	-11.482	40.917	1.00	15.08	B	ATOM	3512	CG1	VAL	77	58.499	-12.861	32.907	1.00	15.31	B
ATOM	3462	C23	TRP	72	60.444	-10.862	38.637	1.00	14.76	B	ATOM	3513	CG2	VAL	77	58.870	-12.369	35.413	1.00	14.28	B
ATOM	3463	CH2	TRP	72	59.582	-10.915	39.738	1.00	14.02	B	ATOM	3514	C	VAL	77	58.246	-15.631	33.366	1.00	16.85	B
ATOM	3464	C	TRP	72	63.731	-14.284	37.782	1.00	15.51	B	ATOM	3515	O	VAL	77	57.156	-15.905	32.896	1.00	16.24	B
ATOM	3465	O	TRP	72	62.667	-14.887	38.021	1.00	13.66	B	ATOM	3516	N	ARG	78	59.384	-16.144	32.903	1.00	18.46	B
ATOM	3466	N	VAL	73	64.059	-13.726	36.612	1.00	15.42	B	ATOM	3518	CA	ARG	78	59.435	-16.925	31.673	1.00	18.28	B
ATOM	3468	CA	VAL	73	63.214	-13.693	35.420	1.00	15.67	B	ATOM	3519	CB	ARG	78	60.885	-17.352	31.328	1.00	19.29	B
ATOM	3469	CB	VAL	73	63.838	-12.750	34.328	1.00	13.90	B	ATOM	3520	CD	ARG	78	61.916	-16.209	31.262	0.00	24.73	B
ATOM	3470	CG1	VAL	73	63.122	-12.912	32.985	1.00	13.73	B	ATOM	3521	CG	ARG	78	63.347	-16.713	30.968	0.00	28.69	B
ATOM	3471	CG2	VAL	73	63.761	-11.301	34.784	1.00	11.75	B	ATOM	3522	NE	ARG	78	64.353	-15.666	31.177	1.00	33.65	B
ATOM	3472	C	VAL	73	63.009	-15.114	34.906	1.00	17.26	B	ATOM	3524	C2	ARG	78	65.643	-15.880	31.508	1.00	35.45	B
ATOM	3473	O	VAL	73	61.873	-15.536	34.643	1.00	18.23	B	ATOM	3525	NH1	ARG	78	66.107	-17.126	31.656	1.00	35.96	B
ATOM	3474	N	GLN	74	64.112	-15.853	34.801	1.00	17.79	B	ATOM	3528	NH2	ARG	78	66.462	-14.848	31.756	1.00	34.22	B
ATOM	3476	CA	GLN	74	64.071	-17.222	34.377	1.00	18.38	B	ATOM	3531	C	ARG	78	58.447	-18.088	31.628	1.00	17.42	B
ATOM	3477	CB	GLN	74	65.455	-17.862	34.491	1.00	20.08	B	ATOM	3532	O	ARG	78	57.781	-18.290	30.627	1.00	19.26	B
ATOM	3478	CG	GLN	74	65.618	-19.142	33.628	1.00	20.07	B	ATOM	3533	N	PRO	79	58.276	-18.817	32.722	1.00	15.63	B
ATOM	3479	CD	GLN	74	66.909	-19.879	33.922	0.00	20.23	B	ATOM	3534	CD	PRO	79	59.020	-18.764	33.996	1.00	15.96	B
ATOM	3480	OE1	GLN	74	67.861	-19.820	33.146	0.00	20.24	B	ATOM	3535	CA	PRO	79	57.345	-19.938	32.699	1.00	15.51	B
ATOM	3481	NE2	GLN	74	66.949	-20.578	35.049	0.00	20.24	B	ATOM	3536	CB	PRO	79	57.654	-20.661	34.012	1.00	15.95	B
ATOM	3484	C	GLN	74	63.103	-17.986	35.252	1.00	18.68	B	ATOM	3537	CG	PRO	79	59.069	-20.166	34.381	1.00	16.24	B
ATOM	3485	O	GLN	74	62.179	-18.595	34.751	1.00	19.30	B	ATOM	3538	C	PRO	79	55.861	-19.589	32.705	1.00	16.72	B
ATOM	3486	N	ASN	75	63.252	-17.890	36.564	1.00	19.80	B	ATOM	3539	O	PRO	79	55.033	-20.508	32.638	1.00	17.03	B
ATOM	3488	CA	ASN	75	62.360	-18.640	37.446	1.00	21.28	B	ATOM	3540	N	TYR	80	55.516	-18.301	32.831	1.00	16.03	B
ATOM	3489	CB	ASN	75	63.001	-18.877	38.827	1.00	23.99	B	ATOM	3542	CA	TYR	80	54.108	-17.888	32.948	1.00	15.16	B
ATOM	3490	CG	ASN	75	64.367	-19.552	38.758	1.00	25.63	B	ATOM	3543	CB	TYR	80	53.925	-17.171	34.284	1.00	14.71	B
ATOM	3491	OD1	ASN	75	64.627	-20.400	37.899	1.00	26.59	B	ATOM	3544	CG	TYR	80	54.424	-18.012	35.421	1.00	14.21	B
ATOM	3492	ND2	ASN	75	65.256	-19.155	39.670	1.00	25.86	B	ATOM	3545	CD1	TYR	80	55.569	-17.649	36.134	1.00	14.00	B
ATOM	3495	C	ASN	75	60.930	-18.123	37.688	1.00	20.81	B	ATOM	3546	CE1	TYR	80	56.042	-18.454	37.129	1.00	15.70	B
ATOM	3496	O	ASN	75	60.034	-18.925	37.932	1.00	20.60	B	ATOM	3547	CD2	TYR	80	53.773	-19.205	35.744	1.00	13.84	B
ATOM	3497	N	ASN	76	60.702	-16.810	37.627	1.00	20.83	B	ATOM	3548	CE2	TYR	80	54.232	-20.020	36.725	1.00	14.65	B

SUBSTITUTE SHEET (RULE 26)

ATOM	3549	CZ	TYR	80	55.361	-19.651	37.419	1.00	16.27	B	ATOM	3595	ND2	ASN	85	49.519	-9.173	29.400	1.00	8.23	B
ATOM	3550	OH	TYR	80	55.816	-20.489	38.409	1.00	19.72	B	ATOM	3598	C	ASN	85	50.029	-10.105	32.365	1.00	10.57	B
ATOM	3552	C	TYR	80	53.574	-16.976	31.888	1.00	15.10	B	ATOM	3599	O	ASN	85	49.420	-9.154	32.843	1.00	10.71	B
ATOM	3553	O	TYR	80	52.376	-16.940	31.645	1.00	15.80	B	ATOM	3600	N	ILE	86	51.303	-10.356	32.610	1.00	10.45	B
ATOM	3554	N	TYR	81	54.449	-16.197	31.288	1.00	14.27	B	ATOM	3602	CA	ILE	86	52.118	-9.498	33.448	1.00	10.69	B
ATOM	3556	CA	TYR	81	54.034	-15.232	30.272	1.00	14.78	B	ATOM	3603	CB	ILE	86	53.476	-10.157	33.758	1.00	12.35	B
ATOM	3557	CB	TYR	81	55.020	-14.083	30.350	1.00	13.38	B	ATOM	3604	CG2	ILE	86	54.296	-9.295	34.753	1.00	12.14	B
ATOM	3558	CG	TYR	81	54.753	-12.953	29.464	1.00	12.16	B	ATOM	3605	CG1	ILE	86	53.253	-11.596	34.270	1.00	13.69	B
ATOM	3559	CD1	TYR	81	53.872	-11.989	29.826	1.00	12.93	B	ATOM	3606	CD1	ILE	86	54.565	-12.430	34.447	1.00	12.60	B
ATOM	3560	CE1	TYR	81	53.670	-10.881	29.039	1.00	14.74	B	ATOM	3607	C	ILE	86	52.386	-8.199	32.682	1.00	10.62	B
ATOM	3561	CD2	TYR	81	55.447	-12.816	28.273	1.00	14.36	B	ATOM	3608	O	ILE	86	53.133	-8.192	31.711	1.00	9.28	B
ATOM	3562	CE2	TYR	81	55.260	-11.717	27.455	1.00	15.03	B	ATOM	3609	N	LYS	87	51.773	-7.114	33.146	1.00	9.24	B
ATOM	3563	CZ	TYR	81	54.361	-10.742	27.855	1.00	15.09	B	ATOM	3611	CA	LYS	87	51.908	-5.807	32.577	1.00	7.51	B
ATOM	3564	OH	TYR	81	54.162	-9.635	27.073	1.00	15.46	B	ATOM	3612	CB	LYS	87	50.627	-5.037	32.795	1.00	8.46	B
ATOM	3566	C	TYR	81	54.101	-15.920	28.899	1.00	14.97	B	ATOM	3613	CG	LYS	87	49.415	-5.700	32.185	1.00	9.57	B
ATOM	3567	O	TYR	81	54.915	-16.812	28.702	1.00	16.20	B	ATOM	3614	CD	LYS	87	48.200	-4.920	32.482	1.00	9.98	B
ATOM	3568	N	PRO	82	53.252	-15.529	27.928	1.00	14.56	B	ATOM	3615	CE	LYS	87	48.370	-3.542	31.993	1.00	11.84	B
ATOM	3569	CD	PRO	82	53.437	-16.075	26.562	1.00	13.93	B	ATOM	3616	NZ	LYS	87	47.138	-2.763	32.325	1.00	16.17	B
ATOM	3570	CA	PRO	82	52.209	-14.512	27.922	1.00	12.72	B	ATOM	3620	C	LYS	87	53.041	-5.014	33.185	1.00	8.49	B
ATOM	3571	CB	PRO	82	52.243	-14.030	26.469	1.00	11.06	B	ATOM	3621	O	LYS	87	53.727	-4.270	32.492	1.00	9.08	B
ATOM	3572	CG	PRO	82	52.436	-15.282	25.743	1.00	12.27	B	ATOM	3622	N	TYR	88	53.201	-5.086	34.500	1.00	8.80	B
ATOM	3573	C	PRO	82	50.867	-15.130	28.337	1.00	12.12	B	ATOM	3624	CA	TYR	88	54.266	-4.322	35.154	1.00	8.41	B
ATOM	3574	O	PRO	82	49.803	-14.534	28.115	1.00	12.87	B	ATOM	3625	CB	TYR	88	53.683	-3.083	35.859	1.00	8.52	B
ATOM	3575	N	ALA	83	50.927	-16.340	28.895	1.00	10.23	B	ATOM	3626	CG	TYR	88	52.648	-2.281	35.070	1.00	8.10	B
ATOM	3577	CA	ALA	83	49.731	-17.016	29.384	1.00	9.83	B	ATOM	3627	CD1	TYR	88	51.303	-2.267	35.449	1.00	8.07	B
ATOM	3578	CB	ALA	83	50.058	-18.403	29.844	1.00	9.83	B	ATOM	3628	CE1	TYR	88	50.344	-1.552	34.717	1.00	7.17	B
ATOM	3579	C	ALA	83	49.192	-16.211	30.565	1.00	10.72	B	ATOM	3629	CD2	TYR	88	53.024	-1.539	33.944	1.00	9.56	B
ATOM	3580	O	ALA	83	48.007	-16.309	30.894	1.00	11.22	B	ATOM	3630	CE2	TYR	88	52.075	-0.794	33.222	1.00	8.64	B
ATOM	3581	N	VAL	84	50.105	-15.553	31.291	1.00	10.50	B	ATOM	3631	CZ	TYR	88	50.752	-0.819	33.611	1.00	7.33	B
ATOM	3583	CA	VAL	84	49.749	-14.707	32.435	1.00	9.43	B	ATOM	3632	OH	TYR	88	49.855	-0.126	32.859	1.00	7.69	B
ATOM	3584	CB	VAL	84	50.580	-15.025	33.727	1.00	9.43	B	ATOM	3634	C	TYR	88	54.921	-5.170	36.226	1.00	9.21	B
ATOM	3585	CG1	VAL	84	50.442	-13.897	34.723	1.00	10.41	B	ATOM	3635	O	TYR	88	54.314	-6.105	36.758	1.00	8.81	B
ATOM	3586	CG2	VAL	84	50.077	-16.281	34.399	1.00	9.90	B	ATOM	3636	N	ILE	89	56.168	-4.850	36.531	1.00	9.79	B
ATOM	3587	C	VAL	84	50.057	-13.300	31.919	1.00	10.69	B	ATOM	3638	CA	ILE	89	56.879	-5.522	37.622	1.00	10.80	B
ATOM	3588	O	VAL	84	51.159	-13.044	31.442	1.00	11.55	B	ATOM	3639	CB	ILE	89	58.078	-6.353	37.154	1.00	11.36	B
ATOM	3589	N	ASN	85	49.077	-12.412	31.927	1.00	9.98	B	ATOM	3640	CG2	ILE	89	58.929	-6.754	38.382	1.00	12.69	B
ATOM	3591	CA	ASN	85	49.333	-11.075	31.425	1.00	11.25	B	ATOM	3641	CG1	ILE	89	57.553	-7.535	36.328	1.00	10.76	B
ATOM	3592	CB	ASN	85	48.056	-10.421	30.880	1.00	11.41	B	ATOM	3642	CD1	ILE	89	58.552	-8.562	36.005	1.00	10.95	B
ATOM	3593	CG	ASN	85	48.353	-9.195	30.022	1.00	12.30	B	ATOM	3643	C	ILE	89	57.327	-4.373	38.489	1.00	10.49	B
ATOM	3594	OD1	ASN	85	47.528	-8.273	29.923	1.00	14.82	B	ATOM	3644	O	ILE	89	57.858	-3.396	37.971	1.00	10.96	B

SUBSTITUTE SHEET (Rule 26)

ATOM	3645	N	ALA	90	55.928	-4.416	39.754	1.00	10.57	B	ATOM	3694	CB	GLN	96	61.552	3.745	53.960	1.00	19.96	B
ATOM	3647	CA	ALA	90	57.248	-3.363	40.713	1.00	10.29	B	ATOM	3695	CG	GLN	96	60.145	4.296	53.667	1.00	19.80	B
ATOM	3648	CB	ALA	90	56.123	-3.186	41.693	1.00	9.05	B	ATOM	3696	CD	GLN	96	59.215	4.180	54.857	0.00	19.90	B
ATOM	3649	C	ALA	90	58.496	-3.714	41.462	1.00	10.56	B	ATOM	3697	OE1	GLN	96	59.383	4.868	55.862	0.00	19.80	B
ATOM	3650	O	ALA	90	58.490	-4.674	42.260	1.00	11.58	B	ATOM	3698	NE2	GLN	96	58.230	3.300	54.750	0.00	19.80	B
ATOM	3651	N	ALA	91	59.577	-3.007	41.151	1.00	9.68	B	ATOM	3701	C	GLN	96	63.901	3.354	53.226	1.00	21.68	B
ATOM	3653	CA	ALA	91	60.820	-3.228	41.823	1.00	10.00	B	ATOM	3702	O	GLN	96	64.388	2.225	53.247	1.00	23.02	B
ATOM	3654	CB	ALA	91	61.990	-2.797	40.960	1.00	7.01	B	ATOM	3703	N	GLY	97	64.597	4.425	53.567	1.00	22.89	B
ATOM	3655	C	ALA	91	60.798	-2.455	43.164	1.00	10.79	B	ATOM	3705	CA	GLY	97	65.936	4.261	54.089	1.00	24.62	B
ATOM	3656	O	ALA	91	61.412	-1.406	43.298	1.00	12.12	B	ATOM	3706	C	GLY	97	67.009	4.067	53.035	1.00	25.95	B
ATOM	3657	N	GLY	92	60.053	-2.964	44.136	1.00	11.21	B	ATOM	3707	O	GLY	97	66.860	4.480	51.900	1.00	28.17	B
ATOM	3659	CA	GLY	92	60.024	-2.343	45.451	1.00	10.63	B	ATOM	3708	N	GLY	98	68.132	3.496	53.433	1.00	25.50	B
ATOM	3660	C	GLY	92	58.683	-1.719	45.729	1.00	10.10	B	ATOM	3710	CA	GLY	98	69.208	3.299	52.499	1.00	24.20	B
ATOM	3661	O	GLY	92	58.082	-1.156	44.831	1.00	9.02	B	ATOM	3711	C	GLY	98	68.850	2.229	51.511	1.00	23.41	B
ATOM	3662	N	ASN	93	58.220	-1.829	46.970	1.00	10.74	B	ATOM	3712	O	GLY	98	69.617	1.964	50.590	1.00	24.86	B
ATOM	3664	CA	ASN	93	56.935	-1.263	47.392	1.00	11.40	B	ATOM	3713	N	ALA	99	67.709	1.583	51.686	1.00	22.15	B
ATOM	3665	CB	ASN	93	55.882	-2.352	47.628	1.00	11.00	B	ATOM	3715	CA	ALA	99	67.351	0.557	50.723	1.00	21.19	B
ATOM	3666	CG	ASN	93	54.528	-1.776	48.023	1.00	11.50	B	ATOM	3716	CB	ALA	99	66.256	-0.316	51.273	1.00	22.28	B
ATOM	3667	OD1	ASN	93	54.085	-0.786	47.469	1.00	11.27	B	ATOM	3717	C	ALA	99	66.914	1.221	49.417	1.00	19.87	B
ATOM	3668	ND2	ASN	93	53.853	-2.426	48.943	1.00	12.24	B	ATOM	3718	O	ALA	99	66.908	0.608	48.368	1.00	19.35	B
ATOM	3671	C	ASN	93	57.145	-0.474	48.682	1.00	12.15	B	ATOM	3719	N	THR	100	66.561	2.495	49.490	1.00	19.04	B
ATOM	3672	O	ASN	93	57.360	-1.052	49.753	1.00	11.27	B	ATOM	3721	CA	THR	100	66.125	3.202	48.320	1.00	17.74	B
ATOM	3673	N	GLU	94	57.082	0.851	48.566	1.00	12.54	B	ATOM	3722	CB	THR	100	65.550	4.563	48.693	1.00	17.62	B
ATOM	3675	CA	GLU	94	57.281	1.741	49.694	1.00	12.57	B	ATOM	3723	OG1	THR	100	66.539	5.299	49.401	1.00	18.90	B
ATOM	3676	CB	GLU	94	56.089	1.628	50.626	1.00	12.10	B	ATOM	3725	CG2	THR	100	64.336	4.433	49.576	1.00	14.68	B
ATOM	3677	CG	GLU	94	54.796	1.809	49.888	1.00	9.28	B	ATOM	3726	C	THR	100	67.275	3.355	47.332	1.00	17.98	B
ATOM	3678	CD	GLU	94	53.612	1.959	50.809	1.00	11.21	B	ATOM	3727	O	THR	100	67.072	3.772	46.200	1.00	18.48	B
ATOM	3679	OE1	GLU	94	53.769	1.836	52.050	1.00	11.00	B	ATOM	3728	N	GLN	101	68.486	2.979	47.717	1.00	17.93	B
ATOM	3680	OE2	GLU	94	52.505	2.202	50.292	1.00	10.75	B	ATOM	3730	CA	GLN	101	69.598	3.116	46.780	1.00	18.32	B
ATOM	3681	C	GLU	94	58.631	1.530	50.438	1.00	13.27	B	ATOM	3731	CB	GLN	101	70.905	3.258	47.552	1.00	20.25	B
ATOM	3682	O	GLU	94	58.710	1.629	51.667	1.00	13.27	B	ATOM	3732	CG	GLN	101	70.954	4.472	48.472	0.00	19.40	B
ATOM	3683	N	VAL	95	59.701	1.306	49.671	1.00	14.42	B	ATOM	3733	CD	GLN	101	72.248	4.562	49.260	0.00	19.52	B
ATOM	3685	CA	VAL	95	61.044	1.110	50.213	1.00	14.83	B	ATOM	3734	OE1	GLN	101	72.236	4.690	50.482	0.00	19.41	B
ATOM	3686	CB	VAL	95	62.041	0.689	49.119	1.00	14.52	B	ATOM	3735	NE2	GLN	101	73.373	4.505	48.561	0.00	19.41	B
ATOM	3687	CG1	VAL	95	63.415	0.425	49.743	1.00	14.82	B	ATOM	3738	C	GLN	101	69.663	1.947	45.795	1.00	18.30	B
ATOM	3688	CG2	VAL	95	61.538	-0.562	48.392	1.00	14.16	B	ATOM	3739	O	GLN	101	70.283	2.017	44.712	1.00	18.36	B
ATOM	3689	C	VAL	95	61.484	2.443	50.828	1.00	16.14	B	ATOM	3740	N	SER	102	68.991	0.875	46.174	1.00	17.29	B
ATOM	3690	O	VAL	95	61.327	3.488	50.230	1.00	15.81	B	ATOM	3742	CA	SER	102	68.915	-0.327	45.379	1.00	16.87	B
ATOM	3691	N	GLN	96	62.053	2.390	52.021	1.00	18.35	B	ATOM	3743	CB	SER	102	68.650	-1.512	46.294	1.00	18.39	B
ATOM	3693	CA	GLN	96	62.474	3.573	52.743	1.00	19.73	B	ATOM	3744	OG	SER	102	69.614	-1.571	47.339	1.00	22.48	B

SUBSTITUTE SHEET (RULE 26)

ATOM	3746	C	SER	102	67.830	-0.287	44.314	1.00	16.23	B	ATOM	3791	CB	ARG	108	69.500	-0.461	35.534	1.00	20.42	B
ATOM	3747	O	SER	102	67.774	-1.182	43.469	1.00	16.44	B	ATOM	3792	CG	ARG	108	69.335	1.051	35.415	1.00	23.23	B
ATOM	3748	N	ILE	103	66.963	0.727	44.357	1.00	14.25	B	ATOM	3793	CD	ARG	108	70.646	1.821	35.587	1.00	26.99	B
ATOM	3750	CA	ILE	103	65.860	0.841	43.405	1.00	12.35	B	ATOM	3794	NE	ARG	108	70.405	3.267	35.559	1.00	31.50	B
ATOM	3751	CB	ILE	103	64.824	1.887	43.906	1.00	10.84	B	ATOM	3796	CZ	ARG	108	70.471	4.037	34.459	1.00	34.93	B
ATOM	3752	CG2	ILE	103	63.773	2.206	42.845	1.00	11.34	B	ATOM	3797	NH1	ARG	108	70.797	3.525	33.255	1.00	36.41	B
ATOM	3753	CG1	ILE	103	64.137	1.329	45.162	1.00	10.83	B	ATOM	3800	NH2	ARG	108	70.139	5.326	34.542	1.00	35.52	B
ATOM	3754	CD1	ILE	103	63.309	2.335	45.951	1.00	6.10	B	ATOM	3803	C	ARG	108	68.518	-2.715	35.032	1.00	18.40	B
ATOM	3755	C	ILE	103	66.282	1.065	41.951	1.00	12.30	B	ATOM	3804	O	ARG	108	68.401	-3.127	33.869	1.00	19.11	B
ATOM	3756	O	ILE	103	65.847	0.345	41.033	1.00	12.95	B	ATOM	3805	N	ASN	109	68.815	-3.521	36.051	1.00	18.06	B
ATOM	3757	N	LEU	104	67.210	1.978	41.728	1.00	11.50	B	ATOM	3807	CA	ASN	109	69.139	-4.936	35.837	1.00	17.62	B
ATOM	3759	CA	LEU	104	67.618	2.234	40.355	1.00	11.64	B	ATOM	3808	CB	ASN	109	69.626	-5.584	37.134	1.00	18.57	B
ATOM	3760	CB	LEU	104	68.412	3.535	40.235	1.00	9.06	B	ATOM	3809	CG	ASN	109	70.911	-4.984	37.626	1.00	19.89	B
ATOM	3761	CG	LEU	104	68.136	4.272	38.919	1.00	10.27	B	ATOM	3810	OD1	ASN	109	71.600	-4.275	36.876	1.00	22.20	B
ATOM	3762	CD1	LEU	104	66.662	4.691	38.882	1.00	7.66	B	ATOM	3811	ND2	ASN	109	71.253	-5.245	38.888	1.00	19.74	B
ATOM	3763	CD2	LEU	104	69.001	5.488	38.840	1.00	9.01	B	ATOM	3814	C	ASN	109	67.965	-5.724	35.293	1.00	17.22	B
ATOM	3764	C	LEU	104	68.342	1.030	39.755	1.00	12.54	B	ATOM	3815	O	ASN	109	68.127	-6.573	34.398	1.00	17.97	B
ATOM	3765	O	LEU	104	68.048	0.622	38.633	1.00	12.12	B	ATOM	3816	N	LEU	110	66.781	-5.433	35.833	1.00	16.32	B
ATOM	3766	N	PRO	105	69.357	0.498	40.457	1.00	12.90	B	ATOM	3818	CA	LEU	110	65.532	-6.097	35.446	1.00	14.85	B
ATOM	3767	CD	PRO	105	70.114	1.184	41.526	1.00	13.87	B	ATOM	3819	CB	LEU	110	64.428	-5.628	36.413	1.00	13.53	B
ATOM	3768	CA	PRO	105	70.102	-0.667	39.969	1.00	12.45	B	ATOM	3820	CG	LEU	110	63.579	-6.563	37.315	1.00	14.38	B
ATOM	3769	CB	PRO	105	71.064	-0.968	41.120	1.00	13.29	B	ATOM	3821	CD1	LEU	110	64.140	-7.984	37.506	1.00	13.92	B
ATOM	3770	CG	PRO	105	71.379	0.363	41.660	1.00	13.48	B	ATOM	3822	CD2	LEU	110	63.320	-5.922	38.651	1.00	11.77	B
ATOM	3771	C	PRO	105	69.201	-1.850	39.691	1.00	11.52	B	ATOM	3823	C	LEU	110	65.231	-5.783	33.949	1.00	14.56	B
ATOM	3772	O	PRO	105	69.365	-2.469	38.661	1.00	12.32	B	ATOM	3824	O	LEU	110	64.838	-6.658	33.185	1.00	14.69	B
ATOM	3773	N	ALA	106	68.266	-2.185	40.587	1.00	10.67	B	ATOM	3825	N	ASN	111	65.440	-4.539	33.525	1.00	13.96	B
ATOM	3775	CA	ALA	106	67.337	-3.311	40.332	1.00	9.96	B	ATOM	3827	CA	ASN	111	65.233	-4.157	32.109	1.00	13.74	B
ATOM	3776	CB	ALA	106	66.414	-3.524	41.497	1.00	9.32	B	ATOM	3828	CB	ASN	111	65.468	-2.657	31.918	1.00	12.23	B
ATOM	3777	C	ALA	106	66.510	-3.063	39.056	1.00	11.42	B	ATOM	3829	CG	ASN	111	64.271	-1.816	32.330	1.00	12.06	B
ATOM	3778	O	ALA	106	66.360	-3.958	38.216	1.00	12.72	B	ATOM	3830	OD1	ASN	111	63.131	-2.141	31.983	1.00	9.24	B
ATOM	3779	N	MET	107	65.976	-1.849	38.918	1.00	12.50	B	ATOM	3831	ND2	ASN	111	64.525	-0.722	33.056	1.00	9.56	B
ATOM	3781	CA	MET	107	65.217	-1.442	37.729	1.00	13.29	B	ATOM	3834	C	ASN	111	66.178	-4.921	31.160	1.00	13.01	B
ATOM	3782	CB	MET	107	64.716	0.017	37.871	1.00	12.35	B	ATOM	3835	O	ASN	111	65.782	-5.474	30.136	1.00	12.57	B
ATOM	3783	CG	MET	107	63.608	0.233	38.918	1.00	11.61	B	ATOM	3836	N	ALA	112	67.453	-4.901	31.502	1.00	13.69	B
ATOM	3784	SD	MET	107	62.946	1.943	38.991	1.00	12.20	B	ATOM	3838	CA	ALA	112	68.467	-5.569	30.726	1.00	13.38	B
ATOM	3785	CE	MET	107	62.573	2.214	37.320	1.00	14.13	B	ATOM	3839	CB	ALA	112	69.782	-5.488	31.479	1.00	14.38	B
ATOM	3786	C	MET	107	66.081	-1.584	36.464	1.00	14.24	B	ATOM	3840	C	ALA	112	68.094	-7.033	30.496	1.00	13.43	B
ATOM	3787	O	MET	107	65.626	-2.109	35.453	1.00	15.25	B	ATOM	3841	O	ALA	112	68.253	-7.558	29.397	1.00	13.97	B
ATOM	3788	N	ARG	108	67.330	-1.139	36.516	1.00	16.06	B	ATOM	3842	N	ALA	113	67.620	-7.685	31.559	1.00	13.64	B
ATOM	3790	CA	ARG	108	68.205	-1.257	35.357	1.00	18.12	B	ATOM	3844	CA	ALA	113	67.256	-9.091	31.531	1.00	12.69	B

SUBSTITUTE SHEET (Rule 26)

ATOM	3845	CB	ALA	113	67.184	-9.624	32.971	1.00	11.74	B	ATOM	3893	CA	GLY	120	60.412	-6.120	26.332	1.00	8.18	B
ATOM	3846	C	ALA	113	65.960	-9.392	30.771	1.00	13.04	B	ATOM	3894	C	GLY	120	59.047	-5.477	26.514	1.00	8.18	B
ATOM	3847	O	ALA	113	65.815	-10.458	30.133	1.00	13.36	B	ATOM	3895	O	GLY	120	58.979	-4.293	26.791	1.00	8.67	B
ATOM	3848	N	LEU	114	64.994	-8.487	30.844	1.00	13.23	B	ATOM	3896	N	ALA	121	57.955	-6.202	26.317	1.00	9.11	B
ATOM	3850	CA	LEU	114	63.753	-8.725	30.121	1.00	13.26	B	ATOM	3898	CA	ALA	121	56.638	-5.595	26.481	1.00	10.27	B
ATOM	3851	CB	LEU	114	62.617	-7.829	30.619	1.00	11.61	B	ATOM	3899	CB	ALA	121	55.621	-6.405	25.820	1.00	9.77	B
ATOM	3852	CG	LEU	114	62.185	-8.141	32.048	1.00	11.97	B	ATOM	3900	C	ALA	121	56.241	-5.442	27.930	1.00	12.19	B
ATOM	3853	CD1	LEU	114	61.218	-7.099	32.472	1.00	10.17	B	ATOM	3901	O	ALA	121	55.168	-4.908	28.212	1.00	14.14	B
ATOM	3854	CD2	LEU	114	61.531	-9.548	32.108	1.00	10.84	B	ATOM	3902	N	ILE	122	57.015	-6.033	28.832	1.00	11.44	B
ATOM	3855	C	LEU	114	64.025	-8.554	28.626	1.00	13.77	B	ATOM	3904	CA	ILE	122	56.721	-5.970	30.254	1.00	11.73	B
ATOM	3856	O	LEU	114	63.516	-9.308	27.812	1.00	14.29	B	ATOM	3905	CB	ILE	122	57.188	-7.258	30.959	1.00	10.64	B
ATOM	3857	N	SER	115	64.829	-7.577	28.245	1.00	14.12	B	ATOM	3906	CG2	ILE	122	56.826	-7.202	32.441	1.00	8.84	B
ATOM	3859	CA	SER	115	65.117	-7.439	26.830	1.00	15.59	B	ATOM	3907	CG1	ILE	122	56.597	-8.490	30.265	1.00	11.34	B
ATOM	3860	CB	SER	115	65.875	-6.154	26.603	1.00	16.35	B	ATOM	3908	CD1	ILE	122	57.186	-9.835	30.802	1.00	10.48	B
ATOM	3861	OG	SER	115	66.823	-6.039	27.631	1.00	19.40	B	ATOM	3909	C	ILE	122	57.461	-4.734	30.826	1.00	12.25	B
ATOM	3863	C	SER	115	65.936	-8.662	26.327	1.00	16.17	B	ATOM	3910	O	ILE	122	58.690	-4.665	30.753	1.00	11.57	B
ATOM	3864	O	SER	115	65.595	-9.269	25.312	1.00	17.32	B	ATOM	3911	N	LYS	123	56.714	-3.782	31.391	1.00	12.08	B
ATOM	3865	N	ALA	116	66.971	-9.064	27.068	1.00	15.70	B	ATOM	3913	CA	LYS	123	57.296	-2.554	31.898	1.00	12.54	B
ATOM	3867	CA	ALA	116	67.780	-10.223	26.705	1.00	14.64	B	ATOM	3914	CB	LYS	123	56.298	-1.398	31.774	1.00	13.92	B
ATOM	3868	CB	ALA	116	68.782	-10.501	27.797	1.00	13.03	B	ATOM	3915	CG	LYS	123	55.827	-1.106	30.351	1.00	15.85	B
ATOM	3869	C	ALA	116	66.895	-11.453	26.470	1.00	15.10	B	ATOM	3916	CD	LYS	123	56.990	-0.684	29.443	1.00	17.08	B
ATOM	3870	O	ALA	116	67.210	-12.316	25.648	1.00	16.52	B	ATOM	3917	CE	LYS	123	56.622	-0.805	27.980	0.00	16.69	B
ATOM	3871	N	ALA	117	65.833	-11.577	27.252	1.00	14.62	B	ATOM	3918	NZ	LYS	123	57.826	-0.685	27.118	0.00	16.79	B
ATOM	3873	CA	ALA	117	64.896	-12.700	27.108	1.00	13.91	B	ATOM	3922	C	LYS	123	57.731	-2.708	33.342	1.00	11.11	B
ATOM	3874	CB	ALA	117	64.105	-12.920	28.417	1.00	13.45	B	ATOM	3923	O	LYS	123	57.065	-3.383	34.101	1.00	11.76	B
ATOM	3875	C	ALA	117	63.927	-12.410	25.968	1.00	13.68	B	ATOM	3924	N	VAL	124	58.881	-2.126	33.672	1.00	10.02	B
ATOM	3876	O	ALA	117	63.173	-13.281	25.554	1.00	13.92	B	ATOM	3926	CA	VAL	124	59.983	-2.171	35.017	1.00	9.61	B
ATOM	3877	N	GLY	118	63.911	-11.160	25.514	1.00	12.57	B	ATOM	3927	CB	VAL	124	61.007	-2.479	34.932	1.00	8.33	B
ATOM	3879	CA	GLY	118	63.002	-10.769	24.465	1.00	11.27	B	ATOM	3928	CG1	VAL	124	61.686	-2.288	36.274	1.00	6.71	B
ATOM	3880	C	GLY	118	61.616	-10.651	25.073	1.00	11.16	B	ATOM	3929	CG2	VAL	124	61.197	-3.888	34.412	1.00	8.49	B
ATOM	3881	O	GLY	118	60.628	-11.096	24.490	1.00	10.38	B	ATOM	3930	C	VAL	124	59.295	-0.808	35.679	1.00	9.04	B
ATOM	3882	N	LEU	119	61.554	-10.012	26.235	1.00	10.10	B	ATOM	3931	O	VAL	124	59.589	0.222	35.085	1.00	10.37	B
ATOM	3884	CA	LEU	119	60.300	-9.828	26.951	1.00	9.70	B	ATOM	3932	N	SER	125	58.822	-0.793	36.906	1.00	8.93	B
ATOM	3885	CB	LEU	119	60.283	-10.621	28.283	1.00	9.15	B	ATOM	3934	CA	SER	125	58.618	0.463	37.608	1.00	10.21	B
ATOM	3886	CG	LEU	119	60.193	-12.162	28.132	1.00	9.72	B	ATOM	3935	CB	SER	125	57.164	0.905	37.351	1.00	10.68	B
ATOM	3887	CD1	LEU	119	60.126	-12.842	29.431	1.00	10.62	B	ATOM	3936	OG	SER	125	56.829	2.116	37.983	1.00	13.11	B
ATOM	3888	CD2	LEU	119	58.915	-12.529	27.340	1.00	11.49	B	ATOM	3938	C	SER	125	58.885	0.226	39.107	1.00	10.82	B
ATOM	3889	C	LEU	119	60.129	-8.349	27.191	1.00	9.02	B	ATOM	3939	O	SER	125	59.594	-0.711	39.495	1.00	10.10	B
ATOM	3890	O	LEU	119	59.597	-7.922	28.231	1.00	7.39	B	ATOM	3940	N	THR	126	58.401	1.140	39.935	1.00	12.53	B
ATOM	3891	N	GLY	120	60.526	-7.563	26.198	1.00	7.65	B	ATOM	3942	CA	THR	126	58.485	1.001	41.392	1.00	11.94	B

SUBSTITUTE SHEET (Rule 26)

- 100 -

ATOM	3943	CB	THR	126	59.758	1.628	41.988	1.00	10.73	B	ATOM	3994	O	PHE	130	53.544	11.506	48.961	1.00	16.58	B
ATOM	3944	OG1	THR	126	59.974	1.033	43.272	1.00	10.47	B	ATOM	3995	N	ASP	131	53.656	9.931	50.581	1.00	16.37	B
ATOM	3946	CG2	THR	126	59.663	3.142	42.100	1.00	7.89	B	ATOM	3997	CA	ASP	131	54.551	10.697	51.469	1.00	16.73	B
ATOM	3947	C	THR	126	57.217	1.621	41.970	1.00	11.85	B	ATOM	3998	CB	ASP	131	54.878	9.887	52.743	1.00	17.03	B
ATOM	3948	O	THR	126	56.621	2.496	41.349	1.00	14.00	B	ATOM	3999	CG	ASP	131	56.217	9.164	52.665	0.00	16.93	B
ATOM	3949	N	SER	127	56.763	1.117	43.103	1.00	12.19	B	ATOM	4000	OD1	ASP	131	56.391	8.306	51.775	0.00	16.96	B
ATOM	3951	CA	SER	127	55.550	1.588	43.765	1.00	10.43	B	ATOM	4001	OD2	ASP	131	57.099	9.461	53.497	0.00	16.96	B
ATOM	3952	CB	SER	127	54.738	0.358	44.152	1.00	10.22	B	ATOM	4002	C	ASP	131	55.838	11.156	50.771	1.00	17.01	B
ATOM	3953	OG	SER	127	53.471	0.668	44.675	1.00	8.23	B	ATOM	4003	O	ASP	131	56.591	11.965	51.323	1.00	18.55	B
ATOM	3955	C	SER	127	55.852	2.476	44.990	1.00	10.49	B	ATOM	4004	N	GLU	132	56.101	10.620	49.579	1.00	15.69	B
ATOM	3956	O	SER	127	56.453	2.020	45.953	1.00	9.59	B	ATOM	4006	CA	GLU	132	57.263	10.987	48.800	1.00	15.93	B
ATOM	3957	N	ILE	128	55.440	3.744	44.959	1.00	11.24	B	ATOM	4007	CB	GLU	132	57.451	9.977	47.676	1.00	18.09	B
ATOM	3959	CA	ILE	128	55.710	4.642	46.080	1.00	12.40	B	ATOM	4008	CG	GLU	132	57.990	8.656	48.101	1.00	21.42	B
ATOM	3960	CB	ILE	128	56.356	5.956	45.596	1.00	11.58	B	ATOM	4009	CD	GLU	132	59.411	8.779	48.608	1.00	24.39	B
ATOM	3961	CG2	ILE	128	57.617	5.665	44.795	1.00	11.65	B	ATOM	4010	OD1	GLU	132	60.101	9.738	48.198	1.00	26.39	B
ATOM	3962	CG1	ILE	128	55.368	6.784	44.785	1.00	11.74	B	ATOM	4011	OD2	GLU	132	59.850	7.929	49.408	1.00	25.94	B
ATOM	3963	CD1	ILE	128	55.896	8.161	44.454	1.00	9.69	B	ATOM	4012	C	GLU	132	57.095	12.382	48.181	1.00	15.08	B
ATOM	3964	C	ILE	128	54.548	5.036	47.019	1.00	14.34	B	ATOM	4013	O	GLU	132	58.052	13.010	47.757	1.00	13.82	B
ATOM	3965	O	ILE	128	53.385	4.728	46.755	1.00	14.27	B	ATOM	4014	N	VAL	133	55.858	12.840	48.102	1.00	14.97	B
ATOM	3966	N	ARG	129	54.904	5.649	48.156	1.00	15.84	B	ATOM	4016	CA	VAL	133	55.555	14.103	47.491	1.00	14.86	B
ATOM	3968	CA	ARG	129	53.938	6.166	49.128	1.00	16.66	B	ATOM	4017	CB	VAL	133	54.281	14.008	46.634	1.00	13.51	B
ATOM	3969	CB	ARG	129	54.482	6.224	50.564	1.00	17.50	B	ATOM	4018	CG1	VAL	133	54.005	15.316	45.929	1.00	12.41	B
ATOM	3970	CG	ARG	129	54.960	4.925	51.139	1.00	21.66	B	ATOM	4019	CG2	VAL	133	54.429	12.892	45.650	1.00	13.35	B
ATOM	3971	CD	ARG	129	54.710	4.816	52.658	1.00	21.77	B	ATOM	4020	C	VAL	133	55.363	15.149	48.551	1.00	15.63	B
ATOM	3972	NE	ARG	129	55.345	5.882	53.425	1.00	23.18	B	ATOM	4021	O	VAL	133	54.438	15.065	49.383	1.00	15.99	B
ATOM	3974	CZ	ARG	129	54.981	6.238	54.654	0.00	22.59	B	ATOM	4022	N	ALA	134	56.235	16.149	48.502	1.00	17.05	B
ATOM	3975	NH1	ARG	129	53.983	5.612	55.264	0.00	22.69	B	ATOM	4024	CA	ALA	134	56.179	17.266	49.445	1.00	18.23	B
ATOM	3978	NH2	ARG	129	55.614	7.225	55.272	0.00	22.69	B	ATOM	4025	CB	ALA	134	57.578	17.788	49.716	1.00	18.39	B
ATOM	3981	C	ARG	129	53.712	7.608	48.710	1.00	16.31	B	ATOM	4026	C	ALA	134	55.330	18.342	48.826	1.00	18.92	B
ATOM	3982	O	ARG	129	54.624	8.264	48.191	1.00	16.64	B	ATOM	4027	O	ALA	134	55.124	18.354	47.623	1.00	20.00	B
ATOM	3983	N	PHE	130	52.514	8.116	48.957	1.00	15.70	B	ATOM	4028	N	ASN	135	54.805	19.223	49.658	1.00	20.01	B
ATOM	3985	CA	PHE	130	52.218	9.498	48.621	1.00	15.72	B	ATOM	4030	CA	ASN	135	53.983	20.342	49.220	1.00	20.37	B
ATOM	3986	CB	PHE	130	50.741	9.808	48.952	1.00	13.54	B	ATOM	4031	CB	ASN	135	54.902	21.436	48.718	1.00	22.34	B
ATOM	3987	CG	PHE	130	50.313	11.188	48.560	1.00	13.89	B	ATOM	4032	CG	ASN	135	55.972	21.777	49.747	1.00	24.69	B
ATOM	3988	CD1	PHE	130	50.080	11.511	47.235	1.00	13.94	B	ATOM	4033	OD1	ASN	135	55.697	21.796	50.953	1.00	25.97	B
ATOM	3989	CD2	PHE	130	50.212	12.199	49.515	1.00	15.22	B	ATOM	4034	NO2	ASN	135	57.205	21.990	49.291	1.00	26.63	B
ATOM	3990	CE1	PHE	130	49.764	12.817	46.855	1.00	13.49	B	ATOM	4037	C	ASN	135	52.883	19.961	48.235	1.00	20.47	B
ATOM	3991	CE2	PHE	130	49.890	13.518	49.151	1.00	14.30	B	ATOM	4038	O	ASN	135	52.738	20.515	47.143	1.00	20.64	B
ATOM	3992	CZ	PHE	130	49.669	13.818	47.805	1.00	15.07	B	ATOM	4039	N	SER	136	52.055	19.038	48.690	1.00	20.01	B
ATOM	3993	C	PHE	130	53.182	10.416	49.426	1.00	16.15	B	ATOM	4041	CA	SER	136	50.963	18.551	47.909	1.00	19.63	B

SUBSTITUTE SHEET (Rule 26)

ATOM	4042	CB	SER	136	50.541	17.175	48.409	1.00	20.81	B	ATOM	4087	N	GLY	142	53.345	20.242	44.357	1.00	13.72	B
ATOM	4043	OG	SER	136	50.514	17.155	49.829	1.00	22.31	B	ATOM	4089	CA	GLY	142	54.070	19.033	44.689	1.00	14.92	B
ATOM	4045	C	SER	136	49.801	19.511	47.820	1.00	19.03	B	ATOM	4090	C	GLY	142	55.454	18.923	44.077	1.00	15.95	B
ATOM	4046	O	SER	136	48.832	19.194	47.151	1.00	19.66	B	ATOM	4091	O	GLY	142	55.676	19.321	42.931	1.00	16.47	B
ATOM	4047	N	PHE	137	49.840	20.631	48.543	1.00	18.59	B	ATOM	4092	N	VAL	143	56.391	18.357	44.830	1.00	17.05	B
ATOM	4049	CA	PHE	137	48.788	21.642	48.400	1.00	18.17	B	ATOM	4094	CA	VAL	143	57.778	18.187	44.373	1.00	17.51	B
ATOM	4050	CB	PHE	137	47.653	21.599	49.436	1.00	19.19	B	ATOM	4095	CB	VAL	143	58.632	19.431	44.731	1.00	17.04	B
ATOM	4051	CG	PHE	137	46.465	22.484	49.023	1.00	22.14	B	ATOM	4096	CG1	VAL	143	58.696	19.624	46.245	1.00	17.77	B
ATOM	4052	CD1	PHE	137	45.453	21.978	48.168	1.00	22.50	B	ATOM	4097	CG2	VAL	143	59.984	19.331	44.149	1.00	15.96	B
ATOM	4053	CD2	PHE	137	46.452	23.865	49.302	1.00	21.69	B	ATOM	4098	C	VAL	143	58.309	16.957	45.103	1.00	18.15	B
ATOM	4054	CE1	PHE	137	44.464	22.822	47.582	1.00	21.40	B	ATOM	4099	O	VAL	143	57.794	16.612	46.175	1.00	19.56	B
ATOM	4055	CE2	PHE	137	45.455	24.720	48.711	1.00	22.96	B	ATOM	4100	N	PHE	144	59.255	16.248	44.501	1.00	17.43	B
ATOM	4056	CZ	PHE	137	44.465	24.182	47.846	1.00	21.32	B	ATOM	4102	CA	PHE	144	59.808	15.066	45.126	1.00	18.35	B
ATOM	4057	C	PHE	137	49.302	23.094	48.231	1.00	17.81	B	ATOM	4103	CB	PHE	144	60.523	14.177	44.117	1.00	18.69	B
ATOM	4058	O	PHE	137	50.122	23.594	49.042	1.00	15.98	B	ATOM	4104	CG	PHE	144	59.596	13.306	43.317	1.00	17.74	B
ATOM	4059	N	PRO	138	48.856	23.774	47.134	1.00	16.61	B	ATOM	4105	CD1	PHE	144	59.806	13.102	41.952	1.00	16.57	B
ATOM	4060	CD	PRO	138	49.202	25.174	46.811	1.00	15.82	B	ATOM	4106	CD2	PHE	144	58.478	12.731	43.918	1.00	17.26	B
ATOM	4061	CA	PRO	138	47.935	23.217	46.125	1.00	15.52	B	ATOM	4107	CE1	PHE	144	58.900	12.345	41.193	1.00	16.89	B
ATOM	4062	CB	PRO	138	47.558	24.459	45.306	1.00	15.94	B	ATOM	4108	CE2	PHE	144	57.571	11.970	43.161	1.00	16.54	B
ATOM	4063	CG	PRO	138	48.838	25.299	45.358	1.00	14.78	B	ATOM	4109	CZ	PHE	144	57.789	11.787	41.792	1.00	15.91	B
ATOM	4064	C	PRO	138	48.644	22.141	45.293	1.00	14.42	B	ATOM	4110	C	PHE	144	60.743	15.421	46.282	1.00	19.39	B
ATOM	4065	O	PRO	138	49.870	22.155	45.200	1.00	15.12	B	ATOM	4111	O	PHE	144	61.678	16.213	46.153	1.00	19.79	B
ATOM	4066	N	PRO	139	47.886	21.227	44.633	1.00	14.00	B	ATOM	4112	N	LVS	145	60.421	14.813	47.414	1.00	19.60	B
ATOM	4067	CD	PRO	139	46.426	21.281	44.476	1.00	12.29	B	ATOM	4114	CA	LVS	145	61.071	14.949	48.693	1.00	19.47	B
ATOM	4068	CA	PRO	139	48.475	20.151	43.811	1.00	13.52	B	ATOM	4115	CB	LVS	145	60.169	14.205	49.679	1.00	19.21	B
ATOM	4069	CB	PRO	139	47.285	19.689	42.982	1.00	13.30	B	ATOM	4116	CG	LVS	145	60.612	14.115	51.088	1.00	20.27	B
ATOM	4070	CG	PRO	139	46.130	19.947	43.902	1.00	12.18	B	ATOM	4117	CD	LVS	145	59.459	13.560	51.908	1.00	21.49	B
ATOM	4071	C	PRO	139	49.669	20.568	42.911	1.00	14.15	B	ATOM	4118	CE	LVS	145	59.830	13.413	53.374	0.00	20.99	B
ATOM	4072	O	PRO	139	50.678	19.871	42.830	1.00	14.56	B	ATOM	4119	NZ	LVS	145	58.699	12.859	54.169	0.00	21.06	B
ATOM	4073	N	SER	140	49.556	21.720	42.257	1.00	14.75	B	ATOM	4123	C	LVS	145	62.466	14.361	48.701	1.00	19.74	B
ATOM	4075	CA	SER	140	50.604	22.230	41.373	1.00	14.38	B	ATOM	4124	O	LVS	145	63.407	14.989	49.166	1.00	20.88	B
ATOM	4076	CB	SER	140	50.162	23.562	40.787	1.00	14.50	B	ATOM	4125	N	ASN	146	62.599	13.177	48.129	1.00	20.01	B
ATOM	4077	OG	SER	140	49.524	24.361	41.769	1.00	13.13	B	ATOM	4127	CA	ASN	146	63.854	12.463	48.103	1.00	20.22	B
ATOM	4079	C	SER	140	51.968	22.384	42.020	1.00	14.29	B	ATOM	4128	CB	ASN	146	63.595	11.038	48.496	1.00	19.83	B
ATOM	4080	O	SER	140	52.993	22.374	41.329	1.00	13.03	B	ATOM	4129	CG	ASN	146	63.084	10.954	49.888	1.00	21.73	B
ATOM	4081	N	ALA	141	51.959	22.513	43.349	1.00	14.79	B	ATOM	4130	OD1	ASN	146	63.623	11.601	50.768	1.00	24.28	B
ATOM	4083	CA	ALA	141	53.158	22.684	44.162	1.00	14.82	B	ATOM	4131	ND2	ASN	146	62.034	10.180	50.114	1.00	23.27	B
ATOM	4084	CB	ALA	141	52.798	23.401	45.479	1.00	13.48	B	ATOM	4134	C	ASN	146	64.554	12.548	46.777	1.00	20.66	B
ATOM	4085	C	ALA	141	53.950	21.416	44.482	1.00	14.34	B	ATOM	4135	O	ASN	146	63.917	12.525	45.718	1.00	21.88	B
ATOM	4086	O	ALA	141	55.118	21.517	44.845	1.00	14.78	B	ATOM	4136	N	ALA	147	65.877	12.643	46.832	1.00	20.48	B

SUBSTITUTE SHEET (Rule 26)

ATOM	4138	CA	ALA	147	66.674	12.776	45.616	1.00	19.74	B	ATOM	4185	CA	VAL	152	63.691	6.954	39.019	1.00	14.40	B
ATOM	4139	CB	ALA	147	68.119	13.134	45.971	1.00	19.61	B	ATOM	4186	CG	VAL	152	62.892	6.586	40.292	1.00	14.08	B
ATOM	4140	C	ALA	147	66.641	11.579	44.677	1.00	19.62	B	ATOM	4187	CG1	VAL	152	61.793	5.636	39.945	1.00	14.78	B
ATOM	4141	O	ALA	147	66.791	11.747	43.455	1.00	20.84	B	ATOM	4188	CG2	VAL	152	63.819	5.874	41.278	1.00	14.03	B
ATOM	4142	N	TYR	148	66.422	10.382	45.223	1.00	17.67	B	ATOM	4189	C	VAL	152	62.808	7.511	37.891	1.00	15.52	B
ATOM	4144	CA	TYR	148	66.410	9.183	44.396	1.00	16.21	B	ATOM	4190	O	VAL	152	62.690	6.892	36.818	1.00	14.37	B
ATOM	4145	CB	TYR	148	66.403	7.932	45.282	1.00	15.95	B	ATOM	4191	N	ALA	153	62.308	8.738	38.093	1.00	15.46	B
ATOM	4146	CG	TYR	148	65.032	7.508	45.808	1.00	13.62	B	ATOM	4193	CA	ALA	153	61.430	9.428	37.143	1.00	15.09	B
ATOM	4147	CD1	TYR	148	64.347	6.452	45.212	1.00	14.06	B	ATOM	4194	CB	ALA	153	61.080	10.780	37.688	1.00	15.15	B
ATOM	4148	CE1	TYR	148	63.130	5.992	45.710	1.00	15.45	B	ATOM	4195	C	ALA	153	62.064	9.557	35.762	1.00	15.52	B
ATOM	4149	CD2	TYR	148	64.465	8.118	46.923	1.00	13.70	B	ATOM	4196	O	ALA	153	61.441	9.310	34.727	1.00	16.10	B
ATOM	4150	CE2	TYR	148	63.241	7.675	47.438	1.00	14.78	B	ATOM	4197	N	ARG	154	63.336	9.901	35.752	1.00	16.45	B
ATOM	4151	CZ	TYR	148	62.585	6.604	46.830	1.00	15.41	B	ATOM	4199	CA	ARG	154	64.046	10.033	34.507	1.00	16.93	B
ATOM	4152	OH	TYR	148	61.438	6.090	47.376	1.00	16.46	B	ATOM	4200	CB	ARG	154	65.310	10.838	34.749	1.00	19.18	B
ATOM	4154	C	TYR	148	65.267	9.139	43.386	1.00	16.04	B	ATOM	4201	CG	ARG	154	64.916	12.288	35.033	1.00	23.02	B
ATOM	4155	O	TYR	148	65.385	8.478	42.341	1.00	16.22	B	ATOM	4202	CD	ARG	154	66.101	13.203	35.102	1.00	27.89	B
ATOM	4156	N	MET	149	64.172	9.841	43.685	1.00	15.50	B	ATOM	4203	NE	ARG	154	65.719	14.575	35.434	1.00	31.85	B
ATOM	4158	CA	MET	149	63.004	9.882	42.810	1.00	15.58	B	ATOM	4205	CZ	ARG	154	66.493	15.413	36.131	1.00	34.79	B
ATOM	4159	CB	MET	149	61.790	10.422	43.581	1.00	16.56	B	ATOM	4206	NH2	ARG	154	67.691	15.019	36.574	1.00	35.92	B
ATOM	4160	CG	MET	149	61.033	9.351	44.405	1.00	16.07	B	ATOM	4209	NH1	ARG	154	66.081	16.650	36.393	1.00	35.71	B
ATOM	4161	SD	MET	149	60.710	7.795	43.504	1.00	16.97	B	ATOM	4212	C	ARG	154	64.263	8.694	33.797	1.00	16.01	B
ATOM	4162	CE	MET	149	59.473	8.305	42.324	1.00	15.94	B	ATOM	4213	O	ARG	154	64.242	8.645	32.572	1.00	15.16	B
ATOM	4163	C	MET	149	63.200	10.636	41.470	1.00	15.97	B	ATOM	4214	N	LEU	155	64.334	7.604	34.570	1.00	14.94	B
ATOM	4164	O	MET	149	62.489	10.405	40.472	1.00	14.05	B	ATOM	4216	CA	LEU	155	64.520	6.263	34.024	1.00	13.31	B
ATOM	4165	N	THR	150	64.160	11.549	41.443	1.00	16.75	B	ATOM	4217	CB	LEU	155	64.945	5.275	35.137	1.00	13.82	B
ATOM	4167	CA	THR	150	64.450	12.262	40.214	1.00	16.46	B	ATOM	4218	CG	LEU	155	65.181	3.787	34.768	1.00	14.61	B
ATOM	4168	CB	THR	150	65.332	13.494	40.469	1.00	17.36	B	ATOM	4219	CD1	LEU	155	66.086	3.604	33.559	1.00	12.84	B
ATOM	4169	OG1	THR	150	64.502	14.520	41.026	1.00	20.49	B	ATOM	4220	CD2	LEU	155	65.787	3.068	35.953	1.00	16.07	B
ATOM	4171	CG2	THR	150	65.929	14.037	39.188	1.00	17.28	B	ATOM	4221	C	LEU	155	63.208	5.816	33.386	1.00	12.32	B
ATOM	4172	C	THR	150	65.105	11.296	39.245	1.00	15.89	B	ATOM	4222	O	LEU	155	63.174	5.236	32.303	1.00	14.07	B
ATOM	4173	O	THR	150	64.866	11.375	38.056	1.00	15.10	B	ATOM	4223	N	LEU	156	62.114	6.074	34.070	1.00	10.90	B
ATOM	4174	N	ASP	151	65.878	10.338	39.751	1.00	15.93	B	ATOM	4225	CA	LEU	156	60.813	5.718	33.562	1.00	9.62	B
ATOM	4176	CA	ASP	151	66.512	9.395	38.843	1.00	16.37	B	ATOM	4226	CB	LEU	156	59.754	6.078	34.605	1.00	9.75	B
ATOM	4177	CB	ASP	151	67.759	8.783	39.469	1.00	18.31	B	ATOM	4227	CG	LEU	156	59.777	5.371	35.951	1.00	10.82	B
ATOM	4178	CG	ASP	151	68.863	9.816	39.665	1.00	21.19	B	ATOM	4228	CD1	LEU	156	58.722	5.957	36.847	1.00	10.11	B
ATOM	4179	OD1	ASP	151	69.464	9.831	40.780	1.00	22.86	B	ATOM	4229	CD2	LEU	156	59.557	3.890	35.726	1.00	10.80	B
ATOM	4180	OD2	ASP	151	69.077	10.645	38.724	1.00	20.09	B	ATOM	4230	C	LEU	156	60.531	6.507	32.282	1.00	9.52	B
ATOM	4181	C	ASP	151	65.539	8.340	38.409	1.00	15.63	B	ATOM	4231	O	LEU	156	59.832	6.019	31.398	1.00	7.80	B
ATOM	4182	O	ASP	151	65.504	7.950	37.251	1.00	16.67	B	ATOM	4232	N	ALA	157	60.977	7.773	32.231	1.00	10.32	B
ATOM	4183	N	VAL	152	64.683	7.936	39.325	1.00	15.00	B	ATOM	4234	CA	ALA	157	60.725	8.594	31.045	1.00	11.34	B

ATOM	4235	CB	ALA	157	61.182	10.011	31.257	1.00	12.45	B	ATOM	4282	N	LEU	164	54.045	3.763	39.681	1.00	9.90	B
ATOM	4236	C	ALA	157	61.381	8.040	29.794	1.00	11.51	B	ATOM	4284	CA	LEU	164	52.962	3.107	40.390	1.00	10.61	B
ATOM	4237	O	ALA	157	60.807	8.111	28.714	1.00	12.62	B	ATOM	4285	CB	LEU	164	53.279	1.633	40.618	1.00	11.20	B
ATOM	4238	N	SER	158	62.557	7.444	29.953	1.00	11.62	B	ATOM	4286	CG	LEU	164	53.647	0.866	39.348	1.00	12.11	B
ATOM	4239	CA	SER	158	63.287	6.931	28.818	1.00	11.69	B	ATOM	4287	CD1	LEU	164	53.823	-0.661	39.629	1.00	11.12	B
ATOM	4240	CB	SER	158	64.808	7.143	28.991	1.00	12.16	B	ATOM	4288	CD2	LEU	164	52.581	1.167	38.284	1.00	10.96	B
ATOM	4241	OG	SER	158	65.323	6.351	30.040	1.00	14.97	B	ATOM	4289	C	LEU	164	52.935	3.872	41.711	1.00	11.21	B
ATOM	4242	C	SER	158	62.933	5.508	28.449	1.00	10.75	B	ATOM	4290	O	LEU	164	53.984	4.051	42.320	1.00	11.38	B
ATOM	4243	O	SER	158	63.140	5.107	27.302	1.00	10.29	B	ATOM	4291	N	ALA	165	51.766	4.416	42.066	1.00	11.02	B
ATOM	4244	N	THR	159	62.356	4.763	29.389	1.00	10.31	B	ATOM	4293	CA	ALA	165	51.595	5.219	43.267	1.00	10.88	B
ATOM	4245	CA	THR	159	61.957	3.393	29.112	1.00	9.35	B	ATOM	4294	CB	ALA	165	51.406	6.684	42.885	1.00	9.95	B
ATOM	4246	CB	THR	159	62.250	2.466	30.277	1.00	10.90	B	ATOM	4295	C	ALA	165	50.417	4.739	44.115	1.00	11.34	B
ATOM	4247	OG1	THR	159	61.552	2.927	31.438	1.00	14.47	B	ATOM	4296	O	ALA	165	49.315	4.516	43.582	1.00	12.21	B
ATOM	4248	CG2	THR	159	63.758	2.407	30.568	1.00	10.29	B	ATOM	4297	N	ASN	166	50.685	4.531	45.406	1.00	10.21	B
ATOM	4249	C	THR	159	60.487	3.357	28.815	1.00	8.28	B	ATOM	4299	CA	ASN	166	49.703	4.099	46.392	1.00	10.30	B
ATOM	4250	O	THR	159	59.952	2.360	28.401	1.00	9.10	B	ATOM	4300	CB	ASN	166	50.388	3.285	47.480	1.00	9.44	B
ATOM	4251	N	GLY	160	59.798	4.448	29.045	1.00	7.87	B	ATOM	4301	CG	ASN	166	51.032	2.016	46.944	1.00	10.73	B
ATOM	4252	CA	GLY	160	58.389	4.444	28.718	1.00	6.52	B	ATOM	4302	OD1	ASN	166	50.540	1.422	45.980	1.00	12.01	B
ATOM	4253	C	GLY	160	57.565	3.591	29.638	1.00	7.01	B	ATOM	4303	ND2	ASN	166	52.138	1.585	47.569	1.00	6.41	B
ATOM	4254	O	GLY	160	56.589	2.989	29.184	1.00	7.08	B	ATOM	4306	C	ASN	166	49.088	5.424	46.941	1.00	10.72	B
ATOM	4255	N	ALA	161	57.975	3.522	30.912	1.00	6.35	B	ATOM	4307	O	ASN	166	49.792	6.231	47.590	1.00	9.93	B
ATOM	4256	CA	ALA	161	57.243	2.796	31.961	1.00	5.70	B	ATOM	4308	N	VAL	167	47.786	5.644	46.677	1.00	10.30	B
ATOM	4257	CB	ALA	161	58.221	1.971	32.832	1.00	3.70	B	ATOM	4310	CA	VAL	167	47.146	6.917	47.022	1.00	9.06	B
ATOM	4258	C	ALA	161	56.546	3.835	32.838	1.00	5.54	B	ATOM	4311	CB	VAL	167	46.839	7.715	45.730	1.00	9.40	B
ATOM	4259	O	ALA	161	56.969	4.997	32.902	1.00	4.46	B	ATOM	4312	CG1	VAL	167	46.306	9.102	46.056	1.00	8.69	B
ATOM	4260	N	PRO	162	55.434	3.454	33.515	1.00	6.45	B	ATOM	4313	CG2	VAL	167	48.139	7.837	44.908	1.00	5.90	B
ATOM	4261	CD	PRO	162	54.642	2.219	33.416	1.00	5.96	B	ATOM	4314	C	VAL	167	45.923	6.732	47.850	1.00	9.31	B
ATOM	4262	CA	PRO	162	54.761	4.447	34.380	1.00	6.38	B	ATOM	4315	O	VAL	167	44.961	6.125	47.415	1.00	8.68	B
ATOM	4263	CB	PRO	162	53.298	4.040	34.277	1.00	5.30	B	ATOM	4316	N	TYR	168	45.958	7.288	49.054	1.00	8.97	B
ATOM	4264	C	PRO	162	53.399	2.560	34.244	1.00	6.43	B	ATOM	4318	CA	TYR	168	44.871	7.107	49.959	1.00	10.02	B
ATOM	4265	O	PRO	162	55.223	4.370	35.852	1.00	6.11	B	ATOM	4319	CB	TYR	168	45.339	6.224	51.132	1.00	10.76	B
ATOM	4266	N	LEU	163	55.967	3.477	36.236	1.00	5.14	B	ATOM	4320	CG	TYR	168	45.600	4.776	50.805	1.00	9.29	B
ATOM	4267	CD	LEU	163	54.736	5.303	36.656	1.00	6.56	B	ATOM	4321	CD1	TYR	168	46.837	4.368	50.321	1.00	7.20	B
ATOM	4268	CA	LEU	163	55.010	5.344	38.080	1.00	8.46	B	ATOM	4322	CE1	TYR	168	47.114	3.034	50.123	1.00	6.92	B
ATOM	4269	CB	LEU	163	55.171	6.806	38.541	1.00	8.72	B	ATOM	4323	CE2	TYR	168	44.638	3.805	51.067	1.00	8.73	B
ATOM	4270	CG	LEU	163	55.613	7.000	39.986	1.00	8.95	B	ATOM	4324	CE2	TYR	168	44.901	2.445	50.860	1.00	7.15	B
ATOM	4271	C	LEU	163	56.892	6.169	40.257	1.00	6.68	B	ATOM	4325	CZ	TYR	168	46.140	2.069	50.399	1.00	8.16	B
ATOM	4272	O	LEU	163	55.777	8.492	40.260	1.00	7.02	B	ATOM	4326	OH	TYR	168	46.436	0.729	50.243	1.00	5.24	B
ATOM	4273	CA	LEU	163	53.801	4.698	38.766	1.00	9.19	B	ATOM	4328	C	TYR	168	44.171	8.324	50.539	1.00	9.92	B
ATOM	4274	CB	LEU	163	52.658	4.976	38.394	1.00	10.15	B	ATOM	4329	O	TYR	168	44.654	8.904	51.510	1.00	10.14	B

SUBSTITUTE SHEET (Rule 26)

ATOM	4330	N	PRO	169	43.073	8.787	49.908	1.00	10.35	B	ATOM	4375	CE1	TYR	173	37.619	13.747	57.143	1.00	18.39	B
ATOM	4331	CD	PRO	169	42.673	8.611	48.492	1.00	8.10	B	ATOM	4376	CD2	TYR	173	38.212	11.101	56.505	1.00	17.93	B
ATOM	4332	CA	PRO	169	42.365	9.944	50.487	1.00	10.32	B	ATOM	4377	CE2	TYR	173	37.095	11.392	57.286	1.00	18.06	B
ATOM	4333	CB	PRO	169	41.140	10.037	49.579	1.00	8.71	B	ATOM	4378	CE2	TYR	173	36.807	12.720	57.607	1.00	18.77	B
ATOM	4334	CG	PRO	169	41.773	9.808	48.257	1.00	6.28	B	ATOM	4379	OH	TYR	173	35.724	13.010	58.412	1.00	18.80	B
ATOM	4335	C	PRO	169	42.011	9.652	51.980	1.00	10.28	B	ATOM	4381	C	TYR	173	41.777	12.188	57.389	1.00	16.49	B
ATOM	4336	O	PRO	169	42.052	10.526	52.821	1.00	10.77	B	ATOM	4382	O	TYR	173	41.717	13.098	58.217	1.00	16.65	B
ATOM	4337	N	TYR	170	41.845	8.376	52.301	1.00	10.84	B	ATOM	4383	N	ARG	174	42.161	10.957	57.700	1.00	17.05	B
ATOM	4339	CA	TYR	170	41.551	7.937	53.652	1.00	11.67	B	ATOM	4385	CA	ARG	174	42.380	10.538	59.068	1.00	19.32	B
ATOM	4340	CB	TYR	170	41.427	6.417	53.741	1.00	12.00	B	ATOM	4386	CB	ARG	174	42.826	9.083	59.061	1.00	20.99	B
ATOM	4341	CG	TYR	170	41.221	6.007	55.161	1.00	13.14	B	ATOM	4387	CG	ARG	174	42.748	8.427	60.392	1.00	23.83	B
ATOM	4342	CD1	TYR	170	40.064	6.399	55.833	1.00	14.15	B	ATOM	4388	CD	ARG	174	43.695	7.243	60.473	1.00	26.95	B
ATOM	4343	CE1	TYR	170	39.898	6.172	57.191	1.00	15.10	B	ATOM	4389	NE	ARG	174	42.924	6.031	60.720	1.00	30.67	B
ATOM	4344	CD2	TYR	170	42.223	5.355	55.884	1.00	13.86	B	ATOM	4391	CZ	ARG	174	43.186	5.119	61.654	1.00	32.81	B
ATOM	4345	CE2	TYR	170	42.069	5.116	57.268	1.00	15.24	B	ATOM	4392	NH1	ARG	174	44.223	5.255	62.479	1.00	34.36	B
ATOM	4346	CZ	TYR	170	40.892	5.534	57.909	1.00	14.16	B	ATOM	4395	NH2	ARG	174	42.390	4.060	61.771	1.00	34.67	B
ATOM	4347	OH	TYR	170	40.673	5.326	59.239	1.00	13.19	B	ATOM	4398	C	ARG	174	43.396	11.428	59.819	1.00	19.70	B
ATOM	4349	C	TYR	170	42.617	8.385	54.625	1.00	11.58	B	ATOM	4399	O	ARG	174	43.170	11.796	60.960	1.00	18.92	B
ATOM	4350	O	TYR	170	42.304	9.064	55.593	1.00	13.59	B	ATOM	4400	N	ASP	175	44.478	11.819	59.145	1.00	21.20	B
ATOM	4351	N	PHE	171	43.870	8.047	54.350	1.00	10.95	B	ATOM	4402	CA	ASP	175	45.517	12.674	59.726	1.00	22.84	B
ATOM	4353	CA	PHE	171	44.978	8.397	55.220	1.00	11.73	B	ATOM	4403	CB	ASP	175	46.799	12.594	58.891	1.00	24.01	B
ATOM	4354	CB	PHE	171	46.272	7.680	54.784	1.00	12.25	B	ATOM	4404	CG	ASP	175	47.454	11.218	58.940	1.00	26.45	B
ATOM	4355	CG	PHE	171	46.208	6.180	54.886	1.00	13.52	B	ATOM	4405	OD1	ASP	175	47.096	10.385	59.820	1.00	26.37	B
ATOM	4356	CD1	PHE	171	46.833	5.377	53.946	1.00	16.59	B	ATOM	4406	OD2	ASP	175	48.332	10.971	58.083	1.00	27.30	B
ATOM	4357	CD2	PHE	171	45.517	5.556	55.913	1.00	14.13	B	ATOM	4407	C	ASP	175	45.159	14.156	59.862	1.00	23.31	B
ATOM	4358	CE1	PHE	171	46.752	3.969	54.046	1.00	15.15	B	ATOM	4408	O	ASP	175	45.866	14.886	60.542	1.00	23.42	B
ATOM	4359	CE2	PHE	171	45.444	4.158	56.001	1.00	13.45	B	ATOM	4409	N	ASN	176	44.105	14.609	59.181	1.00	23.11	B
ATOM	4360	CZ	PHE	171	46.049	3.383	55.081	1.00	13.02	B	ATOM	4411	CA	ASN	176	43.700	16.010	59.231	1.00	23.90	B
ATOM	4361	C	PHE	171	45.202	9.910	55.305	1.00	12.54	B	ATOM	4412	CB	ASN	176	44.287	16.782	58.045	1.00	25.31	B
ATOM	4362	O	PHE	171	45.738	10.408	56.301	1.00	13.30	B	ATOM	4413	CG	ASN	176	45.753	16.552	57.887	1.00	27.66	B
ATOM	4363	N	ALA	172	44.864	10.644	54.252	1.00	11.87	B	ATOM	4414	OD1	ASN	176	46.577	17.246	58.483	1.00	28.66	B
ATOM	4365	CA	ALA	172	45.017	12.087	54.321	1.00	11.88	B	ATOM	4415	ND2	ASN	176	46.106	15.539	57.099	1.00	30.72	B
ATOM	4366	CB	ALA	172	44.786	12.689	52.938	1.00	11.82	B	ATOM	4418	C	ASN	176	42.191	16.137	59.148	1.00	23.52	B
ATOM	4367	C	ALA	172	43.953	12.620	55.303	1.00	12.87	B	ATOM	4419	O	ASN	176	41.675	16.858	58.269	1.00	23.55	B
ATOM	4368	O	ALA	172	44.216	13.495	56.148	1.00	11.84	B	ATOM	4420	N	PRO	177	41.468	15.547	60.114	1.00	22.52	B
ATOM	4369	N	TYR	173	42.735	12.108	55.117	1.00	13.58	B	ATOM	4421	CD	PRO	177	41.977	15.020	61.391	1.00	22.50	B
ATOM	4371	CA	TYR	173	41.571	12.487	55.891	1.00	15.36	B	ATOM	4422	CB	PRO	177	40.009	15.598	60.129	1.00	22.42	B
ATOM	4372	CB	TYR	173	40.329	11.794	55.307	1.00	14.22	B	ATOM	4423	CA	PRO	177	39.651	14.946	61.476	1.00	21.55	B
ATOM	4373	CG	TYR	173	39.061	12.123	56.032	1.00	17.17	B	ATOM	4424	CG	PRO	177	40.849	14.154	61.834	1.00	22.11	B
ATOM	4374	CD1	TYR	173	38.741	13.445	56.354	1.00	17.57	B	ATOM	4425	C	PRO	177	39.487	17.043	60.079	1.00	22.95	B

ATOM	4426	O	PRO	177	38.431	17.321	59.484	1.00	24.99	ATOM	4476	O	ASN	183	33.474	13.883	49.075	1.00	12.17	B
ATOM	4427	N	GLY	178	40.218	17.946	60.732	1.00	22.38	ATOM	4477	N	TYR	184	34.453	15.520	50.318	1.00	12.88	B
ATOM	4429	CA	GLY	178	39.820	19.334	60.803	1.00	21.14	ATOM	4479	CA	TYR	184	35.601	15.761	49.489	1.00	12.29	B
ATOM	4430	C	GLY	178	40.245	20.209	59.654	1.00	20.67	ATOM	4480	CB	TYR	184	36.392	16.949	50.086	1.00	10.73	B
ATOM	4431	O	GLY	178	40.160	21.428	59.746	1.00	20.52	ATOM	4481	CG	TYR	184	37.538	17.483	49.234	1.00	10.05	B
ATOM	4432	N	SER	179	40.684	19.598	58.568	1.00	19.72	ATOM	4482	CD1	TYR	184	37.315	17.980	47.934	1.00	9.48	B
ATOM	4434	CA	SER	179	41.102	20.354	57.408	1.00	19.44	ATOM	4483	CE1	TYR	184	38.353	18.482	47.162	1.00	8.37	B
ATOM	4435	CB	SER	179	42.618	20.446	57.340	1.00	20.32	ATOM	4484	CD2	TYR	184	38.844	17.507	49.737	1.00	10.95	B
ATOM	4436	OG	SER	179	43.013	21.007	56.106	1.00	20.78	ATOM	4485	CE2	TYR	184	39.908	18.008	48.967	1.00	10.55	B
ATOM	4438	C	SER	179	40.583	19.733	56.134	1.00	18.83	ATOM	4486	CZ	TYR	184	39.650	18.499	47.679	1.00	9.98	B
ATOM	4439	O	SER	179	40.632	20.357	55.098	1.00	20.47	ATOM	4487	OH	TYR	184	40.687	19.022	46.947	1.00	8.64	B
ATOM	4440	N	ILE	180	40.106	18.499	56.190	1.00	17.84	ATOM	4489	C	TYR	184	36.452	14.469	49.439	1.00	12.39	B
ATOM	4442	CA	ILE	180	39.565	17.854	55.010	1.00	15.79	ATOM	4490	O	TYR	184	36.991	14.117	48.378	1.00	12.85	B
ATOM	4443	CB	ILE	180	40.398	16.587	54.624	1.00	15.77	ATOM	4491	N	ALA	185	36.626	13.789	50.581	1.00	11.39	B
ATOM	4444	CG2	ILE	180	39.826	15.895	53.389	1.00	14.07	ATOM	4493	CA	ALA	185	37.387	12.537	50.603	1.00	10.08	B
ATOM	4445	CG1	ILE	180	41.843	16.985	54.317	1.00	14.13	ATOM	4494	CB	ALA	185	37.775	12.183	52.063	1.00	10.74	B
ATOM	4446	CD1	ILE	180	42.794	15.822	54.270	1.00	14.57	ATOM	4495	C	ALA	185	36.636	11.337	49.982	1.00	10.16	B
ATOM	4447	C	ILE	180	38.163	17.513	55.423	1.00	15.45	ATOM	4496	O	ALA	185	37.259	10.390	49.536	1.00	9.55	B
ATOM	4448	O	ILE	180	37.897	17.312	56.600	1.00	16.82	ATOM	4497	N	THR	186	35.306	11.364	49.962	1.00	9.41	B
ATOM	4449	N	SER	181	37.242	17.625	54.486	1.00	15.61	ATOM	4499	CA	THR	186	34.565	10.220	49.490	1.00	10.27	B
ATOM	4451	CA	SER	181	35.836	17.320	54.703	1.00	14.64	ATOM	4500	CB	THR	186	33.560	9.725	50.591	1.00	10.65	B
ATOM	4452	CB	SER	181	34.977	18.286	53.899	1.00	16.36	ATOM	4501	OG1	THR	186	32.733	10.818	51.052	1.00	10.65	B
ATOM	4453	OG	SER	181	35.534	18.518	52.608	1.00	19.73	ATOM	4503	CG2	THR	186	34.322	9.104	51.781	1.00	10.17	B
ATOM	4455	C	SER	181	35.625	15.893	54.236	1.00	13.54	ATOM	4504	C	THR	186	33.843	10.289	48.163	1.00	10.81	B
ATOM	4456	O	SER	181	36.382	15.418	53.425	1.00	13.53	ATOM	4505	O	THR	186	32.935	9.471	47.901	1.00	11.87	B
ATOM	4457	N	LEU	182	34.595	15.217	54.732	1.00	13.30	ATOM	4506	N	PHE	187	34.239	11.224	47.310	1.00	10.77	B
ATOM	4459	CA	LEU	182	34.340	13.811	54.403	1.00	12.39	ATOM	4508	CA	PHE	187	33.579	11.406	46.014	1.00	11.33	B
ATOM	4460	CB	LEU	182	33.409	13.168	55.443	1.00	10.41	ATOM	4509	CB	PHE	187	33.559	10.103	45.175	1.00	8.24	B
ATOM	4461	CG	LEU	182	32.825	11.784	55.076	1.00	11.82	ATOM	4510	CG	PHE	187	34.928	9.598	44.808	1.00	8.22	B
ATOM	4462	CD1	LEU	182	33.873	10.640	55.190	1.00	10.44	ATOM	4511	CD1	PHE	187	35.470	8.465	45.434	1.00	7.01	B
ATOM	4463	CD2	LEU	182	31.589	11.504	55.895	1.00	9.34	ATOM	4512	CD2	PHE	187	35.724	10.310	43.931	1.00	5.75	B
ATOM	4464	C	LEU	182	33.817	13.630	52.991	1.00	12.40	ATOM	4513	CE1	PHE	187	36.793	8.079	45.188	1.00	6.50	B
ATOM	4465	O	LEU	182	34.147	12.668	52.338	1.00	12.90	ATOM	4514	CE2	PHE	187	37.046	9.919	43.681	1.00	5.87	B
ATOM	4466	N	ASN	183	32.971	14.541	52.545	1.00	13.57	ATOM	4515	CZ	PHE	187	37.578	8.817	44.307	1.00	6.42	B
ATOM	4468	CA	ASN	183	32.421	14.534	51.185	1.00	15.03	ATOM	4516	C	PHE	187	32.145	11.981	46.113	1.00	13.29	B
ATOM	4469	CB	ASN	183	31.493	15.730	51.024	1.00	17.77	ATOM	4517	O	PHE	187	31.311	11.731	45.217	1.00	13.76	B
ATOM	4470	CG	ASN	183	30.106	15.441	51.532	1.00	21.73	ATOM	4518	N	GLN	188	31.837	12.701	47.190	1.00	14.17	B
ATOM	4471	OD1	ASN	183	29.877	14.441	52.254	1.00	23.09	ATOM	4520	CA	GLN	188	30.523	13.316	47.322	1.00	15.55	B
ATOM	4472	ND2	ASN	183	29.137	16.264	51.095	1.00	23.70	ATOM	4521	CB	GLN	188	29.966	13.225	48.746	1.00	16.79	B
ATOM	4475	C	ASN	183	33.519	14.599	50.089	1.00	14.42	ATOM	4522	CG	GLN	188	29.674	11.873	49.230	1.00	18.70	B

SUBSTITUTE SHEET (Rule 26)

ATOM	4523	CD	GLN	188	28.796	11.131	48.274	1.00	20.86	B	ATOM	4572	CG	ARG	194	40.862	28.330	41.518	1.00	15.63	B
ATOM	4524	OE1	GLN	188	29.282	10.320	47.487	1.00	23.35	B	ATOM	4573	CD	ARG	194	39.929	28.487	40.285	1.00	18.72	B
ATOM	4525	NE2	GLN	188	27.488	11.400	48.318	1.00	22.79	B	ATOM	4574	NE	ARG	194	40.376	29.600	39.448	1.00	20.90	B
ATOM	4528	C	GLN	188	30.671	14.788	46.998	1.00	16.75	B	ATOM	4576	CZ	ARG	194	40.210	29.694	38.127	1.00	21.73	B
ATOM	4529	O	GLN	188	31.697	15.417	47.268	1.00	17.16	B	ATOM	4577	NH1	ARG	194	39.590	28.731	37.457	0.00	21.43	B
ATOM	4530	N	PRO	189	29.608	15.388	46.495	1.00	18.51	B	ATOM	4580	NH2	ARG	194	40.671	30.755	37.478	0.00	21.43	B
ATOM	4531	CD	PRO	189	28.361	14.729	46.067	1.00	20.40	B	ATOM	4583	C	ARG	194	42.181	26.311	43.277	1.00	14.29	B
ATOM	4532	CA	PRO	189	29.591	16.802	46.136	1.00	18.65	B	ATOM	4584	O	ARG	194	42.677	26.792	44.310	1.00	13.19	B
ATOM	4533	CB	PRO	189	28.306	16.911	45.315	1.00	20.40	B	ATOM	4585	N	ASP	195	42.907	25.661	42.361	1.00	13.15	B
ATOM	4534	CG	PRO	189	27.407	15.901	46.005	1.00	20.36	B	ATOM	4587	CA	ASP	195	44.356	25.668	42.422	1.00	14.49	B
ATOM	4535	C	PRO	189	29.582	17.762	47.307	1.00	18.22	B	ATOM	4588	CB	ASP	195	44.940	24.594	41.495	1.00	14.42	B
ATOM	4536	O	PRO	189	29.182	17.420	48.415	1.00	18.78	B	ATOM	4589	CG	ASP	195	46.460	24.486	41.578	1.00	13.89	B
ATOM	4537	N	GLY	190	30.093	18.961	47.073	1.00	18.11	B	ATOM	4590	OD1	ASP	195	47.159	25.522	41.654	1.00	11.97	B
ATOM	4539	CA	GLY	190	30.084	19.935	48.129	1.00	17.67	B	ATOM	4591	OD2	ASP	195	46.960	23.339	41.544	1.00	14.85	B
ATOM	4540	C	GLY	190	31.322	20.789	48.264	1.00	17.98	B	ATOM	4592	C	ASP	195	44.760	27.068	41.951	1.00	15.52	B
ATOM	4541	O	GLY	190	31.184	21.930	48.653	1.00	18.59	B	ATOM	4593	O	ASP	195	44.668	27.397	40.783	1.00	15.60	B
ATOM	4542	N	THR	191	32.509	20.242	47.991	1.00	17.34	B	ATOM	4593	O	GLN	196	45.202	27.881	42.897	1.00	17.74	B
ATOM	4544	CA	THR	191	33.747	20.988	48.113	1.00	15.06	B	ATOM	4596	CA	GLN	196	45.628	29.264	42.676	1.00	19.43	B
ATOM	4545	CB	THR	191	34.849	20.208	48.853	1.00	15.31	B	ATOM	4597	CB	GLN	196	46.083	29.889	44.037	1.00	20.43	B
ATOM	4546	CG1	THR	191	34.384	19.856	50.146	1.00	17.74	B	ATOM	4598	CG	GLN	196	47.122	29.056	44.864	1.00	23.02	B
ATOM	4548	CG2	THR	191	36.068	21.067	49.050	1.00	14.75	B	ATOM	4599	CD	GLN	196	46.523	28.154	46.026	1.00	23.75	B
ATOM	4549	C	THR	191	34.307	21.330	46.769	1.00	13.96	B	ATOM	4600	OE1	GLN	196	45.677	27.245	45.828	1.00	22.60	B
ATOM	4550	O	THR	191	34.362	20.485	45.874	1.00	13.73	B	ATOM	4601	NE2	GLN	196	47.030	28.382	47.227	1.00	24.94	B
ATOM	4551	N	THR	192	34.787	22.563	46.670	1.00	12.54	B	ATOM	4604	C	GLN	196	46.726	29.460	41.617	1.00	19.52	B
ATOM	4553	CA	THR	192	35.381	23.057	45.463	1.00	12.98	B	ATOM	4605	O	GLN	196	46.777	30.489	40.935	1.00	18.88	B
ATOM	4554	CB	THR	192	34.419	23.960	44.717	1.00	13.45	B	ATOM	4606	N	ASN	197	47.635	28.491	41.546	1.00	19.63	B
ATOM	4555	CG1	THR	192	33.213	23.233	44.485	1.00	14.97	B	ATOM	4608	CA	ASN	197	48.773	28.532	40.645	1.00	19.84	B
ATOM	4557	CG2	THR	192	34.977	24.360	43.369	1.00	14.20	B	ATOM	4609	CB	ASN	197	49.810	27.496	41.056	1.00	21.78	B
ATOM	4558	C	THR	192	36.595	23.832	45.908	1.00	13.32	B	ATOM	4610	CG	ASN	197	50.591	27.897	42.299	1.00	24.43	B
ATOM	4559	O	THR	192	36.486	24.729	46.723	1.00	11.90	B	ATOM	4611	OD1	ASN	197	50.538	29.063	42.755	1.00	23.74	B
ATOM	4560	N	VAL	193	37.748	23.485	45.363	1.00	12.57	B	ATOM	4612	ND2	ASN	197	51.319	26.916	42.874	1.00	25.47	B
ATOM	4562	CA	VAL	193	38.977	24.141	45.727	1.00	13.39	B	ATOM	4615	C	ASN	197	48.479	28.325	39.186	1.00	19.64	B
ATOM	4563	CB	VAL	193	39.912	23.121	46.394	1.00	13.44	B	ATOM	4616	O	ASN	197	49.191	28.851	38.358	1.00	20.33	B
ATOM	4564	CG1	VAL	193	41.187	23.778	46.846	1.00	15.56	B	ATOM	4617	N	ASN	198	47.458	27.542	38.955	1.00	19.07	B
ATOM	4565	CG2	VAL	193	39.209	22.465	47.541	1.00	12.95	B	ATOM	4619	CA	ASN	198	47.166	27.285	37.459	1.00	18.84	B
ATOM	4566	C	VAL	193	39.615	24.617	44.424	1.00	13.25	B	ATOM	4620	CB	ASN	198	47.712	25.902	37.054	1.00	18.49	B
ATOM	4567	O	VAL	193	39.673	23.864	43.477	1.00	13.67	B	ATOM	4621	CG	ASN	198	47.141	24.797	37.883	1.00	19.26	B
ATOM	4568	N	ARG	194	40.015	25.871	44.329	1.00	13.09	B	ATOM	4622	OD1	ASN	198	46.093	24.974	38.512	1.00	19.69	B
ATOM	4570	CA	ARG	194	40.649	26.310	43.092	1.00	13.81	B	ATOM	4623	ND2	ASN	198	47.822	23.654	37.921	1.00	18.84	B
ATOM	4571	CB	ARG	194	40.165	27.698	42.705	1.00	13.72	B	ATOM	4626	C	ASN	198	45.699	27.410	37.135	1.00	18.34	B

SUBSTITUTE SHEET (Rule 26)

ATOM	4627	O	ASN	198	45.303	27.196	35.993	1.00	18.92	B	ATOM	4676	CA	SER	204	37.712	15.254	45.197	1.00	9.95	B
ATOM	4628	N	GLY	199	44.888	27.678	38.152	1.00	17.46	B	ATOM	4677	CB	SER	204	37.446	13.966	44.438	1.00	10.14	B
ATOM	4630	CA	GLY	199	43.472	27.886	37.926	1.00	16.53	B	ATOM	4678	OG	SER	204	38.262	13.301	43.288	1.00	9.62	B
ATOM	4631	C	GLY	199	42.614	26.648	37.879	1.00	17.10	B	ATOM	4680	C	SER	204	39.159	15.258	45.610	1.00	9.82	B
ATOM	4632	O	GLY	199	41.375	26.741	37.754	1.00	16.24	B	ATOM	4681	O	SER	204	40.014	15.724	44.851	1.00	8.39	B
ATOM	4633	N	LEU	200	43.253	25.484	37.989	1.00	16.13	B	ATOM	4682	N	LEU	205	39.420	14.753	46.819	1.00	9.38	B
ATOM	4635	CA	LEU	200	42.508	24.239	37.964	1.00	15.42	B	ATOM	4684	CA	LEU	205	40.773	14.681	47.365	1.00	9.01	B
ATOM	4636	CB	LEU	200	43.463	23.026	37.887	1.00	14.45	B	ATOM	4685	CB	LEU	205	40.738	14.208	48.823	1.00	8.45	B
ATOM	4637	CG	LEU	200	44.343	22.821	36.644	1.00	15.39	B	ATOM	4686	CG	LEU	205	42.017	14.131	49.657	1.00	8.13	B
ATOM	4638	CD1	LEU	200	45.091	21.488	36.691	1.00	13.97	B	ATOM	4687	CD1	LEU	205	42.705	15.463	49.725	1.00	5.85	B
ATOM	4639	CD2	LEU	200	43.497	22.850	35.425	1.00	15.85	B	ATOM	4688	CD2	LEU	205	41.661	13.682	51.069	1.00	8.73	B
ATOM	4640	C	LEU	200	41.587	24.164	39.200	1.00	14.00	B	ATOM	4689	C	LEU	205	41.624	13.751	46.519	1.00	8.53	B
ATOM	4641	O	LEU	200	41.925	24.699	40.242	1.00	14.05	B	ATOM	4690	O	LEU	205	42.831	13.967	46.375	1.00	9.72	B
ATOM	4642	N	THR	201	40.427	23.510	39.060	1.00	13.70	B	ATOM	4691	N	PHE	206	41.008	12.688	46.013	1.00	7.62	B
ATOM	4644	CA	THR	201	39.436	23.334	40.144	1.00	11.94	B	ATOM	4693	CA	PHE	206	41.682	11.715	45.148	1.00	8.07	B
ATOM	4645	CB	THR	201	37.961	23.760	39.708	1.00	11.43	B	ATOM	4694	CB	PHE	206	40.640	10.692	44.630	1.00	7.26	B
ATOM	4646	OG1	THR	201	37.838	25.187	39.541	1.00	9.46	B	ATOM	4695	CG	PHE	206	41.221	9.618	43.730	1.00	8.19	B
ATOM	4648	CG2	THR	201	36.949	23.331	40.770	1.00	11.96	B	ATOM	4696	CD1	PHE	206	41.891	8.513	44.282	1.00	8.15	B
ATOM	4649	C	THR	201	39.337	21.875	40.606	1.00	11.77	B	ATOM	4697	CD2	PHE	206	41.151	9.738	42.331	1.00	7.18	B
ATOM	4650	O	THR	201	39.069	20.974	39.805	1.00	10.96	B	ATOM	4698	CE1	PHE	206	42.491	7.551	43.456	1.00	6.84	B
ATOM	4651	N	TYR	202	39.451	21.639	41.907	1.00	10.82	B	ATOM	4699	CE2	PHE	206	41.736	8.787	41.494	1.00	5.04	B
ATOM	4653	CA	TYR	202	39.317	20.290	42.398	1.00	10.32	B	ATOM	4700	CZ	PHE	206	42.407	7.693	42.060	1.00	8.01	B
ATOM	4654	CB	TYR	202	40.541	19.902	43.198	1.00	10.02	B	ATOM	4701	C	PHE	206	42.398	12.425	43.945	1.00	8.67	B
ATOM	4655	CG	TYR	202	41.752	19.847	42.331	1.00	8.78	B	ATOM	4702	O	PHE	206	43.603	12.218	43.678	1.00	9.20	B
ATOM	4656	CD1	TYR	202	42.389	21.021	41.900	1.00	7.93	B	ATOM	4703	N	ASP	207	41.634	13.235	43.212	1.00	8.45	B
ATOM	4657	CE1	TYR	202	43.478	20.955	41.022	1.00	9.72	B	ATOM	4705	CA	ASP	207	42.147	13.976	42.064	1.00	7.63	B
ATOM	4658	CD2	TYR	202	42.227	18.615	41.884	1.00	9.36	B	ATOM	4706	CB	ASP	207	41.028	14.787	41.464	1.00	8.35	B
ATOM	4659	CE2	TYR	202	43.309	18.529	41.021	1.00	10.18	B	ATOM	4707	CG	ASP	207	40.067	13.957	40.681	1.00	8.65	B
ATOM	4660	CZ	TYR	202	43.922	19.690	40.588	1.00	9.91	B	ATOM	4708	OD1	ASP	207	40.378	12.811	40.319	1.00	10.52	B
ATOM	4661	OH	TYR	202	44.930	19.549	39.677	1.00	11.05	B	ATOM	4709	OD2	ASP	207	39.009	14.481	40.385	1.00	10.58	B
ATOM	4663	C	TYR	202	38.030	20.068	43.185	1.00	11.54	B	ATOM	4710	C	ASP	207	43.254	14.918	42.460	1.00	8.22	B
ATOM	4664	O	TYR	202	37.472	21.005	43.773	1.00	10.66	B	ATOM	4711	O	ASP	207	44.231	15.099	41.716	1.00	7.47	B
ATOM	4665	N	THR	203	37.479	18.859	43.057	1.00	12.21	B	ATOM	4712	N	ALA	208	43.054	15.593	43.590	1.00	8.03	B
ATOM	4667	CA	THR	203	36.247	18.514	43.758	1.00	13.32	B	ATOM	4714	CA	ALA	208	44.039	16.526	44.092	1.00	8.50	B
ATOM	4668	CB	THR	203	35.045	18.383	42.791	1.00	13.25	B	ATOM	4715	CB	ALA	208	43.485	17.299	45.277	1.00	9.96	B
ATOM	4669	OG1	THR	203	35.366	17.420	41.797	1.00	17.64	B	ATOM	4716	C	ALA	208	45.351	15.825	44.449	1.00	8.22	B
ATOM	4671	CG2	THR	203	34.740	19.719	42.095	1.00	13.83	B	ATOM	4717	O	ALA	208	46.441	16.375	44.201	1.00	10.15	B
ATOM	4672	C	THR	203	36.402	17.258	44.628	1.00	12.23	B	ATOM	4718	N	MET	209	45.264	14.621	45.002	1.00	7.92	B
ATOM	4673	O	THR	203	35.610	17.053	45.540	1.00	14.26	B	ATOM	4720	CA	MET	209	46.466	13.835	45.358	1.00	7.60	B
ATOM	4674	N	SER	204	37.444	16.456	44.390	1.00	11.49	B	ATOM	4721	CB	MET	209	46.146	12.703	46.351	1.00	8.44	B

SUBSTITUTE SHEET (Rule 26)

ATOM	4722	CG	MET	209	45.584	13.164	47.712	1.00	8.70	B	ATOM	4767	CZ	TFR	214	48.514	11.822	35.800	1.00	8.41	B
ATOM	4723	SD	MET	209	45.161	11.734	48.734	1.00	9.43	B	ATOM	4768	OH	TFR	214	47.877	10.730	35.220	1.00	12.65	B
ATOM	4724	CE	MET	209	46.805	11.216	49.234	1.00	5.71	B	ATOM	4770	C	TFR	214	52.878	16.014	38.159	1.00	7.77	B
ATOM	4725	C	MET	209	47.206	13.255	44.159	1.00	7.61	B	ATOM	4771	O	TFR	214	53.863	16.099	37.459	1.00	9.34	B
ATOM	4726	O	MET	209	48.433	13.168	44.201	1.00	8.17	B	ATOM	4772	N	ALA	215	52.534	16.963	39.018	1.00	8.84	B
ATOM	4727	N	VAL	210	46.475	12.864	43.101	1.00	7.19	B	ATOM	4774	CA	ALA	215	53.347	18.171	39.277	1.00	8.74	B
ATOM	4729	CA	VAL	210	47.068	12.320	41.859	1.00	5.46	B	ATOM	4775	CB	ALA	215	52.738	18.901	40.424	1.00	8.45	B
ATOM	4730	CB	VAL	210	46.013	11.699	40.864	1.00	5.59	B	ATOM	4776	C	ALA	215	54.819	17.810	39.614	1.00	8.76	B
ATOM	4731	CG1	VAL	210	46.680	11.368	39.478	1.00	4.16	B	ATOM	4777	O	ALA	215	55.754	18.345	39.016	1.00	10.06	B
ATOM	4732	CG2	VAL	210	45.406	10.400	41.438	1.00	3.00	B	ATOM	4778	N	ALA	216	55.002	16.892	40.569	1.00	9.39	B
ATOM	4733	C	VAL	210	47.744	13.446	41.102	1.00	6.50	B	ATOM	4780	CA	ALA	216	56.307	16.353	40.997	1.00	9.03	B
ATOM	4734	O	VAL	210	48.822	13.273	40.549	1.00	7.06	B	ATOM	4781	CB	ALA	216	56.107	15.277	42.113	1.00	8.67	B
ATOM	4735	N	ASP	211	47.141	14.621	41.106	1.00	7.61	B	ATOM	4782	C	ALA	216	57.069	15.728	39.835	1.00	9.28	B
ATOM	4737	CA	ASP	211	47.707	15.767	40.378	1.00	7.76	B	ATOM	4783	O	ALA	216	58.296	15.888	39.717	1.00	11.16	B
ATOM	4738	CB	ASP	211	46.624	16.809	40.086	1.00	9.69	B	ATOM	4784	N	LEU	217	56.374	14.944	39.028	1.00	8.02	B
ATOM	4739	CG	ASP	211	45.771	16.423	38.883	1.00	11.11	B	ATOM	4786	CA	LEU	217	56.997	14.314	37.883	1.00	9.44	B
ATOM	4740	OD1	ASP	211	46.007	15.333	38.308	1.00	12.49	B	ATOM	4787	CB	LEU	217	56.004	13.384	37.199	1.00	8.25	B
ATOM	4741	OD2	ASP	211	44.873	17.207	38.513	1.00	12.00	B	ATOM	4788	CG	LEU	217	55.709	12.025	37.833	1.00	6.80	B
ATOM	4742	C	ASP	211	48.968	16.361	41.004	1.00	6.83	B	ATOM	4789	CD1	LEU	217	54.566	11.391	37.125	1.00	2.89	B
ATOM	4743	O	ASP	211	49.779	17.035	40.337	1.00	4.63	B	ATOM	4790	CD2	LEU	217	56.963	11.112	37.772	1.00	7.55	B
ATOM	4744	N	ALA	212	49.148	16.037	42.275	1.00	5.96	B	ATOM	4791	C	LEU	217	57.536	15.329	36.862	1.00	11.57	B
ATOM	4746	CA	ALA	212	50.350	16.437	42.990	1.00	5.99	B	ATOM	4792	O	LEU	217	58.551	15.103	36.196	1.00	11.97	B
ATOM	4747	CB	ALA	212	50.125	16.310	44.515	1.00	3.78	B	ATOM	4793	N	GLU	218	56.833	16.437	36.687	1.00	14.01	B
ATOM	4748	C	ALA	212	51.527	15.525	42.512	1.00	4.96	B	ATOM	4795	CA	GLU	218	57.276	17.430	35.743	1.00	16.45	B
ATOM	4749	O	ALA	212	52.701	15.944	42.530	1.00	6.96	B	ATOM	4796	CB	GLU	218	56.178	18.469	35.504	1.00	20.52	B
ATOM	4750	N	VAL	213	51.222	14.299	42.094	1.00	3.02	B	ATOM	4797	CG	GLU	218	54.909	17.833	34.995	1.00	26.82	B
ATOM	4752	CA	VAL	213	52.254	13.381	41.634	1.00	3.84	B	ATOM	4798	CD	GLU	218	53.732	18.791	34.950	1.00	30.05	B
ATOM	4753	CB	VAL	213	51.745	11.912	41.609	1.00	4.36	B	ATOM	4799	OE1	GLU	218	53.530	19.554	35.940	1.00	31.61	B
ATOM	4754	CG1	VAL	213	52.894	10.965	41.461	1.00	2.00	B	ATOM	4800	OE2	GLU	218	53.001	18.744	33.918	1.00	32.98	B
ATOM	4755	CG2	VAL	213	50.939	11.593	42.845	1.00	3.39	B	ATOM	4801	C	GLU	218	58.500	18.099	36.308	1.00	16.71	B
ATOM	4756	C	VAL	213	52.661	13.807	40.207	1.00	5.20	B	ATOM	4802	O	GLU	218	59.498	18.290	35.602	1.00	17.84	B
ATOM	4757	O	VAL	213	53.813	13.678	39.831	1.00	4.23	B	ATOM	4803	N	LYS	219	58.440	18.450	37.589	1.00	15.86	B
ATOM	4758	N	TFR	214	51.696	14.287	39.411	1.00	6.11	B	ATOM	4805	CA	LYS	219	59.570	19.118	38.212	1.00	14.83	B
ATOM	4760	CA	TFR	214	51.958	14.793	38.060	1.00	7.72	B	ATOM	4806	CB	LYS	219	59.239	19.496	39.667	1.00	12.70	B
ATOM	4761	CB	TFR	214	50.652	15.178	37.370	1.00	6.93	B	ATOM	4807	CG	LYS	219	58.084	20.503	39.850	1.00	12.18	B
ATOM	4762	CG	TFR	214	49.888	13.997	36.950	1.00	6.43	B	ATOM	4808	CD	LYS	219	57.992	20.952	41.344	1.00	10.54	B
ATOM	4763	CD1	TFR	214	48.489	13.970	36.869	1.00	8.44	B	ATOM	4809	CE	LYS	219	56.911	21.949	41.623	1.00	9.51	B
ATOM	4764	CE1	TFR	214	47.796	12.892	36.350	1.00	7.92	B	ATOM	4810	NZ	LYS	219	55.530	21.445	41.372	1.00	8.74	B
ATOM	4765	CD2	TFR	214	50.557	12.918	36.298	1.00	7.44	B	ATOM	4814	C	LYS	219	60.866	18.288	38.138	1.00	15.12	B
ATOM	4766	CE2	TFR	214	49.875	11.833	35.774	1.00	6.66	B	ATOM	4815	O	LYS	219	61.958	18.850	38.140	1.00	15.73	B

SUBSTITUTE SHEET (Rule 26)

ATOM	4816	N	ALA	220	60.761	16.963	38.096	1.00	15.75	B	ATOM	4865	C	LYS	226	51.856	7.690	34.634	1.00	10.22	B
ATOM	4818	CA	ALA	220	61.956	16.091	38.016	1.00	16.18	B	ATOM	4866	O	LYS	226	52.853	7.104	35.100	1.00	7.93	B
ATOM	4819	CB	ALA	220	61.648	14.720	38.627	1.00	15.91	B	ATOM	4867	N	VAL	227	50.712	7.835	35.313	1.00	9.24	B
ATOM	4820	C	ALA	220	62.420	15.918	36.573	1.00	15.96	B	ATOM	4869	CA	VAL	227	50.577	7.336	36.675	1.00	7.75	B
ATOM	4821	O	ALA	220	63.356	15.167	36.295	1.00	17.16	B	ATOM	4870	CB	VAL	227	50.130	8.464	37.724	1.00	7.33	B
ATOM	4822	N	GLY	221	61.702	16.571	35.659	1.00	18.58	B	ATOM	4871	CG1	VAL	227	49.677	7.832	39.061	1.00	6.05	B
ATOM	4824	CA	GLY	221	61.989	16.509	34.240	1.00	18.96	B	ATOM	4872	CG2	VAL	227	51.251	9.459	37.961	1.00	6.57	B
ATOM	4825	C	GLY	221	61.436	15.275	33.542	1.00	20.12	B	ATOM	4873	C	VAL	227	49.564	6.203	36.693	1.00	7.12	B
ATOM	4826	O	GLY	221	62.016	14.800	32.559	1.00	21.40	B	ATOM	4874	O	VAL	227	48.581	6.230	35.944	1.00	6.73	B
ATOM	4827	N	ALA	222	60.332	14.733	34.037	1.00	20.33	B	ATOM	4875	N	VAL	228	49.866	5.180	37.488	1.00	6.24	B
ATOM	4829	CA	ALA	222	59.722	13.559	33.424	1.00	19.89	B	ATOM	4877	CA	VAL	228	48.951	4.058	37.700	1.00	5.83	B
ATOM	4830	CB	ALA	222	60.033	12.323	34.253	1.00	19.00	B	ATOM	4878	CB	VAL	228	49.587	2.690	37.248	1.00	6.49	B
ATOM	4831	C	ALA	222	58.207	13.796	33.326	1.00	20.74	B	ATOM	4879	CB	VAL	228	48.650	1.513	37.519	1.00	6.17	B
ATOM	4832	O	ALA	222	57.403	13.114	34.005	1.00	22.12	B	ATOM	4880	CG2	VAL	228	49.934	2.761	35.771	1.00	6.59	B
ATOM	4833	N	PRO	223	57.799	14.806	32.527	1.00	20.03	B	ATOM	4881	C	VAL	228	48.792	4.119	39.221	1.00	4.53	B
ATOM	4834	CD	PRO	223	58.805	15.703	31.948	1.00	20.96	B	ATOM	4882	O	VAL	228	49.782	4.241	39.948	1.00	4.36	B
ATOM	4835	CA	PRO	223	56.731	16.546	31.370	1.00	19.32	B	ATOM	4883	N	VAL	229	47.555	4.224	39.698	1.00	4.91	B
ATOM	4836	CB	PRO	223	58.065	16.976	31.846	1.00	21.79	B	ATOM	4885	CA	VAL	229	47.321	4.269	41.130	1.00	2.77	B
ATOM	4837	CG	PRO	223	55.482	14.424	31.453	1.00	18.64	B	ATOM	4886	CB	VAL	229	45.960	4.924	41.472	1.00	2.13	B
ATOM	4838	C	PRO	223	54.288	14.647	31.550	1.00	19.67	B	ATOM	4887	CG1	VAL	229	45.682	4.923	43.006	1.00	3.00	B
ATOM	4839	O	PRO	223	55.967	13.505	30.614	1.00	18.78	B	ATOM	4888	CG2	VAL	229	45.994	6.339	41.080	1.00	2.50	B
ATOM	4840	N	ALA	224	55.068	12.642	29.824	1.00	17.24	B	ATOM	4889	C	VAL	229	47.349	2.792	41.434	1.00	2.75	B
ATOM	4842	CA	ALA	224	55.601	12.452	28.409	1.00	15.93	B	ATOM	4890	O	VAL	229	46.464	2.076	41.020	1.00	3.43	B
ATOM	4843	CB	ALA	224	54.834	11.292	30.460	1.00	16.30	B	ATOM	4891	N	SER	230	48.388	2.310	42.099	1.00	3.06	B
ATOM	4844	C	ALA	224	54.177	10.432	29.838	1.00	17.88	B	ATOM	4893	CA	SER	230	48.475	0.874	42.357	1.00	5.03	B
ATOM	4845	O	ALA	224	55.379	11.107	31.669	1.00	14.22	B	ATOM	4894	CB	SER	230	49.913	0.371	42.232	1.00	5.13	B
ATOM	4846	N	VAL	225	55.268	9.862	32.452	1.00	12.18	B	ATOM	4895	OG	SER	230	50.831	1.208	42.909	1.00	6.55	B
ATOM	4848	CA	VAL	225	56.315	9.847	33.577	1.00	10.58	B	ATOM	4897	C	SER	230	47.847	0.365	43.635	1.00	6.03	B
ATOM	4849	CB	VAL	225	56.212	8.574	34.425	1.00	9.44	B	ATOM	4898	O	SER	230	47.942	-0.828	43.937	1.00	6.79	B
ATOM	4850	CG1	VAL	225	57.706	10.005	32.966	1.00	9.80	B	ATOM	4899	N	GLU	231	47.175	1.263	44.350	1.00	7.07	B
ATOM	4851	CG2	VAL	225	53.854	9.683	33.027	1.00	10.80	B	ATOM	4901	CA	GLU	231	46.487	0.965	45.614	1.00	8.01	B
ATOM	4852	C	VAL	225	53.330	10.580	33.652	1.00	10.90	B	ATOM	4902	CB	GLU	231	47.472	0.719	46.783	1.00	8.57	B
ATOM	4853	O	VAL	225	53.225	8.558	32.720	1.00	10.31	B	ATOM	4903	CG	GLU	231	47.920	-0.718	47.047	1.00	9.57	B
ATOM	4854	N	LYS	226	51.867	8.243	33.198	1.00	11.11	B	ATOM	4904	CD	GLU	231	48.825	-0.867	48.298	1.00	10.93	B
ATOM	4856	CA	LYS	226	51.213	7.206	32.275	1.00	13.34	B	ATOM	4905	OE1	GLU	231	48.865	0.040	49.164	1.00	11.87	B
ATOM	4857	CB	LYS	226	51.325	7.594	30.774	1.00	16.17	B	ATOM	4906	OE2	GLU	231	49.521	-1.898	48.401	1.00	11.23	B
ATOM	4858	CG	LYS	226	50.234	6.935	29.814	1.00	17.43	B	ATOM	4907	C	GLU	231	45.702	2.182	46.035	1.00	7.20	B
ATOM	4859	CD	LYS	226	50.375	7.377	28.424	0.00	17.06	B	ATOM	4908	O	GLU	231	46.224	3.279	45.991	1.00	8.75	B
ATOM	4860	CE	LYS	226	51.688	6.992	27.831	0.00	17.30	B	ATOM	4909	N	SER	232	44.451	1.978	46.413	1.00	7.68	B
ATOM	4861	NZ	LYS	226						B	ATOM	4911	CA	SER	232	43.611	3.032	46.973	1.00	7.06	B

SUBSTITUTE SHEET (Rule 26)

- 110 -

ATOM	4912	CB	SER	232	43.114	4.047	45.936	1.00	7.23	B	ATOM	4959	N	GLY	238	37.380	-0.615	62.517	1.00	12.67	B
ATOM	4913	OG	SER	232	42.383	5.064	46.634	1.00	8.08	B	ATOM	4961	CA	GLY	238	38.608	-0.483	63.282	1.00	12.75	B
ATOM	4915	C	SER	232	42.451	2.290	47.589	1.00	6.30	B	ATOM	4962	C	GLY	238	39.237	0.859	63.523	1.00	14.64	B
ATOM	4916	O	SER	232	41.930	1.377	46.957	1.00	7.08	B	ATOM	4963	O	GLY	238	40.317	0.916	64.102	1.00	15.96	B
ATOM	4917	N	GLY	233	42.102	2.602	48.838	1.00	5.95	B	ATOM	4964	N	GLY	239	38.586	1.955	63.152	1.00	15.17	B
ATOM	4919	CA	GLY	233	40.975	1.941	49.494	1.00	6.16	B	ATOM	4966	CA	GLY	239	39.251	3.234	63.351	1.00	14.85	B
ATOM	4920	C	GLY	233	40.430	2.650	50.743	1.00	6.90	B	ATOM	4967	C	GLY	239	38.369	4.389	62.961	1.00	14.39	B
ATOM	4921	O	GLY	233	40.849	3.767	51.051	1.00	6.81	B	ATOM	4968	O	GLY	239	37.194	4.184	62.632	1.00	15.72	B
ATOM	4922	N	TRP	234	39.523	2.003	51.479	1.00	6.62	B	ATOM	4969	N	PHE	240	38.942	5.586	63.009	1.00	13.84	B
ATOM	4924	CA	TRP	234	38.910	2.597	52.669	1.00	5.79	B	ATOM	4971	CA	PHE	240	38.257	6.816	62.684	1.00	14.47	B
ATOM	4925	CB	TRP	234	37.694	3.459	52.319	1.00	5.12	B	ATOM	4972	CB	PHE	240	39.233	7.984	62.925	1.00	15.70	B
ATOM	4926	CG	TRP	234	37.339	4.454	53.361	1.00	4.61	B	ATOM	4973	CG	PHE	240	38.801	9.306	62.323	1.00	18.60	B
ATOM	4927	CD	TRP	234	37.478	5.876	53.268	1.00	6.41	B	ATOM	4974	CD	PHE	240	37.771	10.046	62.890	1.00	18.79	B
ATOM	4928	CE	TRP	234	36.901	6.432	54.446	1.00	5.53	B	ATOM	4975	CE	PHE	240	39.390	9.773	61.129	1.00	19.46	B
ATOM	4929	CE	TRP	234	38.013	6.743	52.292	1.00	8.10	B	ATOM	4976	CE	PHE	240	37.315	11.225	62.279	1.00	18.48	B
ATOM	4930	CD	TRP	234	36.727	4.213	54.562	1.00	5.24	B	ATOM	4977	CE	PHE	240	38.954	10.942	60.514	1.00	18.80	B
ATOM	4931	NE	TRP	234	36.453	5.390	55.211	1.00	4.78	B	ATOM	4978	CE	PHE	240	37.905	11.669	61.093	1.00	18.97	B
ATOM	4933	C	TRP	234	36.839	7.805	54.687	1.00	5.65	B	ATOM	4979	C	PHE	240	37.741	6.762	61.225	1.00	14.64	B
ATOM	4934	C	TRP	234	37.952	8.135	52.526	1.00	9.02	B	ATOM	4980	O	PHE	240	38.457	6.340	60.303	1.00	14.53	B
ATOM	4935	CH	TRP	234	37.362	8.643	53.725	1.00	9.59	B	ATOM	4981	N	ALA	241	36.452	7.076	61.078	1.00	14.23	B
ATOM	4936	C	TRP	234	38.479	1.477	53.577	1.00	5.91	B	ATOM	4983	CA	ALA	241	35.737	7.149	59.807	1.00	12.80	B
ATOM	4937	O	TRP	234	37.683	0.625	53.201	1.00	6.53	B	ATOM	4984	CB	ALA	241	36.386	8.232	58.925	1.00	13.25	B
ATOM	4938	N	PRO	235	38.967	1.498	54.812	1.00	5.34	B	ATOM	4985	C	ALA	241	35.652	5.820	59.065	1.00	12.76	B
ATOM	4939	CD	PRO	235	39.774	2.589	55.378	1.00	5.23	B	ATOM	4986	O	ALA	241	35.214	5.748	57.906	1.00	12.35	B
ATOM	4940	CA	PRO	235	38.652	0.476	55.807	1.00	7.43	B	ATOM	4987	N	ALA	242	36.024	4.754	59.749	1.00	12.87	B
ATOM	4941	CB	PRO	235	39.614	0.817	56.949	1.00	6.35	B	ATOM	4989	CA	ALA	242	36.023	3.448	59.122	1.00	13.12	B
ATOM	4942	CG	PRO	235	37.179	2.305	56.855	1.00	7.88	B	ATOM	4990	CB	ALA	242	37.156	2.579	59.727	1.00	12.92	B
ATOM	4943	C	PRO	235	36.496	1.467	56.287	1.00	8.14	B	ATOM	4991	C	ALA	242	34.688	2.786	59.310	1.00	12.47	B
ATOM	4944	O	PRO	235	36.656	-0.777	56.453	1.00	9.63	B	ATOM	4992	O	ALA	242	34.355	2.425	60.426	1.00	12.75	B
ATOM	4945	N	SER	236	35.261	-0.909	56.881	1.00	8.74	B	ATOM	4993	N	SER	243	33.911	2.641	58.249	1.00	11.59	B
ATOM	4947	CA	SER	236	34.597	-2.063	56.185	1.00	8.56	B	ATOM	4995	CA	SER	243	32.626	1.971	58.376	1.00	12.25	B
ATOM	4948	CB	SER	236	35.240	-3.253	56.560	1.00	14.10	B	ATOM	4996	CB	SER	243	31.514	2.942	58.725	1.00	11.25	B
ATOM	4949	OG	SER	236	35.055	-1.026	58.395	1.00	7.85	B	ATOM	4997	OG	SER	243	31.595	4.119	57.953	1.00	12.72	B
ATOM	4951	C	SER	236	33.922	-1.059	58.984	1.00	5.87	B	ATOM	4999	C	SER	243	32.316	1.330	57.075	1.00	14.05	B
ATOM	4952	O	SER	236	36.150	-1.002	59.136	1.00	9.07	B	ATOM	5000	O	SER	243	32.942	1.664	56.071	1.00	15.08	B
ATOM	4953	N	ALA	237	36.059	-1.081	60.574	1.00	10.13	B	ATOM	5001	N	ALA	244	31.328	0.439	57.069	1.00	14.87	B
ATOM	4955	CA	ALA	237	35.578	-2.425	60.962	1.00	11.11	B	ATOM	5003	CA	ALA	244	30.917	-0.252	55.843	1.00	15.88	B
ATOM	4956	CB	ALA	237	37.393	-0.855	61.202	1.00	11.14	B	ATOM	5004	CB	ALA	244	29.830	-1.295	56.153	1.00	14.58	B
ATOM	4957	C	ALA	237	38.397	-0.839	60.513	1.00	10.71	B	ATOM	5005	C	ALA	244	30.390	0.741	54.818	1.00	15.41	B
ATOM	4958	O	ALA	237						B	ATOM	5006	O	ALA	244	30.634	0.619	53.626	1.00	15.61	B

SUBSTITUTE SHEET (Rule 26)

- 111 -

ATOM	5007	N	GLY	245	29.603	1.683	55.314	1.00	16.35	B	ATOM	5061	CD1	TYR	250	39.626	7.312	48.394	1.00	8.01	B
ATOM	5009	CA	GLY	245	29.000	2.717	54.489	1.00	16.20	B	ATOM	5062	CD2	TYR	250	37.822	4.641	48.520	1.00	8.25	B
ATOM	5010	C	GLY	245	30.024	3.654	53.900	1.00	15.83	B	ATOM	5063	CD2	TYR	250	38.986	4.997	47.808	1.00	8.97	B
ATOM	5011	O	GLY	245	29.931	4.013	52.743	1.00	16.39	B	ATOM	5064	CZ	TYR	250	39.370	6.341	47.751	1.00	8.46	B
ATOM	5012	N	ASN	246	30.988	4.071	54.698	1.00	15.38	B	ATOM	5065	OH	TYR	250	40.500	6.723	47.060	1.00	7.32	B
ATOM	5014	CA	ASN	246	32.015	4.919	54.167	1.00	15.28	B	ATOM	5067	C	TYR	250	34.937	4.536	47.453	1.00	9.83	B
ATOM	5015	CB	ASN	246	32.885	5.462	55.290	1.00	16.34	B	ATOM	5068	O	TYR	250	35.272	4.981	46.337	1.00	8.61	B
ATOM	5016	CG	ASN	246	32.221	6.609	56.040	1.00	17.82	B	ATOM	5069	N	ASN	251	34.807	3.237	47.691	1.00	9.54	B
ATOM	5017	OD1	ASN	246	31.274	7.237	55.555	1.00	18.79	B	ATOM	5071	CA	ASN	251	35.128	2.269	46.666	1.00	9.49	B
ATOM	5018	ND2	ASN	246	32.726	6.895	57.227	1.00	18.61	B	ATOM	5073	CB	ASN	251	35.288	0.880	47.269	1.00	7.76	B
ATOM	5021	C	ASN	246	32.829	4.118	53.152	1.00	14.64	B	ATOM	5075	CG	ASN	251	36.546	0.759	48.030	1.00	5.97	B
ATOM	5022	O	ASN	246	33.076	4.603	52.067	1.00	16.18	B	ATOM	5074	OD1	ASN	251	37.511	1.459	47.737	1.00	5.58	B
ATOM	5023	N	ALA	247	33.237	2.896	53.494	1.00	14.37	B	ATOM	5075	ND2	ASN	251	36.571	-0.124	49.006	1.00	3.61	B
ATOM	5025	CA	ALA	247	33.991	2.026	52.584	1.00	13.67	B	ATOM	5078	C	ASN	251	34.215	2.287	45.474	1.00	9.97	B
ATOM	5026	CB	ALA	247	34.285	0.667	53.243	1.00	12.52	B	ATOM	5079	O	ASN	251	34.693	2.233	44.337	1.00	10.19	B
ATOM	5027	C	ALA	247	33.227	1.807	51.267	1.00	14.39	B	ATOM	5080	N	GLN	252	32.906	2.377	45.712	1.00	10.50	B
ATOM	5028	O	ALA	247	33.840	1.748	50.200	1.00	14.97	B	ATOM	5082	CA	GLN	252	31.978	2.451	44.592	1.00	10.28	B
ATOM	5029	N	ARG	248	31.903	1.634	51.328	1.00	14.31	B	ATOM	5083	CB	GLN	252	30.520	2.354	45.041	1.00	9.39	B
ATOM	5031	CA	ARG	248	31.118	1.439	50.089	1.00	13.66	B	ATOM	5084	CG	GLN	252	29.568	2.289	43.882	1.00	9.01	B
ATOM	5032	CB	ARG	248	29.674	1.039	50.427	1.00	14.76	B	ATOM	5085	CD	GLN	252	29.829	1.091	43.010	1.00	10.66	B
ATOM	5033	CG	ARG	248	28.836	0.803	49.183	1.00	17.34	B	ATOM	5086	OD1	GLN	252	29.710	-0.026	43.475	1.00	13.67	B
ATOM	5034	CD	ARG	248	27.345	0.669	49.514	1.00	21.01	B	ATOM	5087	NE2	GLN	252	30.224	1.305	41.760	1.00	10.57	B
ATOM	5035	NE	ARG	248	26.428	1.261	48.504	1.00	22.71	B	ATOM	5090	C	GLN	252	32.255	3.786	43.883	1.00	10.56	B
ATOM	5037	CZ	ARG	248	26.421	0.983	47.203	0.00	22.56	B	ATOM	5091	O	GLN	252	32.266	3.843	42.655	1.00	12.18	B
ATOM	5038	NH1	ARG	248	27.275	0.116	46.682	0.00	22.78	B	ATOM	5092	N	GLY	253	32.577	4.823	44.657	1.00	9.53	B
ATOM	5041	NH2	ARG	248	25.535	1.578	46.416	0.00	22.78	B	ATOM	5094	CA	GLY	253	32.869	6.130	44.085	1.00	8.83	B
ATOM	5044	C	ARG	248	31.141	2.739	49.221	1.00	13.48	B	ATOM	5095	C	GLY	253	34.096	6.134	43.214	1.00	8.29	B
ATOM	5045	O	ARG	248	31.419	2.721	48.008	1.00	11.93	B	ATOM	5096	O	GLY	253	34.117	6.686	42.146	1.00	7.33	B
ATOM	5046	N	THR	249	30.903	3.865	49.876	1.00	11.84	B	ATOM	5097	N	LEU	254	35.123	5.449	43.683	1.00	9.78	B
ATOM	5048	CA	THR	249	30.902	5.161	49.223	1.00	12.39	B	ATOM	5099	CA	LEU	254	36.385	5.344	42.975	1.00	8.35	B
ATOM	5049	CB	THR	249	30.684	6.278	50.251	1.00	12.14	B	ATOM	5100	CB	LEU	254	37.355	4.503	43.837	1.00	7.60	B
ATOM	5050	OG1	THR	249	29.520	5.972	51.022	1.00	14.42	B	ATOM	5101	CG	LEU	254	38.773	4.311	43.324	1.00	6.06	B
ATOM	5052	CG2	THR	249	30.452	7.591	49.553	1.00	12.42	B	ATOM	5102	CD1	LEU	254	39.458	5.706	43.153	1.00	6.35	B
ATOM	5053	C	THR	249	32.223	5.429	48.520	1.00	11.77	B	ATOM	5103	CD2	LEU	254	39.529	3.429	44.257	1.00	5.68	B
ATOM	5054	O	THR	249	32.255	5.805	47.353	1.00	12.19	B	ATOM	5104	C	LEU	254	36.122	4.682	41.611	1.00	7.36	B
ATOM	5055	N	TYR	250	33.318	5.246	49.240	1.00	10.87	B	ATOM	5105	O	LEU	254	36.505	5.211	40.574	1.00	6.40	B
ATOM	5057	CA	TYR	250	34.627	5.469	48.654	1.00	10.08	B	ATOM	5106	N	ILE	255	35.423	3.557	41.636	1.00	7.29	B
ATOM	5058	CB	TYR	250	35.713	5.309	49.720	1.00	8.95	B	ATOM	5108	CA	ILE	255	35.096	2.807	40.439	1.00	8.56	B
ATOM	5059	CG	TYR	250	37.061	5.625	49.162	1.00	9.20	B	ATOM	5109	CB	ILE	255	34.216	1.596	40.790	1.00	8.59	B
ATOM	5060	CD1	TYR	250	37.498	6.960	49.097	1.00	7.95	B	ATOM	5110	CG2	ILE	255	33.703	0.905	39.521	1.00	7.51	B

SUBSTITUTE SHEET (Rule 26)

- 112 -

ATOM	5111	CG1	ILE	255	34.976	0.623	41.679	1.00	10.31	B	ATOM	5161	O	GLY	261	39.802	12.171	36.622	1.00	10.76	B
ATOM	5112	CD1	ILE	255	34.124	-0.574	42.171	1.00	10.64	B	ATOM	5162	N	THR	262	41.581	13.157	35.651	1.00	9.19	B
ATOM	5113	C	ILE	255	34.337	3.657	39.384	1.00	9.82	B	ATOM	5164	CA	THR	262	41.673	14.236	36.631	1.00	8.58	B
ATOM	5114	O	ILE	255	34.676	3.621	38.197	1.00	9.76	B	ATOM	5165	CB	THR	262	42.879	14.030	37.584	1.00	9.94	B
ATOM	5115	N	ASN	256	33.337	4.432	39.828	1.00	9.01	B	ATOM	5166	OG1	THR	262	44.122	14.188	36.866	1.00	11.05	B
ATOM	5117	CA	ASN	256	32.542	5.229	38.922	1.00	8.66	B	ATOM	5168	CG2	THR	262	42.808	12.664	38.257	1.00	5.85	B
ATOM	5118	CB	ASN	256	31.256	5.683	39.597	1.00	11.03	B	ATOM	5169	C	THR	262	41.853	15.544	35.861	1.00	8.31	B
ATOM	5119	CG	ASN	256	30.348	4.533	40.036	1.00	11.81	B	ATOM	5170	O	THR	262	42.150	15.530	34.695	1.00	6.13	B
ATOM	5120	OD1	ASN	256	30.328	3.435	39.464	1.00	11.07	B	ATOM	5171	N	PRO	263	41.668	16.687	36.511	1.00	9.73	B
ATOM	5121	ND2	ASN	256	29.577	4.805	41.073	1.00	13.34	B	ATOM	5172	CD	PRO	263	41.259	16.837	37.911	1.00	9.71	B
ATOM	5124	C	ASN	256	33.251	6.481	38.450	1.00	8.69	B	ATOM	5173	CA	PRO	263	41.809	18.007	35.890	1.00	10.54	B
ATOM	5125	O	ASN	256	32.811	7.105	37.475	1.00	10.33	B	ATOM	5174	CB	PRO	263	41.768	18.947	37.095	1.00	9.77	B
ATOM	5126	N	HIS	257	34.295	6.872	39.178	1.00	7.14	B	ATOM	5175	CG	PRO	263	40.838	18.301	37.949	1.00	9.12	B
ATOM	5128	CA	HIS	257	35.122	8.070	38.932	1.00	5.97	B	ATOM	5176	C	PRO	263	43.120	18.189	35.137	1.00	12.10	B
ATOM	5129	CB	HIS	257	35.664	8.530	40.274	1.00	4.30	B	ATOM	5177	O	PRO	263	43.211	19.026	34.236	1.00	12.16	B
ATOM	5130	CG	HIS	257	36.459	9.795	40.211	1.00	6.68	B	ATOM	5178	N	LYS	264	44.157	17.445	35.516	1.00	12.87	B
ATOM	5131	CD2	HIS	257	37.802	10.006	40.211	1.00	5.99	B	ATOM	5180	CA	LYS	264	45.422	17.584	34.809	1.00	13.24	B
ATOM	5132	ND1	HIS	257	35.869	11.042	40.320	1.00	6.28	B	ATOM	5181	CB	LYS	264	46.621	17.360	35.719	1.00	13.72	B
ATOM	5134	CE1	HIS	257	36.817	11.958	40.419	1.00	7.19	B	ATOM	5182	CG	LYS	264	47.226	18.692	36.180	1.00	14.18	B
ATOM	5135	HE2	HIS	257	37.995	11.356	40.357	1.00	6.32	B	ATOM	5183	CD	LYS	264	48.704	18.649	36.106	1.00	15.04	B
ATOM	5137	C	HIS	257	36.318	8.003	38.003	1.00	5.03	B	ATOM	5184	CE	LYS	264	49.192	19.763	35.247	1.00	15.19	B
ATOM	5138	O	HIS	257	36.518	8.866	37.140	1.00	3.78	B	ATOM	5185	NZ	LYS	264	50.677	19.829	35.293	1.00	16.33	B
ATOM	5139	N	VAL	258	37.143	6.984	38.207	1.00	6.29	B	ATOM	5189	C	LYS	264	45.581	16.745	33.577	1.00	13.57	B
ATOM	5141	CA	VAL	258	38.399	6.830	37.468	1.00	6.43	B	ATOM	5190	O	LYS	264	46.301	17.124	32.651	1.00	13.77	B
ATOM	5142	CB	VAL	258	39.235	5.592	37.988	1.00	5.37	B	ATOM	5191	N	LYS	265	44.941	15.590	33.590	1.00	14.38	B
ATOM	5143	CG1	VAL	258	39.509	5.730	39.443	1.00	6.70	B	ATOM	5193	CA	LYS	265	45.020	14.647	32.503	1.00	14.85	B
ATOM	5144	CG2	VAL	258	38.527	4.298	37.765	1.00	5.09	B	ATOM	5194	CB	LYS	265	46.166	13.671	32.765	1.00	16.02	B
ATOM	5145	C	VAL	258	38.425	6.892	35.928	1.00	7.71	B	ATOM	5195	CG	LYS	265	46.639	12.939	31.518	1.00	19.06	B
ATOM	5146	O	VAL	258	39.474	7.227	35.347	1.00	9.53	B	ATOM	5196	CD	LYS	265	46.928	11.482	31.806	1.00	22.62	B
ATOM	5147	N	GLY	259	37.301	6.633	35.262	1.00	7.19	B	ATOM	5197	CE	LYS	265	48.338	11.088	31.399	1.00	25.02	B
ATOM	5149	CA	GLY	259	37.300	6.685	33.812	1.00	5.99	B	ATOM	5198	NZ	LYS	265	49.362	11.889	32.149	1.00	27.52	B
ATOM	5150	C	GLY	259	37.362	8.089	33.232	1.00	7.92	B	ATOM	5202	C	LYS	265	43.679	13.902	32.378	1.00	14.37	B
ATOM	5151	O	GLY	259	37.694	8.253	32.046	1.00	8.88	B	ATOM	5203	O	LYS	265	43.332	13.024	33.187	1.00	14.62	B
ATOM	5152	N	GLY	260	37.004	9.086	34.052	1.00	8.03	B	ATOM	5204	N	ARG	266	42.888	14.307	31.396	1.00	13.32	B
ATOM	5154	CA	GLY	260	37.031	10.481	33.647	1.00	7.32	B	ATOM	5206	CA	ARG	266	41.609	13.658	31.173	1.00	13.40	B
ATOM	5155	C	GLY	260	38.380	11.183	33.831	1.00	8.24	B	ATOM	5207	CB	ARG	266	40.602	14.656	30.632	1.00	12.11	B
ATOM	5156	O	GLY	260	38.551	12.324	33.403	1.00	8.06	B	ATOM	5208	CG	ARG	266	40.346	15.758	31.642	1.00	8.70	B
ATOM	5157	N	GLY	261	39.359	10.524	34.436	1.00	8.44	B	ATOM	5209	CD	ARG	266	39.320	15.302	32.631	1.00	6.64	B
ATOM	5159	CA	GLY	261	40.662	11.170	34.605	1.00	9.03	B	ATOM	5210	NE	ARG	266	38.996	16.393	33.518	1.00	6.11	B
ATOM	5160	C	GLY	261	40.654	12.213	35.716	1.00	9.51	B	ATOM	5212	CZ	ARG	266	38.635	16.228	34.779	1.00	8.90	B

SUBSTITUTE SHEET (Rule 26)

- 113 -

ATOM	5213	NH1 ARG	266	38.540	14.999	35.298	1.00	9.78	B	ATOM	5263	C	THR	271	43.186	0.516	39.802	1.00	8.03	B
ATOM	5216	NH2 ARG	266	38.451	17.291	35.555	1.00	7.77	B	ATOM	5264	O	THR	271	42.484	-0.325	39.237	1.00	7.64	B
ATOM	5219	C ARG	266	41.697	12.412	30.289	1.00	13.31	B	ATOM	5265	N	TYR	272	43.837	0.283	40.944	1.00	7.59	B
ATOM	5220	O ARG	266	41.416	12.434	29.100	1.00	13.01	B	ATOM	5267	CA	TYR	272	43.743	-0.949	41.688	1.00	6.37	B
ATOM	5221	N GLU	267	42.191	11.354	30.907	1.00	14.31	B	ATOM	5268	CB	TYR	272	45.103	-1.642	41.725	1.00	7.07	B
ATOM	5223	CA GLU	267	42.324	10.045	30.305	1.00	14.26	B	ATOM	5269	CG	TYR	272	45.596	-2.078	40.383	1.00	8.93	B
ATOM	5224	CB GLU	267	43.773	9.826	29.876	1.00	17.09	B	ATOM	5270	CD1	TYR	272	46.106	-1.167	39.460	1.00	9.75	B
ATOM	5225	CG GLU	267	44.274	10.829	28.864	1.00	20.87	B	ATOM	5271	CE1	TYR	272	46.525	-1.579	38.189	1.00	10.80	B
ATOM	5226	CD GLU	267	45.569	10.366	28.208	1.00	24.45	B	ATOM	5272	CD2	TYR	272	45.527	-3.409	40.009	1.00	11.78	B
ATOM	5227	OE1 GLU	267	45.692	10.545	26.961	1.00	26.51	B	ATOM	5273	CE2	TYR	272	45.962	-3.838	38.723	1.00	12.79	B
ATOM	5228	OE2 GLU	267	46.440	9.795	28.927	1.00	25.07	B	ATOM	5274	CE3	TYR	272	46.446	-2.918	37.829	1.00	11.42	B
ATOM	5229	C GLU	267	41.944	9.050	31.426	1.00	12.13	B	ATOM	5275	OR	TYR	272	46.783	-3.361	36.570	1.00	12.74	B
ATOM	5230	O GLU	267	42.086	9.344	32.626	1.00	10.00	B	ATOM	5277	C	TYR	272	43.306	-0.632	43.115	1.00	5.84	B
ATOM	5231	N ALA	268	41.419	7.898	31.043	1.00	10.50	B	ATOM	5278	O	TYR	272	44.024	0.061	43.851	1.00	4.80	B
ATOM	5233	CA ALA	268	41.046	6.892	32.033	1.00	9.97	B	ATOM	5279	N	ILE	273	42.198	-1.266	43.517	1.00	5.00	B
ATOM	5234	CB ALA	268	40.516	5.674	31.364	1.00	6.52	B	ATOM	5281	CA	ILE	273	41.581	-1.124	44.837	1.00	5.08	B
ATOM	5235	C ALA	268	42.302	6.548	32.827	1.00	8.75	B	ATOM	5282	CB	ILE	273	40.098	-1.573	44.802	1.00	4.16	B
ATOM	5236	O ALA	268	43.343	6.253	32.220	1.00	8.96	B	ATOM	5283	CG2	ILE	273	39.546	-1.530	46.154	1.00	3.38	B
ATOM	5237	N LEU	269	42.223	6.649	34.158	1.00	8.23	B	ATOM	5284	CG1	ILE	273	39.275	-0.680	43.866	1.00	5.16	B
ATOM	5239	CA LEU	269	43.371	6.353	35.050	1.00	7.74	B	ATOM	5285	CD1	ILE	273	37.859	-1.234	43.484	1.00	5.54	B
ATOM	5240	CB LEU	269	43.358	7.290	36.238	1.00	6.05	B	ATOM	5286	C	ILE	273	42.285	-2.025	45.857	1.00	5.28	B
ATOM	5241	CG LEU	269	44.444	7.178	37.298	1.00	8.48	B	ATOM	5287	O	ILE	273	42.461	-3.213	45.590	1.00	7.06	B
ATOM	5242	CD1 LEU	269	45.706	7.902	36.895	1.00	8.92	B	ATOM	5288	N	PHE	274	42.720	-1.466	46.980	1.00	3.99	B
ATOM	5243	CD2 LEU	269	43.916	7.809	38.569	1.00	9.09	B	ATOM	5290	CA	PHE	274	43.350	-2.244	48.035	1.00	5.22	B
ATOM	5244	C LEU	269	43.376	4.891	35.538	1.00	7.82	B	ATOM	5291	CB	PHE	274	44.443	-1.442	48.777	1.00	4.50	B
ATOM	5245	O LEU	269	42.420	4.431	36.155	1.00	8.01	B	ATOM	5292	CG	PHE	274	45.274	-2.307	49.686	1.00	6.58	B
ATOM	5246	N GLU	270	44.450	4.165	35.259	1.00	7.79	B	ATOM	5293	CD1	PHE	274	46.208	-3.193	49.145	1.00	4.95	B
ATOM	5248	CA GLU	270	44.540	2.759	35.668	1.00	7.76	B	ATOM	5294	CD2	PHE	274	44.996	-2.380	51.069	1.00	7.47	B
ATOM	5249	CB GLU	270	45.819	2.113	35.110	1.00	7.96	B	ATOM	5295	CE1	PHE	274	46.838	-4.140	49.930	1.00	6.41	B
ATOM	5250	CG GLU	270	45.761	0.580	35.117	1.00	9.82	B	ATOM	5296	CE2	PHE	274	45.632	-3.342	51.879	1.00	6.92	B
ATOM	5251	CD GLU	270	46.883	-0.121	34.331	1.00	10.53	B	ATOM	5297	CZ	PHE	274	46.560	-4.230	51.297	1.00	6.53	B
ATOM	5252	OE1 GLU	270	47.451	0.481	33.395	1.00	11.48	B	ATOM	5298	O	PHE	274	41.689	-1.645	49.581	1.00	5.25	B
ATOM	5253	OE2 GLU	270	47.173	-1.298	34.665	1.00	10.19	B	ATOM	5299	C	PHE	274	42.220	-2.583	48.990	1.00	5.87	B
ATOM	5254	C GLU	270	44.516	2.734	37.177	1.00	6.34	B	ATOM	5301	CA	ALA	275	42.299	-5.123	48.595	1.00	8.39	B
ATOM	5255	O GLU	270	45.362	3.330	37.811	1.00	7.18	B	ATOM	5302	CB	ALA	275	43.303	-5.792	49.482	1.00	7.22	B
ATOM	5256	N THR	271	43.603	1.971	37.743	1.00	7.30	B	ATOM	5303	C	ALA	275	41.112	-6.032	48.434	1.00	9.17	B
ATOM	5258	CA THR	271	43.444	1.916	39.181	1.00	7.81	B	ATOM	5304	O	ALA	275	39.992	-5.681	48.809	1.00	9.54	B
ATOM	5259	CB THR	271	42.356	2.922	39.621	1.00	8.33	B	ATOM	5305	N	ALA	275	41.817	-3.851	49.175	1.00	8.19	B
ATOM	5260	OG1 THR	271	42.578	4.182	38.954	1.00	8.72	B	ATOM	5306	N	MET	276	41.366	-7.240	47.955	1.00	10.02	B
ATOM	5262	CG2 THR	271	42.408	3.131	41.156	1.00	7.80	B	ATOM	5308	CA	MET	276	40.289	-8.209	47.704	1.00	10.15	B

SUBSTITUTE SHEET (Rule 26)

ATOM	5309	CB	PHE	276	40.853	-9.381	46.852	1.00	9.97	B	ATOM	5357	C	ASN	280	44.521	-11.082	60.324	1.00	10.89	B
ATOM	5310	CG	PHE	276	39.785	-10.325	46.227	1.00	10.88	B	ATOM	5358	O	ASN	280	44.619	-10.970	61.560	1.00	11.57	B
ATOM	5311	SD	PHE	276	38.621	-9.383	45.254	1.00	11.62	B	ATOM	5359	N	GLN	281	45.588	-11.338	59.559	1.00	10.90	B
ATOM	5312	CE	PHE	276	37.857	-10.509	44.183	1.00	7.43	B	ATOM	5361	CA	GLN	281	46.907	-11.441	60.188	1.00	11.23	B
ATOM	5313	C	PHE	276	39.558	-8.717	48.944	1.00	9.54	B	ATOM	5362	CB	GLN	281	47.680	-12.695	59.751	1.00	9.97	B
ATOM	5314	O	PHE	276	38.326	-8.751	48.989	1.00	10.59	B	ATOM	5363	CG	GLN	281	47.029	-14.008	60.149	1.00	9.25	B
ATOM	5315	N	PHE	277	40.325	-9.094	49.964	1.00	9.39	B	ATOM	5364	CD	GLN	281	46.833	-14.117	61.661	1.00	10.82	B
ATOM	5317	CA	PHE	277	39.782	-9.654	51.210	1.00	9.47	B	ATOM	5365	OE1	GLN	281	47.796	-14.155	62.416	1.00	13.67	B
ATOM	5318	CB	PHE	277	40.227	-11.132	51.350	1.00	8.98	B	ATOM	5366	NE2	GLN	281	45.586	-14.152	62.106	1.00	11.08	B
ATOM	5319	CG	PHE	277	39.893	-12.032	50.237	1.00	8.52	B	ATOM	5369	C	GLN	281	47.776	-10.190	60.068	1.00	13.40	B
ATOM	5320	CD1	PHE	277	40.881	-12.404	49.325	1.00	7.45	B	ATOM	5370	O	GLN	281	48.944	-10.201	60.464	1.00	13.86	B
ATOM	5321	CD2	PHE	277	38.593	-12.495	50.061	1.00	8.28	B	ATOM	5371	N	LYS	282	47.204	-9.094	59.571	1.00	14.33	B
ATOM	5322	CE1	PHE	277	40.580	-13.209	48.261	1.00	7.82	B	ATOM	5373	CA	LYS	282	47.956	-7.860	59.477	1.00	16.33	B
ATOM	5323	CE2	PHE	277	38.272	-13.302	49.002	1.00	7.09	B	ATOM	5374	CB	LYS	282	47.329	-6.900	58.478	1.00	16.25	B
ATOM	5324	CZ	PHE	277	39.260	-13.667	48.088	1.00	7.00	B	ATOM	5375	CG	LYS	282	47.354	-7.446	57.089	1.00	19.59	B
ATOM	5325	C	PHE	277	40.299	-8.935	52.461	1.00	9.24	B	ATOM	5376	CD	LYS	282	48.450	-6.843	56.273	1.00	22.03	B
ATOM	5326	O	PHE	277	41.314	-8.229	52.432	1.00	8.39	B	ATOM	5377	CE	LYS	282	47.836	-6.000	55.156	1.00	23.15	B
ATOM	5327	N	ASN	278	39.587	-9.142	53.554	1.00	9.37	B	ATOM	5378	NZ	LYS	282	48.498	-6.295	53.861	1.00	23.60	B
ATOM	5329	CA	ASN	278	40.019	-8.645	54.852	1.00	10.75	B	ATOM	5382	C	LYS	282	48.081	-7.215	60.853	1.00	17.20	B
ATOM	5330	CB	ASN	278	38.870	-8.740	55.850	1.00	12.10	B	ATOM	5383	O	LYS	282	47.099	-7.019	61.581	1.00	17.21	B
ATOM	5331	CG	ASN	278	37.847	-7.659	55.622	1.00	14.48	B	ATOM	5384	N	THR	283	49.318	-6.916	61.213	1.00	19.05	B
ATOM	5332	OD1	ASN	278	38.204	-6.540	55.267	1.00	16.98	B	ATOM	5386	CA	THR	283	49.616	-6.299	62.487	1.00	20.77	B
ATOM	5333	ND2	ASN	278	36.570	-7.986	55.773	1.00	15.38	B	ATOM	5387	CB	THR	283	51.012	-6.749	63.020	1.00	20.85	B
ATOM	5336	C	ASN	278	41.122	-9.623	55.243	1.00	10.25	B	ATOM	5388	OG1	THR	283	52.074	-6.123	62.280	1.00	21.58	B
ATOM	5337	O	ASN	278	40.907	-10.839	55.162	1.00	9.24	B	ATOM	5390	CG2	THR	283	51.150	-8.251	62.882	1.00	21.17	B
ATOM	5338	N	GLU	279	42.301	-9.117	55.603	1.00	9.81	B	ATOM	5391	C	THR	283	49.526	-4.780	62.336	1.00	21.31	B
ATOM	5340	CA	GLU	279	43.395	-9.974	55.990	1.00	10.56	B	ATOM	5392	O	THR	283	49.489	-4.240	61.220	1.00	21.13	B
ATOM	5341	CB	GLU	279	44.684	-9.537	55.279	1.00	11.74	B	ATOM	5393	N	GLY	284	49.405	-4.097	63.466	1.00	22.21	B
ATOM	5342	CG	GLU	279	44.671	-9.808	53.771	1.00	12.90	B	ATOM	5395	CA	GLY	284	49.326	-2.657	63.413	1.00	22.22	B
ATOM	5343	CD	GLU	279	45.729	-8.999	53.073	1.00	13.04	B	ATOM	5396	C	GLY	284	47.966	-2.180	63.833	1.00	21.56	B
ATOM	5344	OE1	GLU	279	46.889	-9.429	53.067	1.00	11.35	B	ATOM	5397	O	GLY	284	47.378	-2.740	64.763	1.00	21.48	B
ATOM	5345	OE2	GLU	279	45.397	-7.900	52.571	1.00	14.37	B	ATOM	5398	N	ASP	285	47.484	-1.154	63.131	1.00	21.08	B
ATOM	5346	C	GLU	279	43.589	-9.965	57.508	1.00	10.73	B	ATOM	5400	CA	ASP	285	46.186	-0.536	63.382	1.00	20.32	B
ATOM	5347	O	GLU	279	44.308	-9.143	58.050	1.00	11.01	B	ATOM	5401	CB	ASP	285	46.055	0.659	62.440	1.00	23.15	B
ATOM	5350	CA	ASN	280	43.027	-10.946	58.196	1.00	10.83	B	ATOM	5402	CG	ASP	285	45.453	1.880	63.112	1.00	27.68	B
ATOM	5351	CB	ASN	280	43.124	-10.974	59.658	1.00	10.57	B	ATOM	5403	OD1	ASP	285	44.191	2.059	63.104	1.00	28.15	B
ATOM	5352	CG	ASN	280	42.181	-12.049	60.221	1.00	9.71	B	ATOM	5404	OD2	ASP	285	46.273	2.680	63.642	1.00	30.23	B
ATOM	5353	OD1	ASN	280	42.596	-13.474	59.837	1.00	7.70	B	ATOM	5405	C	ASP	285	45.108	-1.564	63.040	1.00	18.78	B
ATOM	5354	ND2	ASN	280	43.635	-13.676	59.221	1.00	8.45	B	ATOM	5406	O	ASP	285	45.313	-2.406	62.159	1.00	18.17	B
					41.783	-14.454	60.200	1.00	6.11	B	ATOM	5407	N	ALA	286	43.943	-1.500	63.669	1.00	16.72	B

SUBSTITUTE SHEET (Rule 26)

- 115 -

ATOM	5409	CA	ALA	286	42.939	-2.493	63.306	1.00	14.92	B	ATOM	5461	CG	PHE	291	42.332	-1.484	53.843	1.00	10.58	B
ATOM	5410	CB	ALA	286	41.837	-2.611	64.360	1.00	15.74	B	ATOM	5462	CD1	PHE	291	43.151	-1.402	54.965	1.00	12.02	B
ATOM	5411	C	ALA	286	42.352	-2.239	61.915	1.00	14.46	B	ATOM	5463	CD2	PHE	291	41.991	-0.316	53.191	1.00	10.08	B
ATOM	5412	O	ALA	286	41.773	-3.142	61.346	1.00	13.13	B	ATOM	5464	CE1	PHE	291	43.620	-0.142	55.429	1.00	11.13	B
ATOM	5413	N	THR	287	42.546	-1.029	61.360	1.00	14.35	B	ATOM	5465	CE2	PHE	291	42.448	0.919	53.641	1.00	10.29	B
ATOM	5415	CA	THR	287	42.043	-0.679	60.012	1.00	13.65	B	ATOM	5466	CZ	PHE	291	43.263	1.006	54.761	1.00	10.75	B
ATOM	5416	CB	THR	287	42.275	0.816	59.654	1.00	13.30	B	ATOM	5467	C	PHE	291	39.776	-3.940	52.686	1.00	9.96	B
ATOM	5417	CG1	THR	287	43.587	1.227	60.070	1.00	14.53	B	ATOM	5468	O	PHE	291	39.876	-3.557	51.521	1.00	11.12	B
ATOM	5419	CG2	THR	287	41.228	1.688	60.338	1.00	13.04	B	ATOM	5469	N	GLY	292	39.180	-5.076	53.011	1.00	9.02	B
ATOM	5420	C	THR	287	42.680	-1.572	58.959	1.00	13.13	B	ATOM	5471	CA	GLY	292	38.629	-5.904	51.974	1.00	9.08	B
ATOM	5421	O	THR	287	42.037	-1.943	57.982	1.00	12.40	B	ATOM	5472	C	GLY	292	37.304	-5.588	51.289	1.00	8.71	B
ATOM	5422	N	GLU	288	43.936	-1.941	59.222	1.00	12.35	B	ATOM	5473	O	GLY	292	36.365	-5.083	51.886	1.00	9.27	B
ATOM	5424	CA	GLU	288	44.737	-2.818	58.390	1.00	12.36	B	ATOM	5474	N	LEU	293	37.219	-5.930	50.014	1.00	7.39	B
ATOM	5425	CB	GLU	288	46.046	-3.124	59.087	1.00	14.43	B	ATOM	5476	CA	LEU	293	35.976	-5.785	49.293	1.00	6.35	B
ATOM	5426	CG	GLU	288	46.972	-1.942	59.169	1.00	19.08	B	ATOM	5477	CB	LEU	293	36.284	-5.807	47.788	1.00	4.76	B
ATOM	5427	CD	GLU	288	47.463	-1.478	57.809	1.00	22.23	B	ATOM	5478	CG	LEU	293	36.696	-4.515	47.094	1.00	3.99	B
ATOM	5428	CE1	GLU	288	46.900	-0.484	57.261	1.00	23.02	B	ATOM	5479	CD1	LEU	293	37.093	-4.882	45.725	1.00	2.00	B
ATOM	5429	CE2	GLU	288	48.449	-2.085	57.310	1.00	24.71	B	ATOM	5480	CD2	LEU	293	35.543	-3.512	47.067	1.00	2.00	B
ATOM	5430	C	GLU	288	44.080	-4.147	58.129	1.00	11.37	B	ATOM	5481	C	LEU	293	35.147	-7.033	49.686	1.00	6.45	B
ATOM	5431	O	GLU	288	44.297	-4.804	57.087	1.00	10.94	B	ATOM	5482	O	LEU	293	33.907	-7.016	49.769	1.00	5.80	B
ATOM	5432	N	ARG	289	43.284	-4.561	59.090	1.00	10.49	B	ATOM	5483	N	PHE	294	35.858	-8.132	49.928	1.00	6.84	B
ATOM	5434	CA	ARG	289	42.635	-5.838	58.982	1.00	9.98	B	ATOM	5485	CA	PHE	294	35.211	-9.385	50.282	1.00	7.89	B
ATOM	5435	CB	ARG	289	42.637	-6.487	60.343	1.00	9.79	B	ATOM	5486	CB	PHE	294	35.443	-10.420	49.158	1.00	6.67	B
ATOM	5436	CG	ARG	289	44.013	-6.751	60.838	1.00	8.26	B	ATOM	5487	CG	PHE	294	34.774	-10.073	47.835	1.00	8.12	B
ATOM	5437	CD	ARG	289	43.909	-7.519	62.123	1.00	10.60	B	ATOM	5488	CD1	PHE	294	35.386	-9.213	46.912	1.00	8.22	B
ATOM	5438	CE	ARG	289	43.515	-6.676	63.258	1.00	8.56	B	ATOM	5489	CD2	PHE	294	33.524	-10.638	47.491	1.00	8.11	B
ATOM	5440	CZ	ARG	289	44.365	-5.848	63.871	1.00	7.87	B	ATOM	5490	CE1	PHE	294	34.769	-8.929	45.696	1.00	6.93	B
ATOM	5441	NH1	ARG	289	45.619	-5.731	63.446	1.00	7.04	B	ATOM	5491	CE2	PHE	294	32.934	-10.363	46.313	1.00	5.63	B
ATOM	5444	NH2	ARG	289	44.004	-5.239	64.992	1.00	10.12	B	ATOM	5492	CZ	PHE	294	33.559	-9.504	45.416	1.00	8.33	B
ATOM	5447	C	ARG	289	41.243	-5.814	58.392	1.00	9.96	B	ATOM	5493	C	PHE	294	35.671	-9.973	51.662	1.00	8.79	B
ATOM	5448	O	ARG	289	40.554	-6.811	58.464	1.00	9.65	B	ATOM	5494	O	PHE	294	36.792	-9.732	52.143	1.00	8.58	B
ATOM	5449	N	SER	290	40.809	-4.654	57.903	1.00	10.84	B	ATOM	5495	N	ASN	295	34.769	-10.715	52.288	1.00	9.53	B
ATOM	5451	CA	SER	290	39.505	-4.525	57.285	1.00	13.59	B	ATOM	5497	CA	ASN	295	35.037	-11.389	53.536	1.00	10.94	B
ATOM	5452	CB	SER	290	38.430	-4.119	58.310	1.00	14.85	B	ATOM	5498	CB	ASN	295	33.730	-11.813	54.178	1.00	11.55	B
ATOM	5453	OG	SER	290	38.853	-3.019	59.077	1.00	19.38	B	ATOM	5499	CG	ASN	295	32.953	-10.667	54.729	1.00	11.19	B
ATOM	5455	C	SER	290	39.427	-3.656	56.010	1.00	12.95	B	ATOM	5500	OD1	ASN	295	33.478	-9.815	55.457	1.00	12.46	B
ATOM	5456	O	SER	290	38.493	-2.868	55.853	1.00	14.56	B	ATOM	5501	ND2	ASN	295	31.674	-10.650	54.423	1.00	12.79	B
ATOM	5457	N	PHE	291	40.358	-3.864	55.078	1.00	11.38	B	ATOM	5504	C	ASN	295	35.787	-12.660	53.135	1.00	12.20	B
ATOM	5459	CA	PHE	291	40.382	-3.125	53.801	1.00	10.44	B	ATOM	5505	O	ASN	295	35.641	-13.165	52.019	1.00	10.64	B
ATOM	5460	CB	PHE	291	41.811	-2.813	53.356	1.00	10.28	B	ATOM	5506	N	PRO	296	36.522	-13.267	54.080	1.00	13.44	B

SUBSTITUTE SHEET (Rule 26)

- 116 -

ATOM	5507	CD	PRO	296	36.903	-12.820	55.433	1.00	11.62	B	ATOM	5555	O	ALA	301	30.550	-5.575	53.781	1.00	14.32	B
ATOM	5508	CA	PRO	296	37.260	-14.483	53.716	1.00	13.40	B	ATOM	5556	N	TYR	302	30.418	-5.741	51.548	1.00	13.73	B
ATOM	5509	CB	PRO	296	37.911	-14.876	55.028	1.00	12.76	B	ATOM	5558	CA	TYR	302	29.439	-4.649	51.314	1.00	14.62	B
ATOM	5510	CG	PRO	296	38.247	-13.507	55.604	1.00	13.42	B	ATOM	5559	CB	TYR	302	29.910	-3.237	51.753	1.00	12.10	B
ATOM	5511	C	PRO	296	36.481	-15.625	53.085	1.00	14.35	B	ATOM	5560	CG	TYR	302	31.359	-2.888	51.467	1.00	12.03	B
ATOM	5512	O	PRO	296	37.065	-16.448	52.401	1.00	15.06	B	ATOM	5561	CD1	TYR	302	31.772	-2.342	50.254	1.00	10.59	B
ATOM	5513	N	ASP	297	35.169	-15.665	53.292	1.00	15.64	B	ATOM	5562	CE1	TYR	302	33.140	-2.086	50.016	1.00	10.46	B
ATOM	5515	CA	ASP	297	34.332	-16.735	52.763	1.00	15.78	B	ATOM	5563	CD2	TYR	302	32.341	-3.158	52.420	1.00	12.37	B
ATOM	5516	CB	ASP	297	33.172	-17.021	53.714	1.00	17.23	B	ATOM	5564	CE2	TYR	302	33.683	-2.908	52.179	1.00	11.14	B
ATOM	5517	CG	ASP	297	32.256	-15.809	53.932	1.00	19.12	B	ATOM	5565	CZ	TYR	302	34.075	-2.375	51.000	1.00	8.76	B
ATOM	5518	OD1	ASP	297	31.204	-15.950	54.624	1.00	20.66	B	ATOM	5566	OH	TYR	302	35.405	-2.083	50.898	1.00	9.08	B
ATOM	5519	OD2	ASP	297	32.593	-14.709	53.447	1.00	19.29	B	ATOM	5568	C	TYR	302	29.185	-4.660	49.824	1.00	15.19	B
ATOM	5520	O	ASP	297	33.771	-16.391	51.413	1.00	16.11	B	ATOM	5569	O	TYR	302	30.027	-5.131	49.078	1.00	17.15	B
ATOM	5521	C	ASP	297	32.807	-16.996	50.996	1.00	16.94	B	ATOM	5570	N	ASN	303	28.082	-4.079	49.372	1.00	16.88	B
ATOM	5522	N	LYS	298	34.339	-15.385	50.762	1.00	15.56	B	ATOM	5572	CA	ASN	303	27.750	-4.145	47.956	1.00	17.67	B
ATOM	5524	CA	LYS	298	33.896	-14.940	49.435	1.00	16.40	B	ATOM	5573	CB	ASN	303	26.251	-4.005	47.736	1.00	20.57	B
ATOM	5525	CB	LYS	298	33.828	-16.112	48.473	1.00	15.12	B	ATOM	5574	CG	ASN	303	25.842	-4.376	46.318	1.00	24.44	B
ATOM	5526	CG	LYS	298	35.192	-16.796	48.342	1.00	16.57	B	ATOM	5575	OD1	ASN	303	26.298	-5.388	45.763	1.00	27.32	B
ATOM	5527	CD	LYS	298	35.210	-17.917	47.350	1.00	15.43	B	ATOM	5576	ND2	ASN	303	25.005	-3.544	45.703	1.00	21.15	B
ATOM	5528	CE	LYS	298	34.466	-19.124	47.852	1.00	17.03	B	ATOM	5579	C	ASN	303	28.502	-3.253	46.999	1.00	17.13	B
ATOM	5529	NZ	LYS	298	34.732	-20.246	46.879	1.00	18.82	B	ATOM	5580	O	ASN	303	28.535	-2.054	47.161	1.00	16.83	B
ATOM	5533	C	LYS	298	32.596	-14.118	49.396	1.00	17.40	B	ATOM	5581	N	ILE	304	29.066	-3.863	45.962	1.00	16.95	B
ATOM	5534	O	LYS	298	32.167	-13.665	48.333	1.00	18.81	B	ATOM	5583	CA	ILE	304	29.812	-3.130	44.975	1.00	16.86	B
ATOM	5535	N	SER	299	31.942	-13.940	50.537	1.00	16.13	B	ATOM	5584	CB	ILE	304	31.370	-3.197	45.223	1.00	17.27	B
ATOM	5537	CA	SER	299	30.755	-13.136	50.535	1.00	15.67	B	ATOM	5585	CG2	ILE	304	32.134	-2.591	44.016	1.00	15.43	B
ATOM	5538	CB	SER	299	29.872	-13.495	51.721	1.00	15.32	B	ATOM	5586	CG1	ILE	304	31.758	-2.485	46.532	1.00	14.85	B
ATOM	5539	OG	SER	299	30.527	-13.195	52.926	1.00	17.56	B	ATOM	5587	CD1	ILE	304	31.875	-0.965	46.417	1.00	14.81	B
ATOM	5541	C	SER	299	31.211	-11.677	50.612	1.00	14.91	B	ATOM	5588	C	ILE	304	29.526	-3.661	43.586	1.00	17.39	B
ATOM	5542	O	SER	299	32.086	-11.315	51.398	1.00	15.78	B	ATOM	5589	O	ILE	304	29.441	-4.876	43.370	1.00	17.20	B
ATOM	5543	N	PRO	300	30.502	-10.802	49.922	1.00	14.44	B	ATOM	5590	N	GLN	305	29.384	-2.728	42.649	1.00	17.02	B
ATOM	5544	CD	PRO	300	29.185	-11.072	49.338	1.00	12.75	B	ATOM	5592	CA	GLN	305	29.147	-3.043	41.250	1.00	16.56	B
ATOM	5545	CA	PRO	300	30.788	-9.378	49.864	1.00	13.61	B	ATOM	5593	CB	GLN	305	27.989	-2.187	40.698	1.00	17.05	B
ATOM	5546	CB	PRO	300	29.629	-8.831	49.029	1.00	12.03	B	ATOM	5594	CG	GLN	305	26.672	-2.366	41.431	0.00	16.76	B
ATOM	5547	CG	PRO	300	29.114	-10.002	48.333	1.00	13.22	B	ATOM	5595	CD	GLN	305	25.609	-1.993	40.962	0.00	16.75	B
ATOM	5548	C	PRO	300	30.808	-8.707	51.214	1.00	13.35	B	ATOM	5596	OE1	GLN	305	25.327	-1.289	39.770	0.00	16.67	B
ATOM	5549	O	PRO	300	29.890	-8.827	51.977	1.00	14.19	B	ATOM	5597	NE2	GLN	305	25.021	-0.664	41.901	0.00	16.67	B
ATOM	5550	N	ALA	301	31.858	-7.974	51.497	1.00	13.75	B	ATOM	5600	C	GLN	305	30.445	-2.713	40.513	1.00	15.77	B
ATOM	5552	CA	ALA	301	31.928	-7.259	52.737	1.00	13.51	B	ATOM	5601	O	GLN	305	30.872	-1.553	40.473	1.00	14.64	B
ATOM	5553	CB	ALA	301	33.336	-6.723	52.910	1.00	12.97	B	ATOM	5602	N	PHE	306	31.054	-3.734	39.932	1.00	15.84	B
ATOM	5554	C	ALA	301	30.892	-6.115	52.733	1.00	13.62	B	ATOM	5604	CA	PHE	306	32.280	-3.567	39.196	1.00	16.83	B

SUBSTITUTE SHEET (Rule 26)

- 117 -

ATOM	5605	CB	PHE	306	33.109	-4.823	39.326	1.00	17.39	B	ATOM	5705	OH2	H2O	31	70.105	-6.514	27.591	1.00	21.73	C
ATOM	5606	CG	PHE	306	33.585	-5.063	40.717	1.00	16.64	B	ATOM	5708	OH2	H2O	32	35.208	5.230	36.097	1.00	16.46	C
ATOM	5607	CD1	PHE	306	32.997	-6.045	41.504	1.00	15.83	B	ATOM	5711	OH2	H2O	33	41.593	0.696	36.341	1.00	16.25	C
ATOM	5608	CD2	PHE	306	34.615	-4.301	41.239	1.00	15.88	B	ATOM	5714	OH2	H2O	34	64.047	4.333	90.155	1.00	10.66	C
ATOM	5609	CE1	PHE	306	33.438	-6.266	42.793	1.00	15.75	B	ATOM	5717	OH2	H2O	35	49.497	-13.712	46.023	1.00	13.49	C
ATOM	5610	CE2	PHE	306	35.055	-4.514	42.519	1.00	16.30	B	ATOM	5720	OH2	H2O	36	39.453	-0.574	50.453	1.00	9.72	C
ATOM	5611	CZ	PHE	306	34.465	-5.506	43.308	1.00	16.10	B	ATOM	5723	OH2	H2O	37	46.400	0.109	88.812	1.00	7.05	C
ATOM	5612	C	PHE	306	32.117	-3.184	37.718	1.00	18.47	B	ATOM	5726	OH2	H2O	38	55.849	-6.038	47.421	1.00	9.07	C
ATOM	5613	O	PHE	306	30.950	-3.175	37.226	1.00	19.37	B	ATOM	5729	OH2	H2O	39	55.467	-21.520	81.271	1.00	18.37	C
ATOM	5614	OT	PHE	306	33.165	-2.867	37.081	1.00	18.13	B	ATOM	5732	OH2	H2O	40	31.246	-18.562	55.834	1.00	21.02	C
ATOM	5615	OH2	H2O	1	58.554	-21.188	86.277	1.00	2.00	C	ATOM	5735	OH2	H2O	41	46.636	5.322	34.258	1.00	6.35	C
ATOM	5618	OH2	H2O	2	38.256	11.505	46.961	1.00	2.00	C	ATOM	5738	OH2	H2O	42	39.812	-9.083	59.223	1.00	14.42	C
ATOM	5621	OH2	H2O	3	41.723	6.379	50.275	1.00	2.00	C	ATOM	5741	OH2	H2O	43	49.245	19.561	39.047	1.00	8.30	C
ATOM	5624	OH2	H2O	4	47.587	-22.411	42.023	1.00	15.65	C	ATOM	5744	OH2	H2O	44	45.507	1.361	58.152	1.00	17.36	C
ATOM	5627	OH2	H2O	5	48.725	-5.960	65.805	1.00	15.99	C	ATOM	5747	OH2	H2O	45	48.229	-6.535	85.611	1.00	9.78	C
ATOM	5630	OH2	H2O	6	41.609	-12.984	56.631	1.00	8.48	C	ATOM	5750	OH2	H2O	46	58.212	-5.348	46.179	1.00	13.33	C
ATOM	5633	OH2	H2O	7	59.812	16.691	41.867	1.00	4.20	C	ATOM	5753	OH2	H2O	47	60.441	-0.842	31.551	1.00	9.80	C
ATOM	5636	OH2	H2O	8	33.225	17.614	46.782	1.00	5.02	C	ATOM	5756	OH2	H2O	48	49.848	-11.349	47.202	1.00	12.00	C
ATOM	5639	OH2	H2O	9	45.324	-20.279	49.646	1.00	27.99	C	ATOM	5759	OH2	H2O	49	45.882	-7.306	84.314	1.00	11.85	C
ATOM	5642	OH2	H2O	10	48.269	7.956	50.554	1.00	20.91	C	ATOM	5762	OH2	H2O	50	67.754	-12.502	30.266	0.00	23.74	C
ATOM	5645	OH2	H2O	11	43.441	-9.446	49.925	1.00	4.25	C	ATOM	5765	OH2	H2O	51	56.340	6.715	30.577	1.00	16.74	C
ATOM	5648	OH2	H2O	12	46.604	-13.204	33.099	1.00	14.77	C	ATOM	5768	OH2	H2O	52	33.563	24.483	48.743	1.00	22.10	C
ATOM	5651	OH2	H2O	13	42.411	-5.987	55.396	1.00	5.51	C	ATOM	5771	OH2	H2O	53	51.684	7.607	89.905	1.00	12.19	C
ATOM	5654	OH2	H2O	14	47.014	21.113	39.391	1.00	12.50	C	ATOM	5774	OH2	H2O	54	42.408	-0.899	94.917	1.00	19.04	C
ATOM	5657	OH2	H2O	15	43.147	-6.347	52.809	1.00	5.92	C	ATOM	5777	OH2	H2O	55	37.130	11.651	36.894	1.00	14.57	C
ATOM	5660	OH2	H2O	16	45.261	-3.687	71.476	1.00	8.39	C	ATOM	5780	OH2	H2O	56	55.364	-9.001	86.138	1.00	22.14	C
ATOM	5663	OH2	H2O	17	61.991	0.895	33.782	1.00	5.21	C	ATOM	5783	OH2	H2O	57	53.966	-21.326	70.101	1.00	14.13	C
ATOM	5666	OH2	H2O	18	60.607	-18.711	87.936	1.00	4.73	C	ATOM	5786	OH2	H2O	58	63.633	1.712	89.692	1.00	17.44	C
ATOM	5669	OH2	H2O	19	46.107	8.235	93.758	1.00	12.29	C	ATOM	5789	OH2	H2O	59	44.408	-16.859	49.090	1.00	14.98	C
ATOM	5672	OH2	H2O	20	64.219	-8.366	85.150	1.00	7.70	C	ATOM	5792	OH2	H2O	61	52.644	-18.791	47.562	1.00	13.64	C
ATOM	5675	OH2	H2O	21	58.624	9.709	90.120	1.00	6.21	C	ATOM	5795	OH2	H2O	62	46.002	7.627	32.587	1.00	15.04	C
ATOM	5678	OH2	H2O	22	49.564	9.248	92.260	1.00	7.56	C	ATOM	5798	OH2	H2O	63	60.393	11.993	47.221	1.00	25.51	C
ATOM	5681	OH2	H2O	23	65.190	-10.312	72.267	1.00	16.10	C	ATOM	5801	OH2	H2O	64	40.695	-4.082	87.335	1.00	12.50	C
ATOM	5684	OH2	H2O	24	62.130	14.567	86.956	1.00	10.90	C	ATOM	5804	OH2	H2O	65	51.332	-0.893	101.767	1.00	18.44	C
ATOM	5687	OH2	H2O	25	43.743	-3.615	69.030	1.00	10.58	C	ATOM	5807	OH2	H2O	66	48.732	-6.717	88.362	1.00	17.71	C
ATOM	5690	OH2	H2O	26	63.226	-10.076	70.498	1.00	3.70	C	END										
ATOM	5693	OH2	H2O	27	49.023	-13.676	65.045	0.00	18.76	C											
ATOM	5696	OH2	H2O	28	38.011	19.581	52.333	1.00	11.02	C											
ATOM	5699	OH2	H2O	29	37.131	-1.962	52.965	1.00	12.38	C											
ATOM	5702	OH2	H2O	30	39.668	-4.615	61.682	1.00	21.08	C											

SUBSTITUTE SHEET (Rule 26)

- 118 -

CLAIMS

1. A (1→3,1→4)-β-glucanase enzyme of enhanced thermostability and/or pH stability.
2. A (1→3,1→4)-β-glucanase according to claim 1, in which the amino acid sequence of said enzyme:
 - (a) is modified to comprise structural elements of (1→3)-β-glucanase, said structural elements conferring improved heat stability;
 - (b) is modified at sites other than the active site to stabilise helices, to increase binding energy of the folded protein, to increase hydrogen bonding, and/or to prevent glycation; or
 - (c) is modified by creating cysteine pairs which can form disulphide bonds across the C and N terminals.
3. A (1→3,1→4)-β-glucanase according to claim 2, in which two or more of the modifications (a) to (c) are present.
4. A (1→3,1→4)-β-glucanase according to claim 1 comprising the structural framework of the enzyme (1→3)-β-glucanase and elements of the catalytic site of (1→3,1→4)-β-glucanase.
5. An enzyme according to claim 4 additionally comprising modification (b) and/or modification (c) of claim 2.
6. A (1→3,1→4)-β-glucanase according to claim 1, in which the amino acid sequence of (1→3,1→4)-β-glucanase isoenzyme EII is modified to comprise one or more of substitutions selected from the group consisting of:

SUBSTITUTE SHEET (Rule 26)

- 119 -

Ala 14 Ser
Ala 15 Arg
Thr 17 Asp
Lys 23 Arg
Lys 28 Arg
Asn 36 Asp
Gly 44 Arg
Gly 45 Asn
Gly 53 Asp
Gly 53 Glu
Lys 74 Arg
Gln 78 Arg
Ala 79 Pro
Lys 82 Arg
Ala 95 Asp
Gly 97 Pro
Phe 85 Tyr
Lys 107 Arg
Gly 111 Ala
Gly 119 Pro
Lys 122 Arg
Ser 128 Arg
Gly 133 Ala
Gly 145 Asn
Gly 152 Thr
Pro 153 Asp
Gln 156 Arg
Asn 162 Gly
Gly 185 Asn
Ala 191 Pro
Gly 193 Ala
Gly 199 Pro
Ala 200 Gly
Gly 202 Thr
Gly 219 Glu
Lys 220 Arg
His 221 Ala

SUBSTITUTE SHEET (Rule 26)

- 120 -

Gly 223 Ala
Ser 224 Pro
Lys 227 Arg
Gly 238 Ala
Gly 239 Gln
Ala 242 Gly
Gly 260 Glu
Pro 267 Arg
Gly 268 Glu
Gly 286 Ala
Gly 286 Asp
Gln 289 Arg
Met 298 Lys
His 300 Pro

subject to the proviso that the following ion pairs must both be substituted:

Ala 15 Arg	and	Asn 36 Asp
Thr 17 Asp	and	Met 298 Lys
Ala 95 Asp	and	Ser 128 Arg
Pro 153 Asp	and	Gln 156 Arg
Lys 227 Arg	and	Gly 268 Arg
Gly 152 Thr	and	His 221 Ala.

7. A (1→3,1→4)-β-glucanase according to claim 4 in which amino acids in the loops forming the sides and bottom of the active site cleft of (1→3)-β-glucanase GII are replaced by corresponding amino acids from (1→3,1→4)-β-glucanase EII, as follows:

residue	8 Ile→Ser,
residue	34 Phe→Ala,
residue	208 Ala→Thr,
residue	209 Met→Thr,
residue	189-191 Gln-Pro-Gly → Asn-Ala-Ser
residue	128-137 Ile-Arg-Phe-Asp-Glu-Val-Ala- Asn-Ser-Phe → Val-Ser-Gln-Ala-Ile-Leu-Gly-Val- Phe-Ser (SEQ. ID NO: 1),

SUBSTITUTE SHEET (Rule 26)

- 121 -

residue 171-179 Phe-Ala-Tyr-Arg-Asp-Asn-Pro-Gly-Ser→Leu-Ala-Trp-Ala-Tyr-Asn-Pro-Ser-Ala (SEQ. ID NO: 2) and
residue 283-291 Thr-Gly-Asp-Ala-Thr-Glu-Arg-Ser-Phe→Asp-Ser-Gly-Val-Glu-Gln-Asn-Trp (SEQ. ID NO: 3)

8. A (1→3,1→4)-β-glucanase according to claim 6 comprising one or more of the following substitutions:

Gly 53 Asp
Gly 53 Glu
Thr 17 Asp; Met 298 Lys
Ala 95 Asp; Ser 128 Arg
Lys 122 Arg
Lys 23 Arg
Lys 74 Arg
Gly 44 Arg
Gly 223 Ala
Ala 89 Pro
Phe 85 Tyr

9. A (1→3,1→4)-β-glucanase according to any one of claims 6 to 8, additionally comprising the mutation 189-191 Gln-Pro-Gly→Asn-Ala-Ser.

10. A (1→3,1→4)-β-glucanase according to claim 6 comprising the substitution Lys 122→Arg and/or the substitution Phe→Tyr.

11. A DNA molecule whose sequence encodes a (1→3,1→4)-β-glucanase according to any one of claims 1 to 10.

12. A plasmid comprising a DNA sequence according to claim 11.

- 122 -

13. An expression vector comprising a DNA sequence according to claim 11.
14. A transgenic plant comprising a DNA sequence according to claim 11.
15. A transgenic plant according to claim 14, selected from the group consisting of barley, wheat, rice, and maize.
16. A transgenic plant according to claim 15, which is barley.
17. A process selected from the group consisting of malting, brewing and stockfeed processing, comprising the step of:
- (a) using barley expressing the (1→3,1→4)-β-glucanase of any one of claims 1 to 10 as a starting material; or
 - (b) adding the (1→3,1→4)-β-glucanase of any one of claims 1 to 10 to a grain to be processed.
18. A composition for use in malting, brewing, or stockfeed processing, comprising the (1→3,1→4)-β-glucanase of any one of claims 1 to 10, together with a carrier acceptable for use in processing of beverages or of stockfeeds.
19. A beverage produced using a composition according to claim 18.
20. A stockfeed produced using a composition according to claim 18.
21. Grain produced by a transgenic plant according to claim 15.

- 123 -

22. Barley grain produced by a transgenic barley according to claim 16.

1/8



FIGURE 1
SUBSTITUTE SHEET (Rule 26)

2/8




FIGURE 2
SUBSTITUTE SHEET (Rule 26)

3/8




FIGURE 2 (continued)

SUBSTITUTE SHEET (Rule 26)

4/8




FIGURE 3
SUBSTITUTE SHEET (Rule 26)

5/8




FIGURE 4
SUBSTITUTE SHEET (Rule 26)

6/8




FIGURE 5

SUBSTITUTE SHEET (Rule 26)

7/8




FIGURE 6

SUBSTITUTE SHEET (Rule 26)

8/8

Stabilities of GII & EII on heating for 15 min.





FIGURE 7

SUBSTITUTE SHEET (Rule 26)

INTERNATIONAL SEARCH REPORT

International application No.

PCT/AU 94/00377

A. CLASSIFICATION OF SUBJECT MATTER		
Int. Cl. ⁵ C12N 9/24, 15/56, A01H 5/00, A23K 1/165		
According to International Patent Classification (IPC) or to both national classification and IPC		
B. FIELDS SEARCHED		
Minimum documentation searched (classification system followed by classification symbols) WPAT and CHEMABS Databases - see electronic data base box below for keywords.		
Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched		
Electronic data base consulted during the international search (name of data base, and where practicable, search terms used) B, BETA, GLUCANASE #, GLUCAN, GLUCANOHYDROLASE #, GLUCANHYDROLASE #, GLUCANO, HYDROLASE #, ENDOHYDROLASE #, ENDO HYDROLASE #, GLUCANENDOXYDROLASE #, GLUCOSIDASE #, LAMINARINASE #, LICHENASE #, THERMO:, STAB:, HEAT, TEMP:		
C. DOCUMENTS CONSIDERED TO BE RELEVANT		
Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to Claim No.
X	Thomsen, K.K., <u>Eur. Brew. Conv</u> (1990) 15 (E.B.C. Symp. Plant Biotechnol., 1989), pp. 137-145, "Engineering of Heat Stable (1-3, 1-4)-β-glucanase for insertion into barley by transformation". see the whole document	1,11,12,13,14,15, 17,18,19,21,22
P,X	Phillipson, B.A., <u>Plant Science</u> , 91 (1993) pp. 195-206, "Expression of a hybrid (1-3, 1-4)-β-glucanase in barley protoplasts". see in particular page 196 - whole document relevant	1,11,12,13,14,15, 16,17,19,21,22
<input checked="" type="checkbox"/> Further documents are listed in the continuation of Box C. <input checked="" type="checkbox"/> See patent family annex.		
<p>* Special categories of cited documents :</p> <p>"A" document defining the general state of the art which is not considered to be of particular relevance</p> <p>"E" earlier document but published on or after the international filing date</p> <p>"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)</p> <p>"O" document referring to an oral disclosure, use, exhibition or other means</p> <p>"P" document published prior to the international filing date but later than the priority date claimed</p> <p>"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention</p> <p>"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone</p> <p>"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art</p> <p>"&" document member of the same patent family</p>		
Date of the actual completion of the international search 17 October 1994 (17.10.94)		Date of mailing of the international search report 20 Oct 1994 (20.10.94)
Name and mailing address of the ISA/AU AUSTRALIAN INDUSTRIAL PROPERTY ORGANISATION PO BOX 200 WODEN ACT 2606 AUSTRALIA Facsimile No. (06) 2853929		Authorized officer  JESSICA WYERS Telephone No. (06) 2832624

Form PCT/ISA/210 (continuation of first sheet (2)) (July 1992) copljm

INTERNATIONAL SEARCH REPORT

International application No.
PCT/AU 94/00377

C(Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where appropriate of the relevant passages	Relevant to Claim No.
P,X	Politz, O. <u>et al</u> , <u>Eur. J. Biochem.</u> 216, (1993) pp. 829-834, "Determinants for the enhanced thermostability of hybrid (1-3, 1-4)- β -glucanases". see the whole document	1,2,11,12,13
X	Olsen, O. <u>et al</u> , <u>Journal of General Microbiology</u> (1991), 137, pp. 579-585, "Improvement of bacterial β -glucanase thermostability by glycosylation". see the whole document	1,2,11,12,13
X	Schimming, W. <u>et al</u> , <u>Eur. J. Biochem.</u> , 204, (1992) pp. 13-19, "Structure of the <u>Clostridium thermocellum</u> gene <u>licB</u> and the encoded β -1,3-1,4-glucanase". see the whole document	1,2,11,12,13,17, 18,19
X	Olsen, O. <u>et al</u> , <u>Mol. Gen. Genet.</u> , (1991), 225, pp. 177-185, "Hybrid <u>Bacillus</u> (1-3, 1-4)- β -glucanases: engineering thermostable enzymes by construction of hybrid genes". see the whole document	1,2,11,12,13,17, 18,19
X	AU-B-51013/90 (638695) (CARLSBERG A/S; AKADEMIE DER WISSENSCHAFTEN DER DDR) 23 August 1990 (23.08.90) see the whole document	1,2,11,12,13,14,15, 16,17,18,19,21,22
X	Derwent WPAT online abstract Accession No. 90-067913, DD-A-272102 (AKADEMIE DER WISSENSCHAFTEN DER DDR) 27 September 1989 (27.09.89) abstract	1,11,12,13,18
	Derwent WPAT online abstract Accession No. 90-210631, DD-A-275704 (AKADEMIE DER WISSENSCHAFTEN DER DDR) 31 January 1990 (31.01.90) abstract	1,11,12,13,14,15, 16,17,18,19,21,22

International application No.

This Annex lists the known "A" publication level patent family members relating to the patent documents cited in the above-mentioned international search report. The Australian Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

Patent Document Cited in Search Report				Patent Family Member			
AU	51013/90	CA EP	2050468 458846	DD PT	282028 93181	DK WO	3848/89 90/09436
END OF ANNEX							